Clarkwood Beach—Sanitary Survey Report

Fall 2011



Cuyahoga County Board of Health • 5550 Venture Drive • Parma, Ohio 44130 • (216) 201-2000 • www.ccbh.net • estaff@ccbh.net

Background

It is no secret that the Great Lakes are one of the nation's most precious natural resources. Local economies have flourished around these bodies of water since the time of the Civil War. Manufacturing and shipping, staples of the Cleveland area, have provided employment opportunities and growth in the region for well over a century. In turn, homes were built and families were raised, creating a demand for fresh water and waste removal systems. In addition to Lake Erie's role as a key resource



for industry and infrastructure, it continues to thrive as a recreation destination. Anyone who has experienced a Northeast Ohio winter knows how to enjoy every last bit of summertime. From Toledo to Ashtabula, the shoreline is dotted with boat launches, marinas, bathing beaches, and parks just inviting you to the water and the beautiful views exclusive to Lake Erie.

As the demand on Lake Erie and the other Great Lakes increased, managing the water quality became imperative. The health and well-being of humans and wildlife are dependent on good water quality. Realizing this fact, then-President Nixon and the federal government decided to take action in 1970 with the creation of the Environmental Protection Agency (EPA), which drafted the Clean Water Act in 1972 to protect surface waters from contamination.

To augment the efforts of the EPA, Congress amended the Clean Water Act with the passage of the Beaches Environmental Assessment and Coastal Health (BEACH) Act in 2000. The Act established uniform criteria for testing, monitoring, and notifying public users of possible coastal recreational water problems. For almost two decades, the Cuyahoga County Board of Health has maintained a beach monitoring program involving sampling and analysis for potential bacterial contamination in near shore waters.

In addition to routine beach monitoring, the Cuyahoga County Board of Health was awarded a grant to conduct Annual Sanitary Surveys at beaches along the Lake Erie coast. A sanitary survey is a method of identifying and investigating the sources of contamination in a body of water and assessing the magnitude of pollution through water sample analysis.

Beach sanitary surveys involve collecting information at the beach, as well as in the surrounding watershed. Information collected at the beach may include: number of birds at the beach, slope of the beach, location and condition of bathrooms, and amount of algae on the beach. Information collected in the watershed may include: land use, location of storm water outfalls, surface water quality, and residential septic tank information.

The following report contains all of the information obtained while conducting the sanitary survey, including the Annual Sanitary Survey field form, photos and GPS coordinates of sampling locations (if applicable), and sample results. Please contact Barry Grisez at (216) 201-2001 ext. 1232 or bgrisez@ccbh.net with any questions or concerns about this project.



Sample Results

As a result of the sanitary survey, two outfalls were identified as potential sources of water pollution. An "outfall" is defined as the point where a storm water conveyance system discharges into a natural body of water such as a lake, river, stream, or wetland. The photos to the right show the outfalls. As part of this project, water samples were taken during both dry weather and after rain events.. They were then analyzed for bacterial contamination. This analysis was used as an indication of whether these outfalls were contributing to the higher bacteria counts occasionally observed in the Lake. Sampling was conducted weekly, beginning August 17th and concluding on October 12th. The table below provides the *E.coli* concentrations found as a result of sample analysis.





East 252nd Street


Lloyd Road

BEACH NAME	OUTFALL LOCATION	GPS (N)	GPS (W)	COLLECTION DATE	E COLI CFU/100mL	RECENT RAINFALL	RAINFALL AMOUNT (INCHES)
Clarkwood/Royal Acres	Lloyd Road	41.62759	-81.49510	8/17/2011	15200	<72 hours	0.35
Clarkwood/Royal Acres	Lloyd Road	41.62759	-81.49510	8/24/2011	100000	<24 hours	0.46
Clarkwood/Royal Acres	Lloyd Road	41.62759	-81.49510	8/31/2011	44400	>72 hours	0.22
Clarkwood/Royal Acres	Lloyd Road	41.62759	-81.49510	9/6/2011	10500	<72 hours	1.75
Clarkwood/Royal Acres	Lloyd Road	41.62759	-81.49510	9/13/2011	17300	<72 hours	0.28
Clarkwood/Royal Acres	Lloyd Road	41.62759	-81.49510	9/20/2011	8800	<48 hours	1.06
Clarkwood/Royal Acres	Lloyd Road	41.62759	-81.49510	9/26/2011	5400	<24 hours	1.48
Clarkwood/Royal Acres	Lloyd Road	41.62759	-81.49510	10/3/2011	3550	<24 hours	0.36
Clarkwood/Royal Acres	Lloyd Road	41.62759	-81.49510	10/12/2011	600	<24 hours	0.38
Clarkwood/Royal Acres/Sims	East 252nd Street	41.62105	-81.50769	8/17/2011	5800	<72 hours	0.35
Clarkwood/Royal Acres/Sims	East 252nd Street	41.62105	-81.50769	8/24/2011	17400	<24 hours	0.46
Clarkwood/Royal Acres/Sims	East 252nd Street	41.62105	-81.50769	8/31/2011	335	>72 hours	0.22
Clarkwood/Royal Acres/Sims	East 252nd Street	41.62105	-81.50769	9/13/2011	133	<72 hours	0.28
Clarkwood/Royal Acres/Sims	East 252nd Street	41.62105	-81.50769	9/20/2011	1300	<48 hours	1.06
Clarkwood/Royal Acres/Sims	East 252nd Street	41.62105	-81.50769	9/26/2011	25800	<24 hours	1.48
Clarkwood/Royal Acres/Sims	East 252nd Street	41.62105	-81.50769	10/3/2011	11500	<24 hours	0.36
Clarkwood/Royal Acres/Sims	East 252nd Street	41.62105	-81.50769	10/12/2011	44400	<24 hours	0.38

Discussion of Sample Results

To interpret the results, the *E.coli* concentration listed in the table above is compared to a water quality standard of 576 CFU/100 mL. The threshold of 576 was created by the USEPA for storm water analysis. Results exceeding 576 are an indication of a high bacteria load and will most likely affect the water quality at the beach. The results show that the outfalls located near the beach are primarily influenced by rain. This is common among beaches in Cuyahoga County and other areas where older infrastructure is still present. There are a number of options available to help effectively reduce the amount of pathogenic bacteria such as *E. coli* flowing into Lake Erie from these outfalls, including:

Modifying the existing sewer system and separating sanitary waste lines from storm water lines. On average, this is the most expensive and time-consuming solution. However, completely separate conveyance systems ensure that only storm water runoff enters the outfalls and eventually Lake Erie. Keep in mind that storm water runoff can still contain bacteria from other sources; local wildlife (geese), pet waste, agricultural waste, and discharge from impervious surfaces like streets and parking lots.



Creating an overflow tank to capture excess storm water - As opposed to revamping the entire sewer system, these tanks or "tunnels" act as a retention basin by capturing the excess flow and slowly return the water back to the wastewater treatment plant. The Northeast Ohio Regional Sewer District has completed projects such as these throughout the area. Currently, they are working on the Euclid Creek Tunnel Project. When completed, it will have the capacity to hold 70 million gallons of combined storm water and wastewater which would otherwise have ended up in Lake Erie.






Green Infrastructure — A relatively new concept, green infrastructure involves creating wetlands, large rain gardens, and other natural "speed bumps" that help slow down the flow of water to Lake Erie by diverting it and allowing for treatment. Similar to the "tunnels" mentioned above, these types of projects create a holding area for excess storm water runoff. The only difference is that these green solutions call for natural treatment of the water through soil absorption as opposed to piping the water back to a treatment plant.

All of these solutions are viable ways to deal with bacteria-laden storm water. By conducting sanitary survey projects such as this, information is obtained on where the bacteria concentrations are of greatest concern allowing for a strategic approach to eliminating these problem areas.

Tips for Homeowners

The management of large quantities of excess rainwater discussed above is rather complex and normally taken on by municipal or regional entities, such as streets/sewer departments and regional sewer districts. However, homeowners can also take a few small steps to help keep Lake Erie clean. Here are a few tips for around the home:

Prevent rain water from infiltrating sanitary sewers. Just like any other structural component of a house, storm water drain lines periodically need to be repaired or replaced. Rain water from gutters, downspouts, footer drains and lateral lines can infiltrate the sanitary sewer system if cracks or leaks are present. Too much rainwater in sanitary sewers often results in overflows at the sewage treatment plants which spill into area waterways and eventually Lake Erie. Homeowners interested in an evaluation of their drainage system can contact local storm water consulting/engineering firms or their municipal sewer department.



Make sure all household waste goes to the right place. Some houses, especially older homes, were built or remodeled without much consideration given to waste water management. Over the years, homeowners added plumbing fixtures (bathrooms, laundry/utility sinks, etc.) to their basements or garages. The waste water from these fixtures was connected to the storm water drains since those lines are generally much more accessible than sanitary lines. As a result,

untreated sanitary waste ends up in Lake Erie contributing to the buildup

of bacterial contamination.

On that note, another consideration for homeowners is the storage and disposal of hazardous household waste. Items such as cooking oil, automobile fluids, lawn products, and unused medications are just a few of the hazardous materials that require special attention when handling.





Maintain septic systems as needed. Believe it or not, there are still approximately 10,000 households in Cuyahoga County that require an individual household sewage treatment system in place of sanitary sewers. Routine maintenance of these systems will not only ensure that the resulting waste water is properly treated but will also extend the life of the system and allow for optimal operation.

Discover your green thumb. If the yard could use a little attention, consider creating rain gardens to help buffer runoff from storm water. Rain gardens are very attractive beds of native vegetation that also serve as a way to prevent excess water from entering the drainage system. Also, though native wildflowers, plants, and shrubs are hardy and drought —resistant, adding a rain barrel to your downspout is a great way to keep your flower beds



watered during those dry spells. For those looking to take their projects to the extreme, there are ways to replace a standard, shingled roof with a thatched or vegetative green plants designed to retain a significant amount of rainfall.



Other small projects, such as replacing impervious concrete surfaces with pavers or decorative stone, can also reduce the amount of rainwater entering the sewers.

Clean up after pets. It seems like common sense, but cleaning up pet waste is the simplest way to prevent bacterial contamination of storm water runoff.



Summary

This Sanitary Survey Project was made possible through grant funding obtained by the Ohio Department of Health from the USEPA Great Lakes Restoration Initiative (GLRI). As a result of the survey, it was concluded that rainfall plays a significant role in determining water quality. The sewer systems installed years ago were designed to overflow into Lake Erie during periods of heavy rain. Although this was a great way to help out homeowners and prevent basement floods, these types of systems created a pollution problem in Lake Erie that has been a challenge to resolve. The Clean Water Act, implemented by the USEPA, requires that municipalities correct these sewer overflows within a specified timeframe and there are a number of possible solutions to address this issue that range in cost and effectiveness. A copy of this report will be shared with municipal sewer departments and other interested parties to discuss the results of this project and begin exploring ways to address the sources of pollution.

Useful Links

Northeast Ohio Regional Sewer District

Cuyahoga County Board of Health

5550 Venture Drive Parma, OH 44130 Phone: (216) 201-2000 Fax: (216) 676-1317 E-mail: estaff@ccbh.net

Website: www.ccbh.net

Cleveland, OH 44115 Phone: 216-881-6600

3900 Euclid Ave.

Website: www.neorsd.org

Cuyahoga County Solid Waste District

4750 East 131 Street Garfield Heights, OH 44105 Phone: (216) 443-3749 Fax: (216) 478-0014

E-mail: swdinfo@cuyahogacounty.us Website: www.cuyahogaswd.org

United States Department of Agriculture Natural Resources Conservation Service - State Office

200 North High Street, Room 522 Columbus, OH 43215

Phone: (614) 255-2472 Website: www.nrcs.usda.gov United States Environmental Protection Agency (USEPA)

Region 5 (IL, IN, MI, MN, OH, WI)

77 West Jackson Boulevard Chicago, IL 60604-3507 Phone: (312) 353-2000 Fax: (312) 353-4135

Toll free within Region 5: (800) 621-8431

Website: www.epa.gov





GREAT LAKES BEACH ANNUAL SANITARY SURVEY

1. BASIC INFORMATION	ON									
Name of Beach: (L	ARKWO	OD	BEA	ACH		Date(s) of Su	rvey:	1161	2011	
Beach ID:						Name of Wat	erbody:	LAK	EERIE	
Town/City/County/State	EUCL	10	, OH			Number of Ro				
Sampling Station(s)/ID:)				A STANLING STANLE		ATHER GRISEZ	TWO
STORET Organizationa						Surveyor Affi			B, H.	1 (11) 60
			, -, -, -			- Curveyor 7 iiii	nauon.	. (.	D. P.	
2. DESCRIPTION OF L		N W	ATERSH	HED						
Current Land Use in Wa	OF CASE OF STREET									
	dential	In	ndustrial	Commercia		Agricultural	Other (s	pecify	PAIRL	
Percentage 8*	5			5			10			
Development	Describ	e								
% undevelop	1200									
% develop										
How was land use meas									141.	
Waterbody Uses: 🔀 B			hing		indsu			er (sp		
Are maps of the beach a		ed?	yes	☐ no		Are maps of the	watershe	d attac	ched? 🖺 yes 🗌 no	
List maps and their sour	ces:									
Does the detailed map i	nclude loca	tions	s of:							
Sample Points	⊠ y		no	(explain):						-
Hydrometric Networ		es	No no	(explain): NA						
Pollutant Sources	⊠ y	es	no	(explain):						
Boat Traffic	□ y	es	⊠ no	(explain): NA						
Marinas	□ y	es	No no	(explain): NA						
Boat dockage	y	es	🔀 no	(explain): NA	(
Fishing		es	≥ no	(explain): ៧\△	7					
Bathing/Swimming	у	es	M no(explain): 🗸 🗘	1					
Bounding Structures:	- I bearing									
Jetty	у	es	mo(explain): 🖊 🖍	7					
Groin	у	es	mo(explain): 🕠 🔎						
Seawall		es	≥ no(explain): 🙌 🌃						
Other		es	M no(explain): NA						
Sanitary Facilities	у	_	X no(VI:	SIBLE ON	MAP			
Restaurants/Bars			No(explain): NA						
Playground		es	no(explain): NA						
Parking Lot(s)		es	No(explain): NA						
Other	у	es	≥ no(explain): N	4					
Erosion/Accretion Meas	surements								The state of the s	
High Watermark Location Identification	Fi		Object D	escription uilding)		tance from Fixe Object to High Watermark	200	et or ers?	Distance between High Watermark Locations	Feet or Meters?
Α	<11		LCASE			20	FT		A↔B:	
В	31/	1 1	-17 91			- Y	1 1		B↔C:	,
C									C↔D:	
D (optional)						-			D↔E:	-
E (ontional)					<u> </u>					_



Bounding Struct	ures				
Bounding 9	Structure		١	lumber	Description or Comment
Jetty				0	
Groin				D	
Seawall				0	
Natural formatio	n			0	
Other (specify):					
Other (specify):					
Beach Materials	/Sediments	S:			
	Mu	cky	D	Rocky	Other:
On Denah Mata					
			ad Ai	naiysis (ai	ach diagram or photographs of plot locations) NA
	ne of Lab U				
Date of Sar	Mean Gra		116	niformity	
Plot ID	Size Diam			niformity pefficient	Description of Plot Location:
	Size Diam	etei	- 00	Jenicient	
			-	-	
Augraga		-			
Average Describe the rec	aulta and ac	nalua	ion of	the sedin	ent analysis and potential effects of the sediment distribution at this beach:
Describe the res	suits and co	ncius	1011 01	the seam	erit arraiysis and potential effects of the sediment distribution at this beach.
Photos Taken in	the Reach	Arna	or Si	rrounding	Watershed (SEE ATTACHED)
	I life Deach	Alea	1	irrouriumg	Description of Photo
Image	Dete/T	lma a	1	Cilo Nor	
Number	Date/T	ime	+-	File Nar	e (Include Pictures of High Watermark Locations and Corresponding Fixed Objects
			+		
			-		
			+		
			+		
			-		
			+		
			+		
			+-		
Habitat around I	beach:				
Dunes		/etlan	de	П	iver/stream
					Trondition Trondition Trondition Transaction Transaction
Other: RE	SIDENT	JAI	_		
3. WEATHER C	ONDITION	S			
				The second	the second of the first of the first of the second the
					r beach season(s) along with bacteria sampling results.
	concentrati		_		ear to correlate with any of the following?
Rainfall		≥ y		no	(explain):
Air Temperature		y	es	≥ no	(explain):
Water Temperat	ure	y	es	✓ no	(explain):
Cloud Cover		y	es	✓ no	(explain):
Wind Speed		☐ y	es	✓ no	(explain):
Wind Direction		☐ y	es	✓ no	(explain):
Longshore Curre	ent	_ y	es	no	(explain):
Wave Height or	Intensity		es	no	(explain): HIGH WAVES = HIGH TURBIDITY



Have any statistical analyses been done to calculate the degree of correlation?
Describe any analyses done, and any trends or correlations found (add lines if needed to describe in detail):
NIA
Average air temperature during beach season: 12.3 °C or F Average water temperature during beach season: 14.3 °C or
Average wind speed and direction during beach season (e.g., E or 90° at 15 mph): S W A S MAL
Typical weather conditions: Sunny Mostly Sunny Partly Cloudy Mostly Cloudy Overcast Rain
Rainfall total for the beach season (in): Average rainfall for all beach seasons (in): 12.68
Does rainfall intensity correlate with bacteria sample results? ✓ yes ☐ no Describe:
Number of significant rain events: What constitutes "significant?"
(e.g., 1 inch or more rain)
Additional Comments/Observations:
Additional Comments Observations.
A RUNGAL BEAUCANDITIONS
4. PHYSICAL BEACH CONDITIONS
Beach length or dimensions (indicate Z1, Z2, and Z3 on a map)
Length (m): 29 Width (average, in m): 6
Width Z1 (m): Width Z2 (m): Width Z3 (m):
Local water level variation: feet inches Hydrographic influences (e.g., seiches):
Characterize any longshore or nearshore currents and their potential effects based on bacteria sampling results
Approximate beach slope at swim area: %
Description and date of last beach rehabilitation (example: new sand, nourishment, dredging, etc., physical structures will be described
Sections 12 and 13):
INFO NOT AVAILABLE
Comments/Observations:
5. BATHER LOAD (# OF BEACH USERS)
Is bather load measured?
in yes, describe now beautiquer numbers are calculated (i.e., furnsille, counting at moon, photographs):



Beach Use									
				Number of Pe	ople Per D	Day Using th	e Beach		
Beachgoer Catego	ry th	eak Use for e Season	Seasonal Average	Holiday Average (Daily Us) V	Veekend Average Daily Use)	Weekday Average (Daily Use)	Off-	Season Average if applicable (Daily Use)
Total people in the		Daily Use)	(Daily Use)	(Daily US	e) (L	ally USE)	(Daily Ose)		(Daily USE)
			21		-				
Total people out of Total people at the			41						
Breakdown of Activ		word broke		outing Onsite	Sanitary S	Survey cum	l marize them her	(م	
Activity 1:	nues (ii acuviues	Mele ploke	I down on the ix	Outilie-Offsite	Jarillary C	ourvey, sum	manzo diciri nei	T T	
Activity 2:					-				
Activity 3:							-		-
Activity 4:									
Activity 5:									
Activity 6:	-								
Frequency of meas	curements							L	
(e.g., daily, weekly,	, monthly)	NEEKLY	IN AM						
Examine bather loa to correlate with backer correlate with backer	cteria concentra ria concentratio	tions at any ones? Has a s	of these samplin tatistical analysis	g points? Do	es the amo Describe:	ount of peop	le in the water o	es ba r out o	ther load appear f the water
NO COPPE	LATION. 1	NO 5T.	ATISTICAL	- ANG	515	DOME			
								-	
Comments/Observa									
6. BEACH CLEAN	ING								
Beach cleaning free	quency during se	eason: As	" MEEDED						
Description of clear	nup activities								
	Leveling of Sand	Trimmin Removi Vegetat	ing Remo	•	moving rash	of a Ter	on and Maintena mporary Pathwa y to Open Water	y	Other (specify):
Check activities that were done			-	/ ~					1 200
Equipment used (if applicable)					-11				
How often are float	6 through a company of the company o	ie beach?	Nev	er [Sometir	nes 🗌	Frequently		Very frequently
Known sources of f	loatables:								- V
Types of floatables Building materia		Street litter Fishing relat	The second secon	ood-related l	tter [Medical i	tems	Sew	age-related
How often is beach					Someti		Frequently		Very frequently
Known sources of o					1 000 (100 (100)		- The state of the		



Type of Debris/Litter Four	nd			
Street litter	Food-related litter	☐ Medical items ☐ Sewage	e-related Buildi	ng materials
Fishing related	Household waste	☐ Tar ☐ Oil/ Grease ☐ Otl	her:	
Comments/Observations:				
7. INFORMATION ON SA	AMPLING LOCATION			
Description of Sample Po	ints (include beach water a	and potential pollution sources)		
Sample Point Name/ID	Location	Description	Sample Frequency	Time of Day of Sample Collection
BEACH - CENTRAL		ROUTINE MONITORNE PT.	MEEKLY	AM
E. 252 ST OUTF.			WEGEL	ALA
MOLD BD DALE	all		MEEKIN	AM
			\	
Description of hydrometric	network [note that this is	a network of monitoring stations that of	collect data such as rainf	all and stream flow]
NWS HOPKINS	AIRPORT			*
8. WATER QUALITY SAI	MPI ING			
		Distance to laboratory:	19	loo
Name of laboratory:				les
Is there a sampling and a	nalysis plan? 🔀 yes	no Is it adequate?	yes):
Are the sampling staff pro	perly trained on sampling	techniques, equipment maintenance,	and calibration procedur	es? 🛮 yes 🗌 no
Biological Survey Results Were invasive/nonnative		s 🔼 no (describe):	and calibration procedur	30. AS yes _ 110
Have algae blooms been	observed during the beach	n season? (If so, specify duration and	algae species) No	
Percent of beach season Moderate (21–50%)	where algae was present i	n significant amounts in the nearshore	e water: None	☐ Low (1–20%)
		n significant amounts on the beach: 50%)	None	☐ Low (1–20%)
List types of algae found:	HONE			
Colors of algae most com				
	hat were found: No No			
	c organisms that were fou			
,	gamente and more for	7.0170		



Presence of Wildlife and Domestic Animals

Туре	Degree of Presence (Low, Mod, High)	Does the Presence Appear to Correlate wit Bacteria Results? (Yes No, Don't Know)	
Geese	LOW	NO	NOT SIGNIFICANT
Gulls	con	20	4
Dogs	LOW	NO	
Other (specify):			
Other (specify):			
Other (specify):			
		d birds found on the bea nd and possible causes:	each during beach season?
Was a significant i Describe numbers		adhla aassaas	ach during the beach season?
	scherichia coll? nterococcus? cal coliform? I bacteria teste	yes ⊠ no yes ⊠ no d and associated analyti	o Analytical Method Used: o Analytical Method Used:
HIGHEST	# of ex	RECORD RAI	that of previous years? 1 EXCEEDENCES IN 2011; THE SINCE MONT TORING BEGAN - CAN BE MINEAUL & INCREASED SAMPLING
Do the bacteria re ☐ no Descri	be in detail ana	alyses that were perform	weather, flow, bather load, algae, or wildlife? yes med on the data (add additional lines as needed).
Do the bacteria re no Descri	be in detail and	alyses that were perform RAINFAU No measured regularly)	med on the data (add additional lines as needed). STATISTICAL ANNLYSIL PERFORMED.
Do the bacteria re ☐ no Descri WATER OF	be in detail and	alyses that were perform RAINFAU No measured regularly)	med on the data (add additional lines as needed).



re water quality ann	ual trend data attached?	yes 🔀 no)	
omments/Observati	ons:			
MODELING re models being use yes, list types of mo	ed?	ief description of the	e models:	
omments/Observation	ons:			*
). ADVISORIES/CL	OSINGS			
D. ADVISORIES/CL st any advisories an acteria level, such a	nd closings that occurred,	whether bacteria le	vels were high, and	any possible reasons for advisory or closing or hi
st any advisories an		whether bacteria le ge spill, or wildlife of Length of Advisory or Closing (Days)	Did Bacteria Concentrations Exceed GM or	any possible reasons for advisory or closing or his Reason for Advisory or Closing or Possible Contributing Factors
et any advisories an oteria level, such a lvisory or Closing (specify one)	nd closings that occurred, s stormwater runoff, sewa	ge spill, or wildlife of Length of Advisory or Closing (Days)	on the beach. Did Bacteria Concentrations	Reason for Advisory or Closing or Possible
t any advisories an oteria level, such a visory or Closing (specify one)	nd closings that occurred, s stormwater runoff, sewa Start and End Dates	ge spill, or wildlife of Length of Advisory or	Did Bacteria Concentrations Exceed GM or SSM Criteria?	Reason for Advisory or Closing or Possible Contributing Factors
t any advisories an cteria level, such a visory or Closing (specify one)	Start and End Dates	ge spill, or wildlife of Length of Advisory or Closing (Days)	Did Bacteria Concentrations Exceed GM or SSM Criteria?	Reason for Advisory or Closing or Possible Contributing Factors
at any advisories an cteria level, such a dvisory or Closing (specify one)	Start and End Dates Compared to the content of t	Length of Advisory or Closing (Days)	Did Bacteria Concentrations Exceed GM or SSM Criteria?	Reason for Advisory or Closing or Possible Contributing Factors
at any advisories an acteria level, such a dvisory or Closing (specify one)	Start and End Dates	Length of Advisory or Closing (Days)	Did Bacteria Concentrations Exceed GM or SSM Criteria?	Reason for Advisory or Closing or Possible Contributing Factors
at any advisories an acteria level, such a dvisory or Closing (specify one)	Start and End Dates Compared to the content of t	Length of Advisory or Closing (Days)	Did Bacteria Concentrations Exceed GM or SSM Criteria?	Reason for Advisory or Closing or Possible Contributing Factors
at any advisories an acteria level, such a dvisory or Closing (specify one)	Start and End Dates Compared to the content of t	Length of Advisory or Closing (Days)	Did Bacteria Concentrations Exceed GM or SSM Criteria?	Reason for Advisory or Closing or Possible Contributing Factors

7

5/20/08





11 POTENTIAL POLITITION SOURCES

Type of Source	Level of Concern (H, M, L, or NA)	Latitude*	Longitude*	Describe how this source might contribute to beach pollution and frequency of contribution
Wastewater discharges	NIA			
Sewage overflows	M			CSOS IN REGION
Septic systems	Alu			
Subsurface sewage disposal	NIA			
Stormwater outfalls	W			INCREASED E. COLI HIGHLY CORRELATED T
Natural outfalls	NA			
CAFOs or AFOs	NIA			
Wildlife	L			NOT SIGNIFICANT
Agriculture runoff	NIA			
Urban runoff, industrial waste	Aln			
Marinas, harbors	Alu			
Mooring boats	AIN			
Domestic animals	L			TURNITHAIS TON
Unsewered areas	NIA			
Erosion-prone areas	Alu			
Landfills, open dumps	Alm	****		
Groundwater seepage	Alu			
Bathhouse leakage	NIA			
Drains and pipes nearby	NIA			
Stream or wetland drainage	AIM	40		
Vacant areas	NIA			
Other (specify):	7.41			
Other (specify):				
Other (specify):	4			
*If latitude and longitude are unknown, sl	how the location on the detailed	man and describe	in the Comments/Ohe	
Have potential pollution source				
Did you collect bacteria sample	s from any potential pol	lution sources,	such as streams	or outfalls? yes no (explain):
	erformed and a summar			WATER MULANCE THRESHOLD OF
FROM THE DUTFE	for E. Coll			
FROM THE DUTF!	s available for discharge	rs in the waters		
FROM THE DITES 576 CFU (100 mL) Are there any discharge reports	s available for discharge	rs in the waters		
FROM THE DITES 576 CFU (100 mL) Are there any discharge reports	s available for discharge	rs in the waters		




Have any sources b						
			BE CONDUCTED !			
				UCUID WUTP	SHOL	ili nork
MITH DE	CF A9	ADDRESS "	CSO CSO IT AI	LA.		
Comments/Observa	tions:					
12. DESCRIPTION	OF SANITARY	FACILITIES				
Bathhouses: Total	number of bath	nhouses at the bea	nch:			
Number or ID		_ocation	Condition (Good, Fair, or Poor)	Distance from Wa (feet)	Acres and a second	Frequency of Cleaning (Daily, Weekly, Monthly
	PARK	AREA	6000	100		AS WEEDED
Describe further. Inc	 ude number o	f toilets, showers, s	sinks, etc., and whether the	ese facilities are adequ	ate to supp	ort beach use.
Describe further. Inc Litterbins: Total nu Number or ID	mber of litterbi		Condition	Distance from Wa	aterline	Frequency of Emptying
Litterbins: Total nu Number or ID	Imber of litterbi	ns at the beach: Location	Condition (Good, Fair, or Poor)	Distance from Wa	aterline	Frequency of Emptying (Daily, Weekly, Monthly
Litterbins: Total nu Number or ID	mber of litterbi	ns at the beach: 《	Condition	Distance from Wa	aterline	Frequency of Emptying
Litterbins: Total nu Number or ID CAN DUMPSTER	PARL	ns at the beach: 6 Location AREA AREA	Condition (Good, Fair, or Poor)	Distance from Wa (feet)	aterline	Frequency of Emptying (Daily, Weekly, Monthly AS MEDED
Number or ID CAN DUMPSTER Describe further. Inc.	PARL PARL PARL Jude whether n	ns at the beach: Cocation AREA Umber and location	Condition (Good, Fair, or Poor)	Distance from Wa (feet)	aterline	Frequency of Emptying (Daily, Weekly, Monthly AS MEDED
Number or ID (AN Describe further. Inc. 13. DESCRIPTION of the box of the	PARU PARU PARU Jude whether n	ns at the beach: Cocation AREA AREA umber and location CILITIES h as restaurants, b	Condition (Good, Fair, or Poor) (Good, Fair,	Distance from Wa (feet)	aterline How migh	Frequency of Emptying (Daily, Weekly, Monthly AS MEDED at this facility contribute
Number or ID CAN Describe further. Inc. 13. DESCRIPTION List facilities in the b	PARV PARV Jude whether n OF OTHER FA each area, suc	ns at the beach: Location AREA AREA umber and location CILITIES h as restaurants, b Location	Condition (Good, Fair, or Poor) on of litterbins is adequate to condition (Good, Fair, or Poor)	Distance from Wa (feet) Distance from Wa (feet) Distance from Beach (feet)	How migh wate	Frequency of Emptying (Daily, Weekly, Monthly AS NEBED
Number or ID AN Describe further. Inc. 13. DESCRIPTION List facilities in the b	PARV PARV Jude whether n OF OTHER FA each area, suc	ns at the beach: Cocation AREA AREA umber and location CILITIES h as restaurants, b	Condition (Good, Fair, or Poor) (Good, Fair,	Distance from Wa (feet)	aterline How migh	Frequency of Emptying (Daily, Weekly, Monthly AS NEEDED





Legend

Municipal Borders



Clarkwood Beach Area





By Timothy A. Gourley, R.S., M.P.H. Coordinate System: GCS North American 1983 Datum: North American 1983

Units: Degree
Path: C:\Documents and Settings\tgourley\My Documents\beach survey 2011\Clarkwood.mxd



		Combined Sewer Overflow	v Events 2011			
CITY	EVENT LOCATION ID#	EVENT LOCATION	EVENT START DATE	EVENT END DATE	FACILITY NAME	COMMENTS
Euclid		Brandywine Pump Station	8/1/2011		City of Euclid	Heavy Rain
Euclid	3028	East 217th Street & Edgecliff Drive	8/1/2011	8/1/2011	City of Euclid	Heavy Rain
Rocky River	302	Beach Cliff Boulevard & Falmouth Drive (302)	8/3/2011	8/3/2011	City of Rocky River	Heavy Rain
Rocky River	306	Westway Drive & Magnolia Drive (306)	8/3/2011	8/3/2011	City of Rocky River	Heavy Rain
Euclid	3025	End of East 194th Street	8/7/2011	8/7/2011	City of Euclid	Heavy Rain
Euclid		Brandywine Pump Station	8/7/2011	8/7/2011	City of Euclid	Heavy Rain
Euclid	3037	Babbitt Road & East 222nd Street	8/7/2011	8/7/2011	City of Euclid	Heavy Rain
Euclid	3036	Effingham Drive at Glenbrook Boulevard	8/7/2011		City of Euclid	Heavy Rain
Euclid	3032	East 273rd Street & Parkwood Drive	8/7/2011	8/7/2011	City of Euclid	Heavy Rain
Euclid	3031	East 275th Street at East 274th Street	8/7/2011	8/7/2011	City of Euclid	Heavy Rain
Euclid	3030	East 274th Street at East 275th Street	8/7/2011	8/7/2011	City of Euclid	Heavy Rain
Euclid	3028	East 217th Street & Edgecliff Drive	8/7/2011	8/7/2011	City of Euclid	Heavy Rain
Euclid	3026	East 215th Street & Crystal Avenue	8/7/2011	8/7/2011	City of Euclid	Heavy Rain
Euclid	3028	East 217th Street & Edgecliff Drive	8/9/2011	8/9/2011	City of Euclid	Heavy Rain
Euclid	3028	East 217th Street & Edgecliff Drive	8/14/2011	8/14/2011	City of Euclid	Heavy Rain
Euclid	3026	East 215th Street & Crystal Avenue	8/14/2011	8/14/2011	City of Euclid	Heavy Rain
Euclid		East 275th Street at East 274th Street	8/14/2011	8/14/2011	City of Euclid	Heavy Rain
Rocky River	302	Beach Cliff Boulevard & Falmouth Drive (302)	8/14/2011	8/14/2011	City of Rocky River	Heavy Rain
Rocky River	306	Westway Drive & Magnolia Drive (306)	8/14/2011	8/14/2011	City of Rocky River	Heavy Rain
Rocky River	306	Westway Drive & Magnolia Drive (306)	8/15/2011	8/15/2011	City of Rocky River	Heavy Rain
Rocky River	302	Beach Cliff Boulevard & Falmouth Drive (302)	8/15/2011	8/15/2011	City of Rocky River	Heavy Rain
Rocky River	306	Westway Drive & Magnolia Drive (306)	8/20/2011	8/20/2011	City of Rocky River	Heavy Rain
Rocky River	302	Beach Cliff Boulevard & Falmouth Drive (302)	8/21/2011	8/21/2011	City of Rocky River	Heavy Rain
Rocky River	302	Beach Cliff Boulevard & Falmouth Drive (302)	8/24/2011	8/24/2011	City of Rocky River	Heavy Rain
Euclid		Brandywine Pump Station	8/25/2011	8/25/2011	City of Euclid	Heavy Rain
Rocky River	302	Beach Cliff Boulevard & Falmouth Drive (302)	8/25/2011	8/25/2011	City of Rocky River	Heavy Rain
Euclid	3036	Effingham Drive at Glenbrook Boulevard	8/25/2011		City of Euclid	Heavy Rain
Euclid	3032	East 273rd Street & Parkwood Drive	8/25/2011	8/25/2011	City of Euclid	Heavy Rain
Euclid	3028	East 217th Street & Edgecliff Drive	8/25/2011	8/25/2011	City of Euclid	Heavy Rain
Euclid		Brandywine Pump Station	9/1/2011	9/1/2011	City of Euclid	Heavy Rain
Euclid	3032	East 273rd Street & Parkwood Drive	9/1/2011	9/1/2011	City of Euclid	Heavy Rain
Euclid	3031	East 275th Street at East 274th Street	9/1/2011	9/1/2011	City of Euclid	Heavy Rain
Euclid	3030	East 274th Street at East 275th Street	9/1/2011	9/1/2011	City of Euclid	Heavy Rain
Euclid	3027	East 220th Street & Christine Avenue	9/4/2011	9/4/2011	City of Euclid	Heavy Rain
Euclid		Brandywine Pump Station	9/4/2011	9/4/2011	City of Euclid	Heavy Rain
Euclid	3028	East 217th Street & Edgecliff Drive	9/4/2011		City of Euclid	Heavy Rain
Euclid		East 275th Street at East 274th Street	9/4/2011		City of Euclid	Heavy Rain
Euclid	3030	East 274th Street at East 275th Street	9/4/2011		City of Euclid	Heavy Rain
Euclid	3036	Effingham Drive at Glenbrook Boulevard	9/4/2011	9/4/2011	City of Euclid	Heavy Rain
Rocky River	306	Westway Drive & Magnolia Drive (306)	9/4/2011	9/4/2011	City of Rocky River	Heavy Rain
Rocky River	302	Beach Cliff Boulevard & Falmouth Drive (302)	9/4/2011	9/4/2011	City of Rocky River	Heavy Rain

		Combined Sewer Overflow	Events 2011			
CITY	EVENT LOCATION ID#	EVENT LOCATION	EVENT START DATE	EVENT END DATE	FACILITY NAME	COMMENTS
Rocky River	302	Beach Cliff Boulevard & Falmouth Drive (302)	9/7/2011	9/7/2011	City of Rocky River	Heavy Rain
Rocky River	302	Beach Cliff Boulevard & Falmouth Drive (302)	9/8/2011	9/8/2011	City of Rocky River	Heavy Rain
Euclid		Brandywine Pump Station	9/10/2011	9/10/2011	City of Euclid	Heavy Rain
Euclid	3037	Babbitt Road & East 222nd Street	9/10/2011	9/10/2011	City of Euclid	Heavy Rain
Euclid	3028	East 217th Street & Edgecliff Drive	9/10/2011	9/10/2011	City of Euclid	Heavy Rain
Euclid	3031	East 275th Street at East 274th Street	9/10/2011	9/10/2011	City of Euclid	Heavy Rain
Euclid	3030	East 274th Street at East 275th Street	9/10/2011	9/10/2011	City of Euclid	Heavy Rain
Euclid	3026	East 215th Street & Crystal Avenue	9/10/2011	9/10/2011	City of Euclid	Heavy Rain
Rocky River	302	Beach Cliff Boulevard & Falmouth Drive (302)	9/15/2011	9/15/2011	City of Rocky River	Heavy Rain
Rocky River	302	Beach Cliff Boulevard & Falmouth Drive (302)	9/21/2011	9/21/2011	City of Rocky River	Heavy Rain
Rocky River	306	Westway Drive & Magnolia Drive (306)	9/21/2011	9/21/2011	City of Rocky River	Heavy Rain
Rocky River	302	Beach Cliff Boulevard & Falmouth Drive (302)	9/23/2011	9/23/2011	City of Rocky River	Heavy Rain
Rocky River	302	Beach Cliff Boulevard & Falmouth Drive (302)	9/25/2011	9/25/2011	City of Rocky River	Heavy Rain
Rocky River	306	Westway Drive & Magnolia Drive (306)	9/26/2011	9/26/2011	City of Rocky River	Heavy Rain
Rocky River	302	Beach Cliff Boulevard & Falmouth Drive (302)	9/26/2011	9/26/2011	City of Rocky River	Heavy Rain
Euclid	3028	East 217th Street & Edgecliff Drive	9/26/2011	9/26/2011	City of Euclid	Heavy Rain
Euclid		Brandywine Pump Station	9/26/2011		City of Euclid	Heavy Rain
Euclid	3026	East 215th Street & Crystal Avenue	9/26/2011	9/26/2011	City of Euclid	Heavy Rain
Euclid		Brandywine Pump Station	10/19/2011	10/19/2011	City of Euclid	Heavy Rain

















