Moss Point Beach—Sanitary Survey Report

Fall 2011



Cuyahoga County Board of Health • 5550 Venture Drive • Parma, Ohio 44130 • (216) 201-2000 • www.ccbh.net • estaff@ccbh.net

Background

It is no secret that the Great Lakes are one of the nation's most precious natural resources. Local economies have flourished around these bodies of water since the time of the Civil War. Manufacturing and shipping, staples of the Cleveland area, have provided employment opportunities and growth in the region for well over a century. In turn, homes were built and families were raised, creating a demand for fresh water and waste removal systems. In addition to Lake Erie's role as a key resource



for industry and infrastructure, it continues to thrive as a recreation destination. Anyone who has experienced a Northeast Ohio winter knows how to enjoy every last bit of summertime. From Toledo to Ashtabula, the shoreline is dotted with boat launches, marinas, bathing beaches, and parks just inviting you to the water and the beautiful views exclusive to Lake Erie.

As the demand on Lake Erie and the other Great Lakes increased, managing the water quality became imperative. The health and well-being of humans and wildlife are dependent on good water quality. Realizing this fact, then-President Nixon and the federal government decided to take action in 1970 with the creation of the Environmental Protection Agency (EPA), which drafted the Clean Water Act in 1972 to protect surface waters from contamination.

To augment the efforts of the EPA, Congress amended the Clean Water Act with the passage of the Beaches Environmental Assessment and Coastal Health (BEACH) Act in 2000. The Act established uniform criteria for testing, monitoring, and notifying public users of possible coastal recreational water problems. For almost two decades, the Cuyahoga County Board of Health has maintained a beach monitoring program involving sampling and analysis for potential bacterial contamination in near shore waters.

In addition to routine beach monitoring, the Cuyahoga County Board of Health was awarded a grant to conduct Annual Sanitary Surveys at beaches along the Lake Erie coast. A sanitary survey is a method of identifying and investigating the sources of contamination in a body of water and assessing the magnitude of pollution through water sample analysis.

Beach sanitary surveys involve collecting information at the beach, as well as in the surrounding watershed. Information collected at the beach may include: number of birds at the beach, slope of the beach, location and condition of bathrooms, and amount of algae on the beach. Information collected in the watershed may include: land use, location of storm water outfalls, surface water quality, and residential septic tank information.

The following report contains all of the information obtained while conducting the sanitary survey, including the Annual Sanitary Survey field form, photos and GPS coordinates of sampling locations (if applicable), and sample results. Please contact Barry Grisez at (216) 201-2001 ext. 1232 or bgrisez@ccbh.net with any questions or concerns about this project.



Sample Results

As a result of the sanitary survey, one outfall was identified as a potential source of water pollution. An "outfall" is defined as the point where a storm water conveyance system discharges into a natural body of water such as a lake, river, stream, or wetland. The photo to the right shows the outfall along with the GPS coordinates. As part of this project, water samples were taken during both dry weather and after rain events. They were then analyzed for bacterial contamination. This analysis was used as an indication of whether this outfall was contributing to the higher bacteria counts occasionally observed in the Lake. Sampling was conducted weekly, beginning August 17th and concluding on October 12th. The table below provides the *E.coli* concentrations found as a result of sample analysis.



GPS: 41.61250, -81.53239


| BEACH NAME | OUTFALL LOCATION | COLLECTION DATE | E COLI CFU/100mL | RECENT RAINFALL | RAINFALL AMOUNT (INCHES) |
|------------|------------------|-----------------|------------------|-----------------|--------------------------|
| Moss Point | Outfall at Beach | 8/17/2011 | 84 | <72 hours | 0.35 |
| Moss Point | Outfall at Beach | 8/24/2011 | 130 | <24 hours | 0.46 |
| Moss Point | Outfall at Beach | 8/31/2011 | 5 | >72 hours | 0.22 |
| Moss Point | Outfall at Beach | 9/13/2011 | 370 | <72 hours | 0.28 |
| Moss Point | Outfall at Beach | 9/20/2011 | 98 | <48 hours | 1.06 |
| Moss Point | Outfall at Beach | 9/26/2011 | 106 | <24 hours | 1.48 |
| Moss Point | Outfall at Beach | 10/12/2011 | 10 | <24 hours | 0.38 |

Discussion of Sample Results

To interpret the results, the *E.coli* concentration listed in the table above is compared to a water quality standard of 576 CFU/100 mL. The threshold of 576 was created by the USEPA for storm water analysis. Results exceeding 576 are an indication of a high bacteria load and will most likely affect the water quality at the beach. The results show that the outfall located on the beach is primarily influenced by rain. This is common among beaches in Cuyahoga County and other areas where older infrastructure is still present. There are a number of options available to help effectively reduce the amount of pathogenic bacteria such as *E. coli* flowing into Lake Erie from these outfalls, including:

Modifying the existing sewer system and separating sanitary waste lines from storm water lines. On average, this is the most expensive and time-consuming solution. However, completely separate conveyance systems ensure that only

storm water runoff enters the outfalls and eventually Lake Erie. Keep in mind that water runoff storm still contain bacteria from other sources; local wildlife (geese), pet waste, agricultural waste. and discharge from impervious surfaces like streets and parking lots.



Creating an overflow tank to capture excess storm water - As opposed to revamping the entire sewer system, these tanks or "tunnels" act as a retention basin by capturing the excess flow and slowly return the water back to the wastewater treatment plant. The Northeast Ohio Regional Sewer District has completed projects such as these throughout the area. Currently, they are working on the Euclid Creek Tunnel Project. When completed, it will have the capacity to hold 70 million gallons of combined storm water and wastewater which would otherwise have ended up in Lake Erie.






Green Infrastructure — A relatively new concept, green infrastructure involves creating wetlands, large rain gardens, and other natural "speed bumps" that help slow down the flow of water to Lake Erie by diverting it and allowing for treatment. Similar to the "tunnels" mentioned above, these types of projects create a holding area for excess storm water runoff. The only difference is that these green solutions call for natural treatment of the water through soil absorption as opposed to piping the water back to a treatment plant.

All of these solutions are viable ways to deal with bacteria-laden storm water. By conducting sanitary survey projects such as this, information is obtained on where the bacteria concentrations are of greatest concern allowing for a strategic approach to eliminating these problem areas.

Tips for Homeowners

The management of large quantities of excess rainwater discussed above is rather complex and normally taken on by municipal or regional entities, such as streets/sewer departments and regional sewer districts. However, homeowners can also take a few small steps to help keep Lake Erie clean. Here are a few tips for around the home:

Prevent rain water from infiltrating sanitary sewers. Just like any other structural component of a house, storm water drain lines periodically need to be repaired or replaced. Rain water from gutters, downspouts, footer drains and lateral lines can infiltrate the sanitary sewer system if cracks or leaks are present. Too much rainwater in sanitary sewers often results in overflows at the sewage treatment plants which spill into area waterways and eventually Lake Erie. Homeowners interested in an evaluation of their drainage system can contact local storm water consulting/engineering firms or their municipal sewer department.



Make sure all household waste goes to the right place. Some houses, especially older homes, were built or remodeled without much consideration given to waste water management. Over the years, homeowners added plumbing fixtures (bathrooms, laundry/utility sinks, etc.) to their basements or garages. The waste water from these fixtures was connected to the storm water drains since those lines are generally much more accessible than sanitary lines. As a result,

untreated sanitary waste ends up in Lake Erie contributing to the buildup

of bacterial contamination.

On that note, another consideration for homeowners is the storage and disposal of hazardous household waste. Items such as cooking oil, automobile fluids, lawn products, and unused medications are just a few of the hazardous materials that require special attention when handling.





Maintain septic systems as needed. Believe it or not, there are still approximately 10,000 households in Cuyahoga County that require an individual household sewage treatment system in place of sanitary sewers. Routine maintenance of these systems will not only ensure that the resulting waste water is properly treated but will also extend the life of the system and allow for optimal operation.

Discover your green thumb. If the yard could use a little attention, consider creating rain gardens to help buffer runoff from storm water. Rain gardens are very attractive beds of native vegetation that also serve as a way to prevent excess water from entering the drainage system. Also, though native wildflowers, plants, and shrubs are hardy and drought —resistant, adding a rain barrel to your downspout is a great way to keep your flower beds



watered during those dry spells. For those looking to take their projects to the extreme, there are ways to replace a standard, shingled roof with a thatched or vegetative green plants designed to retain a significant amount of rainfall.



Other small projects, such as replacing impervious concrete surfaces with pavers or decorative stone, can also reduce the amount of rainwater entering the sewers.

Clean up after pets. It seems like common sense, but cleaning up pet waste is the simplest way to prevent bacterial contamination of storm water runoff.



Summary

This Sanitary Survey Project was made possible through grant funding obtained by the Ohio Department of Health from the USEPA Great Lakes Restoration Initiative (GLRI). As a result of the survey, it was concluded that rainfall plays a significant role in determining water quality. The sewer systems installed years ago were designed to overflow into Lake Erie during periods of heavy rain. Although this was a great way to help out homeowners and prevent basement floods, these types of systems created a pollution problem in Lake Erie that has been a challenge to resolve. The Clean Water Act, implemented by the USEPA, requires that municipalities correct these sewer overflows within a specified timeframe and there are a number of possible solutions to address this issue that range in cost and effectiveness. A copy of this report will be shared with municipal sewer departments and other interested parties to discuss the results of this project and begin exploring ways to address the sources of pollution.

Useful Links

Northeast Ohio Regional Sewer District

Cuyahoga County Board of Health

5550 Venture Drive Parma, OH 44130 Phone: (216) 201-2000 Fax: (216) 676-1317 E-mail: estaff@ccbh.net

Website: www.ccbh.net

Cleveland, OH 44115 Phone: 216-881-6600

3900 Euclid Ave.

Website: www.neorsd.org

Cuyahoga County Solid Waste District

4750 East 131 Street Garfield Heights, OH 44105 Phone: (216) 443-3749 Fax: (216) 478-0014

E-mail: swdinfo@cuyahogacounty.us Website: www.cuyahogaswd.org

United States Department of Agriculture Natural Resources Conservation Service - State Office

200 North High Street, Room 522 Columbus, OH 43215

Phone: (614) 255-2472 Website: www.nrcs.usda.gov United States Environmental Protection Agency (USEPA)

Region 5 (IL, IN, MI, MN, OH, WI)

77 West Jackson Boulevard Chicago, IL 60604-3507 Phone: (312) 353-2000 Fax: (312) 353-4135

Toll free within Region 5: (800) 621-8431

Website: www.epa.gov





GREAT LAKES BEACH ANNUAL SANITARY SURVEY

| - | | | | | | | | | | _ | |
|----------------------------------|------------|------------|--------------|-----------------------------|--------|------------------------------|---------|---------------|------------------|---------|---------|
| 1. BASIC INFORMATION | ON | | | | | | | | | | |
| Name of Beach: Mo | SS P | 216 | IT B | FACH | | Date(s) of Su | ırvev: | 9/2/ | 2011 | | |
| Beach ID: | , | 11 | 1 10 | | | Name of Waterbody: LAKE ERIE | | | | | |
| Town/City/County/State | Enci | 115 | 611 | | | Number of Ro | | | | | |
| Sampling Station(s)/ID: | 1001 | 110 | 101 | | | | | | | 150 | T.11 / |
| STORET Organizationa | I ID: | | | | | Surveyor Affil | | | ATHER GRI | 360 | 11M 60 |
| 310NLT Organizationa | , טו וט. | | | | | Surveyor Ain | lialioi | | DIT. | | |
| 2. DESCRIPTION OF LA | AND USE | IN W | /ATERSH | IED | | | | | | | |
| Current Land Use in Wa | tershed | | | | | | | | | | |
| | lential | 1 | ndustrial | Commercia | | Agricultural | Oth | ner (specify) | : PARK/6 | LEFT | SPAGE |
| Percentage 8 | 5 | | 5 | 5 | | | | 5 | | | |
| Development | Descr | ibe | | | | | | | | | |
| % undevelop | | | | | | | | | | | |
| % develop | | | | | | | | | - | | |
| How was land use meas | ured: | | | | | | | 1 10 | | | |
| Waterbody Uses: X B | oating 📗 | K Fis | shing [|] Surfing 🔀 W | indsur | fing Diving | g [| Other (sp | ecify) | | |
| Are maps of the beach a | rea attach | ned? | ⊠ yes | no | - | Are maps of the | wate | ershed attac | ched? gyes | no | |
| List maps and their sour | ces: | | | | | | | | | | |
| D | 1 1 1 | e | | | | | | | | | |
| Does the detailed map in | | | | /avalain). | | | | | | | |
| Sample Points Hydrometric Networ | | yes | ☐ no 図 no | (explain): | | | - | | | | |
| Pollutant Sources | | yes yes | no | (explain): NA (explain): | | | | | | | |
| Boat Traffic | | _ | ☑ no | (explain): | | | | | | - | |
| Marinas | | yes yes | ⊠ no | (explain): NA | | | | | | | |
| Boat dockage | | yes | ⊠ no | (explain): | | | | | | | |
| Fishing | | yes | ⊠ no | (explain): N/P | | | | | | | |
| Bathing/Swimming | | yes | no(| explain): | 1 | | | | | | |
| Bounding Structures: | | 1 | 1 / | 1 | | | | | | | |
| Jetty | | yes | no(| explain): | 4 | | | | | | |
| Groin | | yes | ≥ no(| explain): N | | | | | | | |
| Seawall | | yes | No(| explain): | | | | | | | |
| Other | | yes | × no(| explain): ->)/ | | | | | | | |
| Sanitary Facilities | | yes | ☑ no(| explain): ~\/ | | | | | | | |
| Restaurants/Bars | | yes | ⊠ no(| explain): ы | | | | | 1900000 | - | |
| Playground | | yes | No(| explain): 👊 | A | | | | | | |
| Parking Lot(s) | | yes | 🔀 no(| explain): 🚚 | A | | | | | | |
| Other | | yes | no(| explain): 🙌 | A | | | | | | |
| Erosion/Accretion Meas | surements | | | | | | | | | | |
| | | | | | Dis | tance from Fixe | ed T | | Distance between | een | |
| High Watermark | F | | | escription | (| Object to High | | Feet or | High Waterma | 2555000 | Feet or |
| Location Identification | | (e.ç | g., tree, b | uilding) | | Watermark | | Meters? | Locations | | Meters? |
| A | STA | IRS | | | - | 50 | | FT | A↔B: 40€ |) | FT |
| В | EAST | EN | 20 CL | BEACH | | 0 | | £1 | B↔C: 643 | | FT |
| С | WEST | 0 | VTFAL | L | | 0 | | F7 | C↔D: | | |
| D (optional) | | | | | | | | | D↔E: | | |
| E (optional) | | | | | | | | | | | |



| Bounding Struc | ctures | | | |
|-----------------|----------------------|----------|---------------------------|--|
| Bounding | Structure | | Number | Description or Comment |
| Jetty | | | 0 | |
| Groin | | | 0 | |
| Seawall | | | 0 | |
| Natural formati | on | | 0 | |
| Other (specify) | : | | | |
| Other (specify) | | | | |
| Beach Materia | | s: | | |
| | ПМ | ucky | Rocky | Other: |
| | | | | tach diagram or photographs of plot locations) |
| | me of Lab l | | | |
| Date of Sa | ample Colle | ction: | | |
| Plot ID | Mean Gr Size Diam | ain | Uniformity Coefficient | Description of Plot Location: |
| | | | | |
| Augrees | | - | | |
| Average | - ادمد مقاريم | on alve! | on of the seed! | lent analysis and potential effects of the sediment distribution at this beach: |
| Describe the re | souns and o | ondusic | on the secim | ient arralysis and potential effects of the seamlent distribution at this beauti. |
| | | | | |
| | | | | |
| Photos Taken | in the Beach | Δτος (| or Surrounding | Watershed (SEE ATT ACHED) |
| | T the Deach | Mea | T | Description of Photo |
| Image Number | Date/1 | Timo | File Nam | |
| Number | Dater | inte | I lie Ivali | (include Fictures of Flight Waterman Locations and Corresponding Fixed Objects) |
| | | | | |
| | | | - | |
| | | | - | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| Habitat around | beach: | | | |
| Dunes | | Vetland | s \Box F | River/stream |
| | ESIDEN | | | William Control Contro |
| 3. WEATHER | | | | |
| | | | | the cook concents) along with hostoria compling requite |
| | | | | or beach season(s) along with bacteria sampling results. |
| | concentrat | | | ear to correlate with any of the following? |
| Rainfall | | 🔀 ye | | (explain): |
| Air Temperatur | | ye | | (explain): |
| Water Tempera | ature | ye | 100 | (explain): |
| Cloud Cover | | ye | | (explain): |
| Wind Speed | | ☐ ye | s 🔀 no | (explain): |
| Wind Direction | | ye | s 🔀 no | (explain): |
| Longshore Cur | | ye | s 🔀 no | (explain): |
| Wave Height o | | 🔀 ye | s no | (explain): HIGH WAVES = HIGH TURBIDITY |
| Other Weather | | Пуе | | (explain): |

2



| Have any statistical analyses been done to calculate the degree of correlation? ☐ yes ☐ no |
|--|
| Describe any analyses done, and any trends or correlations found (add lines if needed to describe in detail): |
| NIA |
| |
| |
| |
| Average air temperature during beach season: 🦙 🔇 ° C or °F Average water temperature during beach season: 🥱 🐧 ° C or |
| Average wind speed and direction during beach season (e.g., E or 90° at 15 mph): S W @ 1 Mpl |
| Typical weather conditions: Sunny Mostly Sunny Partly Cloudy Mostly Cloudy Overcast Rain |
| Rainfall total for the beach season (in): 20.46 Average rainfall for all beach seasons (in): 12.68 |
| Does rainfall intensity correlate with bacteria sample results? 🔀 yes 🔲 no Describe: |
| |
| Number of significant rain events: What constitutes "significant?" |
| (e.g., 1 inch or more rain) What constitutes significant? (e.g., 1 inch or more rain) |
| Additional Comments/Observations: |
| |
| |
| |
| 4. PHYSICAL BEACH CONDITIONS |
| Beach length or dimensions (indicate Z1, Z2, and Z3 on a map) |
| Length (m): 196 Width (average, in m): 15 |
| Width Z1 (m): Width Z2 (m): Width Z3 (m): |
| Local water level variation: feet inches Hydrographic influences (e.g., seiches): |
| Characterize any longshore or nearshore currents and their potential effects based on bacteria sampling results |
| |
| |
| Approximate beach slope at swim area: |
| and the contract of the contra |
| Description and date of last beach rehabilitation (example: new sand, nourishment, dredging, etc., physical structures will be described Sections 12 and 13): |
| |
| INFO NOT AVAILABLE |
| |
| |
| Comments/Observations: |
| |
| |
| |
| 5. BATHER LOAD (# OF BEACH USERS) |
| Is bather load measured? yes no |
| If yes, describe how beachgoer numbers are calculated (i.e., turnstile, counting at noon, photographs): |
| |
| |
| |
| |
| |

3

5/20/08



| Beach Use | | | | | | | | |
|----------------------|---------------------|----------------------|-------------------|-----------------|------------|-----------------------|--------------------|-----------------------|
| | | | | Number of Pe | ople Per I | Day Using th | ne Beach | |
| Danaharan Catago | Pe | eak Use for | Seasonal | Holiday | | Weekend | Weekday | Off-Season Average |
| Beachgoer Catego | ry th | he Season | Average | Average | | Average | Average | if applicable |
| | (| Daily Use) | (Daily Use) | (Daily Us | 1) (e | Daily Use) | (Daily Use) | (Daily Use) |
| Total people in the | water | | 41 | | | | | |
| Total people out of | 135,000,000,000 | | 4 | | | | | |
| Total people at the | | | 4 | | | | | |
| Breakdown of Activ | | s were broker | n down on the R | toutine-Onsite | Sanitary | Survey, sum | marize them here | 9) |
| Activity 1: | 1 | | | | | | | |
| Activity 2: | | | - | - | | | | |
| Activity 3: | | | | | | | | |
| Activity 4: | | | | | | | | |
| Activity 5: | | | | | | | | |
| Activity 6: | | | | | | | | |
| Frequency of meas | surements | | | - | | | | |
| (e.g., daily, weekly | | MEEKL | IN AM | - | | | | |
| (3.,) | ,, | | | | | | | |
| | | | | | | | | |
| Consider better to | المسام مامام | He was to the second | | -4 | an/a\ aa | al at anala a | ampling point Do | as bother load appear |
| to correlate with ba | id data along wi | th sampling n | esuits for the pa | st beach seas | on(s). Loc | ount of poor | ampling point. Do | es bather load appear |
| correlate with bacte | cteria concentratio | auons at any t | or these samplin | ng points? Doe | Dooribo | ount of peop | ne in the water of | out of the water |
| | | | | | | | | |
| NO CORPE | LATION. | No s | TATISTIC | AU ANA | 515 LT | PERF | orned. | |
| | | | | | | | | |
| | | | | | | | | |
| Comments/Observa | ations: | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| 6. BEACH CLEAN | ING | | | | | | | |
| Beach cleaning free | quency during s | eason. As | MEEDED | | Carr | | | |
| Description of clear | | oddon, 743 | Mococe |) | - | | | |
| Description of clear | Iup activities | Trimmin | a or | | | Constructi | on and Maintenar | 200 |
| | Lavallanaf | Trimmin | | uina Da | may ilm a | | | 77.77.7 |
| | Leveling of | Removi | | - | noving | | mporary Pathway | Other (specify): |
| | Sand | Vegetat | ion Deb | oris | rash | Directi | y to Open Water | Other (specify). |
| Check activities | | / | | | | | | |
| that were done | | | | | | | | |
| Equipment used | | | | | | | | |
| (if applicable) | | | | | | | | |
| | | | | | _ | | | |
| How often are float | ables found at t | he beach? | | er L | Someti | mes | Frequently | ☐ Very frequently |
| Known sources of f | loatables: | | | | | | | |
| Types of floatables | found \Box | Street litter | | Food-related li | tter | Medical i | tems | Sewage-related |
| ☐ Building materia | | Fishing related | | sehold waste | Othe | and the second second | | |
| How often is beach | | | | | Somet | | Frequently | ☐ Very frequently |
| | | na on the nea | 1011 L 1461 | 701 L | comer | | y i roquonuy | vory modulating |
| Known sources of o | aepris: | | | | | | | |



| Type of Debris/Litter Foun | d | | | |
|---|-----------------------------|---|----------------------------|----------------------------------|
| | ood-related litter | Medical items Sewage | e-related 🔀 Buildi | ng materials |
| | Mousehold waste | 🛚 Tar 🔲 Oil/ Grease 🔀 Ot | her: TIRES | |
| Comments/Observations: | | | | |
| | | | | |
| | | | | |
| | | | | |
| 7. INFORMATION ON SA | MPLING LOCATION | | | |
| | | and potential pollution sources) | | |
| Sample Point Name/ID | Location | Description | Sample Frequency | Time of Day of Sample Collection |
| BEACH-LEMMAL | | ROUTINE MONITORING PT. | WEEKLY | AM |
| OUTFALL EBEACH | | | weeky | AM |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| Description of hydrometric | network [note that this is | a network of monitoring stations that | collect data such as rainf | all and stream flow] |
| NWS HOPKINS | AIRPORT | | | |
| 111111111111111111111111111111111111111 | 7713.3.3.3 | | | |
| | | | | |
| Comments/Observations: | | | | |
| | | | | |
| | | | | |
| | | | | |
| O WATER OHALITY CAL | MDLING | | | 3100 |
| 8. WATER QUALITY SAI | | P: 1 | 10 | 10 |
| Name of laboratory: | | Distance to laboratory | | les |
| Is there a sampling and a | nalysis plan? 🔀 yes | no Is it adequate? | yes 🗌 no (explain |): |
| | | | | |
| A = 4b = = = = 1 = 24 = # = = = | want tasks of an account of | for the factor of the section of the section of | 1 - 21 - 0 | • 🗖 🗖 |
| | | techniques, equipment maintenance, | and calibration procedur | es? 🛛 yes 🗌 no |
| Biological Survey Results | | | | |
| Were invasive/nonnative s | species present? U ye | s 🔀 no (describe): | | |
| | | | | |
| Have algae blooms been | observed during the beac | h season? (If so, specify duration and | l algae species) No | |
| Developed of boson and account | | !!!6(| - Du | - (4 000V) |
| | | in significant amounts in the nearshor | e water: None | ☐ Low (1–20%) |
| Moderate (21–50%) | ☐ High (> 50%) | ii16 | N. | П. // 200/ |
| | | in significant amounts on the beach: | None | ☐ Low (1–20%) |
| ☐ Moderate (21–50%) | ☐ High (> | 50%) | | |
| List types of algae found: | - | | | |
| Colors of algae most com | | | | |
| List any infectious snails t | hat were found: Nons | 8 | | |
| List any dangerous aquati | ic organisms that were fou | ind: None | | |
| | | | | |



Presence of Wildlife and Domestic Animals

| Туре | Degree of Presence (Low, Mod, High) | Does the Presence Appear to Correlate with Bacteria Results? (Yes, No, Don't Know) | Describe Further (include whether fecal droppings are seen and are a problem) |
|---|--|---|--|
| Geese | LOW | No | NOT SIGNIFICANT |
| Gulls | LOW | 20 | .1 |
| ogs | LOW | NO | C) |
| ther (specify): | | | |
| ther (specify): | | | |
| ther (specify): | | | |
| Describe types a | and numbers fou | d birds found on the beach out of the death | |
| Vas a significant Describe number | | noible equator | uring the beach season? ☐ yes ☑ no |
| Do you composi How do this past NUMみを配 Do the bacteria r | ecal coliform? al bacteria teste te any bacteria t season's bacte one factoria | yes no and and associated analytical samples? yes no eria results compare to that compare to other parameters, such a | |
| | | | STATISTICAL ANALYSIC PERFORMED |
| | | | |
| | | measured regularly) | |
| Temperature | | pH Rainfal | I Turbidity Conductivity Other |
| Temperature × |) | pH Rainfal | X |
| Temperature X How does the way | ater quality data | pH Rainfal compare to data from previ | ious years? TEMP RANGE 68°F - 76°F: 74°F in 2 |
| Temperature X How does the war | ater quality data | PH Rainfal a compare to data from previ | ious years? TEMP RANGE 68°F - 76°F: 74°F IN 2 |
| Temperature X How does the war RAINFALL TURBIDIT | ater quality data | PH Rainfal a compare to data from previ AND RAINFAU TATUE ONEY | ious years? TEMP RANGE 68°F-76°F: 74°F IN 2 AMOUNT NOT RECORDED QUALITATIVE ONLY NTUS MOT AVAILABLE |
| Temperature X How does the war RAINFALL TURBIDIT | ater quality data | PH Rainfal a compare to data from previ | ious years? TEMP RANGE 68°F-76°F: 74°F IN 2- AMOUNT NOT RECORDED QUALITATIVE ONLY NTUS MOT AVAILABLE |



| www.wassacra.ed.minat. | nual trend data attached? | 🗌 yes 🔀 no |) | |
|--|--|--------------------------------------|---|---|
| omments/Observat | tions: | | | |
| MODELING re models being us | ed? ☐ yes ☒ no | | | |
| | odels being used and a bri | ief description of the | e models: | |
| | | | | |
| omments/Observat | tions: | | | |
| | | | | |
| | | | | |
| | | | | |
| | nd closings that occurred, | | | any possible reasons for advisory or closing or h |
| ist any advisories a | | | Did Bacteria Concentrations Exceed GM or | any possible reasons for advisory or closing or h Reason for Advisory or Closing or Possible Contributing Factors |
| ist any advisories a acteria level, such a dvisory or Closing (specify one) | and closings that occurred, as stormwater runoff, sewa | Length of Advisory or | on the beach. Did Bacteria Concentrations | Reason for Advisory or Closing or Possible |
| st any advisories a acteria level, such a dvisory or Closing (specify one) | and closings that occurred, as stormwater runoff, sewa Start and End Dates | Length of Advisory or Closing (Days) | Did Bacteria Concentrations Exceed GM or SSM Criteria? | Reason for Advisory or Closing or Possible Contributing Factors |
| st any advisories a acteria level, such a dvisory or Closing (specify one) | sind closings that occurred, as stormwater runoff, sewal Start and End Dates | Length of Advisory or Closing (Days) | Did Bacteria Concentrations Exceed GM or SSM Criteria? | Reason for Advisory or Closing or Possible Contributing Factors |
| ist any advisories a acteria level, such a dvisory or Closing (specify one) | Start and End Dates | Length of Advisory or Closing (Days) | Did Bacteria Concentrations Exceed GM or SSM Criteria? | Reason for Advisory or Closing or Possible Contributing Factors |
| ist any advisories a acteria level, such a dvisory or Closing (specify one) | Start and End Dates | Length of Advisory or Closing (Days) | Did Bacteria Concentrations Exceed GM or SSM Criteria? | Reason for Advisory or Closing or Possible Contributing Factors |
| ist any advisories a acteria level, such a dvisory or Closing (specify one) | Start and End Dates | Length of Advisory or Closing (Days) | on the beach. Did Bacteria Concentrations Exceed GM or SSM Criteria? | Reason for Advisory or Closing or Possible Contributing Factors |
| ist any advisories a acteria level, such a acteria level, such a advisory or Closing (specify one) | Start and End Dates | Length of Advisory or Closing (Days) | on the beach. Did Bacteria Concentrations Exceed GM or SSM Criteria? | Reason for Advisory or Closing or Possible Contributing Factors |





11. POTENTIAL POLLUTION SOURCES

| Type of Source | Level of Concern (H, M, L, or NA) | Latitude* | Longitude* | Describe how this source might contribute to beach pollution and frequency of contribution |
|--|--------------------------------------|----------------------|--------------------|--|
| Wastewater discharges | N/A | | | |
| Sewage overflows | L | | | CSOS/SSOS IN REGION |
| Septic systems | NIA | | | |
| Subsurface sewage disposal | NIA | | | |
| Stormwater outfalls | 1 | | | SAMPLE PESCLTS DID NOT EXCEED & |
| Vatural outfalls | NIA | | | |
| CAFOs or AFOs | NIA | | | |
| Wildlife | L | | | NOT SIGNIFICANT #1's |
| Agriculture runoff | NIA | | | |
| Jrban runoff, industrial waste | NIA | | | |
| Marinas, harbors | NIA | | | |
| Mooring boats | NIA | | | |
| Domestic animals | NIA | | | |
| Insewered areas | NIA | | | |
| Erosion-prone areas | NIA | | | |
| andfills, open dumps | NIA | | | |
| Groundwater seepage | AIN | - Indiposit of | | |
| Bathhouse leakage | Alm | | | |
| Orains and pipes nearby | NIA | | | |
| Stream or wetland drainage | NIA | | | |
| acant areas | NIA | | | |
| Other (specify): | | | | |
| Other (specify): | | | | |
| Other (specify): | | | | |
| f latitude and longitude are unknown, sho | ow the location on the detailed | d map and describe i | n the Comments/Obs | ervations section below. |
| Have potential pollution sources Did you collect bacteria samples | | | | |
| sa you concert suctorial campies | | | | |
| | | | | OF THE SAMPLES EXCEEDED THE |
| 3 16 90 100 14 | | | | |



| Have any sources been | remediated, or have steps be | een taken to remediate so | urces? | yes | no (explain): |
|--------------------------|--|------------------------------------|----------------------------|----------|---|
| SOURCE TRA | ACKING NEEDS TO | BE CONDUCTED | AT THE S | urrov | NDING BEACHES |
| TO DETERT | | | IAL CONTAMINA | ATION | · THE EVELID |
| watp NEE | DS 10 work wi | OT ADDO SHTHE | ADDRESS ESD/S | 550 = | |
| Comments/Observations | 5: | | | | |
| 12. DESCRIPTION OF S | TOTAL SECTION AND ADDRESS OF THE PARTY OF TH | West variety | | | |
| Bathhouses: Total num | nber of bathhouses at the bea | | 12 | | |
| Number or ID | Location | Condition (Good, Fair, or Poo | Distance from War) (feet) | aterline | Frequency of Cleaning (Daily, Weekly, Monthly) |
| | | | | | |
| Litterbins: Total number | er of litterbins at the beach: | Condition (Cood Fair or Rec | Distance from Wa | aterline | Frequency of Emptying |
| 1 | VEXT TO BEACH | (Good, Fair, or Poo | r) (feet) | | (Daily, Weekly, Monthly) |
| | 10 13 | | | | 00000 |
| 13. DESCRIPTION OF (| e whether number and location OTHER FACILITIES In area, such as restaurants, but | | | | |
| Facility Name/Type | Location | Condition (Good, Fair, or Poor) | Distance from Beach (feet) | | ight this facility contribute to ater quality problems? |
| PIC NIC AREA | | 600D | 100 | | ELEVATED PLATES |
| | | | | | |
| Comments/Observations: | | | | | |





Legend

△ CSO SSO Locations



Sampling Locations 2011



Stream



Municipal Borders



Moss Point Beach Area





By Timothy A. Gourley, R.S., M.P.H.
Coordinate System: GCS North American 1983
Datum: North American 1983
Units: Degree
Path: CDyocuments and Settings\tagurley\My Documents\tagar\tagar\tagurley\My Documents\tagar\tag

Units: Degree
Path: C:\Documents and Settings\tgourley\My Documents\beach survey 2011\Moss Point.mxd



| Combined Sewer Overflow Events 2011 | | | | | | | | |
|-------------------------------------|--------------------|--|------------------|----------------|---------------------|------------|--|--|
| CITY | EVENT LOCATION ID# | EVENT LOCATION | EVENT START DATE | EVENT END DATE | FACILITY NAME | COMMENTS | | |
| Euclid | | Brandywine Pump Station | 8/1/2011 | | City of Euclid | Heavy Rain | | |
| Euclid | 3028 | East 217th Street & Edgecliff Drive | 8/1/2011 | 8/1/2011 | City of Euclid | Heavy Rain | | |
| Rocky River | 302 | Beach Cliff Boulevard & Falmouth Drive (302) | 8/3/2011 | 8/3/2011 | City of Rocky River | Heavy Rain | | |
| Rocky River | 306 | Westway Drive & Magnolia Drive (306) | 8/3/2011 | 8/3/2011 | City of Rocky River | Heavy Rain | | |
| Euclid | 3025 | End of East 194th Street | 8/7/2011 | 8/7/2011 | City of Euclid | Heavy Rain | | |
| Euclid | | Brandywine Pump Station | 8/7/2011 | 8/7/2011 | City of Euclid | Heavy Rain | | |
| Euclid | 3037 | Babbitt Road & East 222nd Street | 8/7/2011 | 8/7/2011 | City of Euclid | Heavy Rain | | |
| Euclid | 3036 | Effingham Drive at Glenbrook Boulevard | 8/7/2011 | | City of Euclid | Heavy Rain | | |
| Euclid | 3032 | East 273rd Street & Parkwood Drive | 8/7/2011 | 8/7/2011 | City of Euclid | Heavy Rain | | |
| Euclid | 3031 | East 275th Street at East 274th Street | 8/7/2011 | 8/7/2011 | City of Euclid | Heavy Rain | | |
| Euclid | 3030 | East 274th Street at East 275th Street | 8/7/2011 | 8/7/2011 | City of Euclid | Heavy Rain | | |
| Euclid | 3028 | East 217th Street & Edgecliff Drive | 8/7/2011 | 8/7/2011 | City of Euclid | Heavy Rain | | |
| Euclid | 3026 | East 215th Street & Crystal Avenue | 8/7/2011 | 8/7/2011 | City of Euclid | Heavy Rain | | |
| Euclid | 3028 | East 217th Street & Edgecliff Drive | 8/9/2011 | 8/9/2011 | City of Euclid | Heavy Rain | | |
| Euclid | 3028 | East 217th Street & Edgecliff Drive | 8/14/2011 | 8/14/2011 | City of Euclid | Heavy Rain | | |
| Euclid | 3026 | East 215th Street & Crystal Avenue | 8/14/2011 | 8/14/2011 | City of Euclid | Heavy Rain | | |
| Euclid | | East 275th Street at East 274th Street | 8/14/2011 | 8/14/2011 | City of Euclid | Heavy Rain | | |
| Rocky River | 302 | Beach Cliff Boulevard & Falmouth Drive (302) | 8/14/2011 | 8/14/2011 | City of Rocky River | Heavy Rain | | |
| Rocky River | 306 | Westway Drive & Magnolia Drive (306) | 8/14/2011 | 8/14/2011 | City of Rocky River | Heavy Rain | | |
| Rocky River | 306 | Westway Drive & Magnolia Drive (306) | 8/15/2011 | 8/15/2011 | City of Rocky River | Heavy Rain | | |
| Rocky River | 302 | Beach Cliff Boulevard & Falmouth Drive (302) | 8/15/2011 | 8/15/2011 | City of Rocky River | Heavy Rain | | |
| Rocky River | 306 | Westway Drive & Magnolia Drive (306) | 8/20/2011 | 8/20/2011 | City of Rocky River | Heavy Rain | | |
| Rocky River | 302 | Beach Cliff Boulevard & Falmouth Drive (302) | 8/21/2011 | 8/21/2011 | City of Rocky River | Heavy Rain | | |
| Rocky River | 302 | Beach Cliff Boulevard & Falmouth Drive (302) | 8/24/2011 | 8/24/2011 | City of Rocky River | Heavy Rain | | |
| Euclid | | Brandywine Pump Station | 8/25/2011 | 8/25/2011 | City of Euclid | Heavy Rain | | |
| Rocky River | 302 | Beach Cliff Boulevard & Falmouth Drive (302) | 8/25/2011 | 8/25/2011 | City of Rocky River | Heavy Rain | | |
| Euclid | 3036 | Effingham Drive at Glenbrook Boulevard | 8/25/2011 | | City of Euclid | Heavy Rain | | |
| Euclid | 3032 | East 273rd Street & Parkwood Drive | 8/25/2011 | 8/25/2011 | City of Euclid | Heavy Rain | | |
| Euclid | 3028 | East 217th Street & Edgecliff Drive | 8/25/2011 | 8/25/2011 | City of Euclid | Heavy Rain | | |
| Euclid | | Brandywine Pump Station | 9/1/2011 | 9/1/2011 | City of Euclid | Heavy Rain | | |
| Euclid | 3032 | East 273rd Street & Parkwood Drive | 9/1/2011 | 9/1/2011 | City of Euclid | Heavy Rain | | |
| Euclid | 3031 | East 275th Street at East 274th Street | 9/1/2011 | 9/1/2011 | City of Euclid | Heavy Rain | | |
| Euclid | 3030 | East 274th Street at East 275th Street | 9/1/2011 | 9/1/2011 | City of Euclid | Heavy Rain | | |
| Euclid | 3027 | East 220th Street & Christine Avenue | 9/4/2011 | 9/4/2011 | City of Euclid | Heavy Rain | | |
| Euclid | | Brandywine Pump Station | 9/4/2011 | 9/4/2011 | City of Euclid | Heavy Rain | | |
| Euclid | 3028 | East 217th Street & Edgecliff Drive | 9/4/2011 | | City of Euclid | Heavy Rain | | |
| Euclid | | East 275th Street at East 274th Street | 9/4/2011 | | City of Euclid | Heavy Rain | | |
| Euclid | 3030 | East 274th Street at East 275th Street | 9/4/2011 | | City of Euclid | Heavy Rain | | |
| Euclid | 3036 | Effingham Drive at Glenbrook Boulevard | 9/4/2011 | 9/4/2011 | City of Euclid | Heavy Rain | | |
| Rocky River | 306 | Westway Drive & Magnolia Drive (306) | 9/4/2011 | 9/4/2011 | City of Rocky River | Heavy Rain | | |
| Rocky River | 302 | Beach Cliff Boulevard & Falmouth Drive (302) | 9/4/2011 | 9/4/2011 | City of Rocky River | Heavy Rain | | |

| | | Combined Sewer Overflow | Events 2011 | | | |
|-------------|--------------------|--|------------------|----------------|---------------------|------------|
| CITY | EVENT LOCATION ID# | EVENT LOCATION | EVENT START DATE | EVENT END DATE | FACILITY NAME | COMMENTS |
| Rocky River | 302 | Beach Cliff Boulevard & Falmouth Drive (302) | 9/7/2011 | 9/7/2011 | City of Rocky River | Heavy Rain |
| Rocky River | 302 | Beach Cliff Boulevard & Falmouth Drive (302) | 9/8/2011 | 9/8/2011 | City of Rocky River | Heavy Rain |
| Euclid | | Brandywine Pump Station | 9/10/2011 | 9/10/2011 | City of Euclid | Heavy Rain |
| Euclid | 3037 | Babbitt Road & East 222nd Street | 9/10/2011 | 9/10/2011 | City of Euclid | Heavy Rain |
| Euclid | 3028 | East 217th Street & Edgecliff Drive | 9/10/2011 | 9/10/2011 | City of Euclid | Heavy Rain |
| Euclid | 3031 | East 275th Street at East 274th Street | 9/10/2011 | 9/10/2011 | City of Euclid | Heavy Rain |
| Euclid | 3030 | East 274th Street at East 275th Street | 9/10/2011 | 9/10/2011 | City of Euclid | Heavy Rain |
| Euclid | 3026 | East 215th Street & Crystal Avenue | 9/10/2011 | 9/10/2011 | City of Euclid | Heavy Rain |
| Rocky River | 302 | Beach Cliff Boulevard & Falmouth Drive (302) | 9/15/2011 | 9/15/2011 | City of Rocky River | Heavy Rain |
| Rocky River | 302 | Beach Cliff Boulevard & Falmouth Drive (302) | 9/21/2011 | 9/21/2011 | City of Rocky River | Heavy Rain |
| Rocky River | 306 | Westway Drive & Magnolia Drive (306) | 9/21/2011 | 9/21/2011 | City of Rocky River | Heavy Rain |
| Rocky River | 302 | Beach Cliff Boulevard & Falmouth Drive (302) | 9/23/2011 | 9/23/2011 | City of Rocky River | Heavy Rain |
| Rocky River | 302 | Beach Cliff Boulevard & Falmouth Drive (302) | 9/25/2011 | 9/25/2011 | City of Rocky River | Heavy Rain |
| Rocky River | 306 | Westway Drive & Magnolia Drive (306) | 9/26/2011 | 9/26/2011 | City of Rocky River | Heavy Rain |
| Rocky River | 302 | Beach Cliff Boulevard & Falmouth Drive (302) | 9/26/2011 | 9/26/2011 | City of Rocky River | Heavy Rain |
| Euclid | 3028 | East 217th Street & Edgecliff Drive | 9/26/2011 | 9/26/2011 | City of Euclid | Heavy Rain |
| Euclid | | Brandywine Pump Station | 9/26/2011 | | City of Euclid | Heavy Rain |
| Euclid | 3026 | East 215th Street & Crystal Avenue | 9/26/2011 | 9/26/2011 | City of Euclid | Heavy Rain |
| Euclid | | Brandywine Pump Station | 10/19/2011 | 10/19/2011 | City of Euclid | Heavy Rain |























