

| ARCO Recycling, 1705 Noble Road | | | | | |  Ohio Environmental Protection Agency |
|--|-----------------------|---------|---------|----------|-----------------------------------|--|
| Ambient Air Sampling Results-Volatile Organic Compounds(VOCs) | | | | | | |
| January 31, 2017- December 28, 2017 | | | | | | |
| 24 Hour Residential Sampling Results | | | | | | |
| Compound list | Average (1/2mdl)** | Minimum | Maximum | Count*** | Short-term Screening Values | Source |
| | ppb | ppb | ppb | | ppb | |
| Acetone | 3.70 | BDL | 9.03 | 77 | 13,000 | MRLs (intermed.) |
| Acrolein**** | 0.29 | BDL | 0.87 | 8 | 0.04 | MRLs (intermed.) |
| Benzene | 0.27 | 0.10 | 1.77 | 88 | 6 | MRLs (intermed.) |
| n-Butane | 1.56 | 0.45 | 6.19 | 83 | 18,000 | MAGLC |
| 1,3 Butadiene | 0.05 | BDL | 0.10 | 1 | 10,000 | ERPG-1 |
| 2-Butanone | 0.32 | BDL | 1.39 | 15 | 200,000 | AEGL-1 |
| Carbon tetrachloride | 0.06 | BDL | 0.13 | 20 | 30 | MRLs (intermed.) |
| Chloromethane | 0.69 | 0.40 | 4.56 | 89 | 200 | MRLs (intermed.) |
| Cyclohexane | 0.05 | BDL | 0.12 | 2 | 2,400 | MAGLC |
| Dichlorodifluoromethane | 0.54 | 0.38 | 0.78 | 87 | 24,000 | MAGLC |
| Ethanol | 4.66 | BDL | 21.50 | 86 | 1,800,000 | MAGLC |
| Ethyl Acetate | 0.06 | BDL | 0.30 | 4 | 9,500 | MAGLC |
| Ethyl Benzene | 0.07 | BDL | 0.31 | 14 | 2,000 | MRLs (intermed.) |
| n-Heptane | 0.07 | BDL | 0.24 | 20 | 10,000 | MAGLC |
| Hexane | 0.23 | BDL | 0.74 | 80 | 1,190 | MAGLC |
| Hexachlorobutadiene | 0.05 | BDL | 0.25 | 1 | 1,000 | ERPG-1 |
| 2-Hexanone | 0.05 | BDL | 0.12 | 1 | 120 | MAGLC |
| Isopropyl alcohol | 0.73 | BDL | 6.07 | 50 | 5,000 | MAGLC |
| Methyl methacrylate | 0.07 | BDL | 0.77 | 4 | 17,000 | AEGL-1 |
| 4-Methyl-2-pentanone | 0.05 | BDL | 0.18 | 2 | 476 | MAGLC |
| Methylene chloride | 0.10 | BDL | 0.56 | 52 | 300 | MRLs (intermed.) |
| Naphthalene | 0.11 | BDL | 0.25 | 6 | 240 | MAGLC |
| n-Pentane | 0.73 | 0.15 | 2.63 | 89 | 14,286 | MAGLC |
| Propylene | 0.65 | 0.28 | 3.20 | 89 | 11,905 | MAGLC |
| Styrene | 0.07 | BDL | 0.57 | 8 | 200 | MRL(chronic)* |
| Tetrachloroethylene | 0.10 | BDL | 0.29 | 4 | 6 | MRLs (intermed.) |
| Trichloroethene | 0.05 | BDL | 0.11 | 1 | 0.4 | MRLs (intermed.) |
| Toluene | 0.40 | 0.10 | 1.25 | 88 | 1000 | MRL(chronic)* |
| Trichlorofluoromethane | 0.28 | 0.16 | 1.04 | 89 | 24,000 | MAGLC |
| 1,1,2-Trichloro-1,2,2- | 0.10 | BDL | 0.10 | 3 | 24,000 | MAGLC |
| 1,2,4-Trimethylbenzene | 0.08 | BDL | 0.28 | 31 | 595 | MAGLC |
| 2,2,4-Trimethylpentane | 0.12 | BDL | 0.44 | 10 | 7,143 | MAGLC |
| Vinyl acetate | 0.13 | BDL | 0.58 | 13 | 10 | MRLs (intermed.) |
| o-Xylene | 0.07 | BDL | 0.25 | 20 | 600 | MRLs (intermed.) |
| Total m&p-xylenes | 0.17 | BDL | 0.61 | 33 | 600 | MRLs (intermed.) |
| BDL= below detection limits | | | | | | |
| ATSDR Minimum Risk Level (MRLs) | | | | | | |
| AEGL-1 = Acute exposure guideline levels for mild effects | | | | | | |
| MAGLC= TLV/42 | | | | | | |
| *MRL(chronic)-No intermediate value available. | | | | | | |
| ** Average ($\frac{1}{2}$ method detection limit): The arithmetic mean (average) listed uses one-half of the method detection limit (1/2 MDL) as the numerical value for non-detected compounds when computing the average of multiple sampling events. This method is standard practice to estimate averages with non-detected values. | | | | | | |
| Method Detection limit: The method detection limit is the lowest measurement the collection / analysis procedure can accurately quantify as a true measurement of the ambient air concentration. | | | | | | |
| *** Count: Total detections out of 89 sampling events (other samples were below detection limits) | | | | | | |
| **** Acrolein: Sample results for Acrolein are suspect. This compound can be created within the sample canister itself: U.S. EPA is refining the test method to correct for this problem. | | | | | | |

| ARCO Recycling, 1705 Noble Road | | | | | |  |
|---|------------------------------------|---------|---------|----------|-----------------------------------|---|
| Ambient Air Sampling Results-Volatile Organic Compounds(VOCs) | | | | | | |
| | January 31, 2017-December 28, 2017 | | | | | |
| | 24 Hour Upwind Sampling Results | | | | | |
| Compound list | Average (1/2mdl)** | Minimum | Maximum | Count*** | Short-term Screening Values | Source |
| | ppb | ppb | ppb | | ppb | |
| Acetone | 3.78 | BDL | 10.80 | 73 | 13,000 | MRLs (intermed.) |
| Acrolein* | 0.30 | BDL | 0.74 | 11 | 0.04 | MRLs (intermed.) |
| Benzene | 0.24 | 0.10 | 0.85 | 87 | 6 | MRLs (intermed.) |
| 1,3-Butadiene | 0.05 | BDL | 0.20 | 2 | 10,000 | ERPG-1 |
| n-Butane | 1.63 | 0.31 | 5.31 | 78 | 18,000 | MAGLC |
| 2-Butanone | 0.32 | BDL | 1.06 | 15 | 200,000 | AEGL-1 |
| Carbon tetrachloride | 0.06 | BDL | 0.11 | 16 | 30 | MRLs (intermed.) |
| Chloromethane | 0.65 | 0.37 | 1.09 | 88 | 200 | MRLs (intermed.) |
| Cyclohexane | 0.05 | BDL | 0.12 | 1 | 2,400 | MAGLC |
| 1,2-Dichlorobenzene | 0.05 | BDL | 0.14 | 1 | 595 | MAGLC |
| 1,3-Dichlorobenzene | 0.05 | BDL | 0.11 | 1 | NA | |
| 1,4-Dichlorobenzene | 0.05 | BDL | 0.13 | 1 | 200 | MRLs (intermed.) |
| Dichlorodifluoromethane | 0.55 | 0.41 | 0.79 | 88 | 24,000 | MAGLC |
| Ethanol | 4.27 | BDL | 14.70 | 86 | 1,800,000 | MAGLC |
| Ethyl acetate | 0.06 | BDL | 0.49 | 6 | 9,500 | MAGLC |
| Ethylbenzene | 0.06 | BDL | 0.15 | 6 | 2,000 | MRLs (intermed.) |
| n-Heptane | 0.06 | BDL | 0.31 | 15 | 10,000 | MAGLC |
| Hexachlorobutadiene | 0.06 | BDL | 0.81 | 1 | 1,000 | ERPG-1 |
| Hexane | 0.20 | BDL | 0.58 | 75 | 1,190 | MAGLC |
| 2-Hexanone | 0.05 | BDL | 0.48 | 1 | 120 | MAGLC |
| Isopropyl alcohol | 0.92 | BDL | 7.49 | 47 | 5,000 | MAGLC |
| Methyl methacrylate | 0.07 | BDL | 0.72 | 5 | 17,000 | AEGL-1 |
| Methylene chloride | 0.10 | BDL | 0.42 | 51 | 300 | MRLs (intermed.) |
| 4-Methyl-2-pentanone | 0.05 | BDL | 0.15 | 1 | 476 | MAGLC |
| Naphthalene | 0.12 | BDL | 0.81 | 5 | 240 | MAGLC |
| n-Pentane | 0.64 | 0.11 | 1.98 | 88 | 14,286 | MAGLC |
| Propylene | 0.75 | 0.25 | 2.80 | 87 | 11,905 | MAGLC |
| Styrene | 0.07 | BDL | 0.60 | 6 | 200 | MRL(chronic)* |
| Toluene | 0.35 | BDL | 1.83 | 86 | 1000 | MRL(chronic)* |
| Tetrachloroethylene | 0.05 | BDL | 0.28 | 3 | 6 | MRLs (intermed.) |
| Trichlorofluoromethane | 0.26 | 0.14 | 0.59 | 88 | 24,000 | MAGLC |
| 1,2,4-Trichlorobenzene | 0.26 | BDL | 0.74 | 1 | 88 | MAGLC |
| 1,2,4-Trimethylbenzene | 0.08 | BDL | 0.29 | 28 | 595 | MAGLC |
| 2,2,4-Trimethylpentane | 0.12 | BDL | 0.35 | 8 | 7,143 | MAGLC |
| 1,1,2-Trichloro-1,2,2-Trifluoroethane | 0.05 | BDL | 0.11 | 2 | 24000 | MAGLC |
| Vinyl acetate | 0.14 | BDL | 0.70 | 12 | 10 | MRLs (intermed.) |
| o-Xylene | 0.06 | BDL | 0.20 | 12 | 600 | MRLs (intermed.) |
| Total m&p-xyles | 0.14 | BDL | 0.47 | 18 | 600 | MRLs (intermed.) |
| BDL= below detection limits | | | | | | |
| ATSDR Minimum Risk Level (MRLs) | | | | | | |
| AEGL-1 = Acute exposure guideline levels for mild effects | | | | | | |
| ERPG-Emergency Response Planning Guidelines. The first tier (e.g., ERPG-1) is a temporary, non-disabling effects | | | | | | |
| MAGLC= TLV/42 | | | | | | |
| *MRL/IRIS (chronic)-No intermediate value available. | | | | | | |
| ** Average (% method detection limit): The arithmetic mean (average) listed uses one-half of the method detection limit (1/2 MDL) as the numerical value for non-detected compounds when computing the average of multiple sampling events. This method is standard practice to estimate averages with non-detected values. | | | | | | |
| Method Detection limit: The method detection limit is the lowest measurement the collection / analysis procedure can accurately quantify as a true measurement of the ambient air concentration. | | | | | | |
| *** Count: Total detections out of 88 sampling events (other samples were below detection limits) | | | | | | |
| **** Acrolein: Sample results for Acrolein are suspect. This compound can be created within the sample canister itself: U.S. EPA is refining the test method to correct for this problem. | | | | | | |

| ARCO Recycling, 1705 Noble Road | | | | |  hio Ohio Environmental Protection Agency |
|---|------------------------------------|---------|---------|----------|--|
| Ambient Air Sampling Results-Volatile Organic Compounds(VOCs) | | | | | |
| | January 31, 2017-December 28, 2017 | | | | |
| | 24 Hour Downwind Sampling Results | | | | |
| Compound list | Average (1/2mdl)** | Minimum | Maximum | Count*** | Short-term Screening Values |
| | ppb | ppb | ppb | | ppb |
| Acetone | 4.72 | BDL | 24.10 | 82 | 13,000 MRLs (intermed.) |
| Acrolein**** | 0.39 | BDL | 5.94 | 11 | 0.04 MRLs (intermed.) |
| Benzene | 0.95 | BDL | 29.10 | 87 | 6 MRLs (intermed.) |
| 1,3-Butadiene | 0.23 | BDL | 12.30 | 4 | 10,000 ERPG-1 |
| n-Butane | 1.50 | BDL | 5.76 | 85 | 18,000 MAGLC |
| 2-Butanone | 0.48 | BDL | 5.50 | 25 | 200,000 AEGL-1 |
| Bromomethane | 0.05 | BDL | 0.47 | 1 | 50 MRLs (intermed.) |
| Carbon disulfide | 0.25 | BDL | 1.03 | 1 | 1,000 ERPG-1 |
| Carbon tetrachloride | 0.07 | BDL | 0.25 | 19 | 30 MRLs (intermed.) |
| Chlorobenzene | 0.05 | BDL | 0.13 | 2 | 10,000 AEGL-1 |
| Chloroethane | 0.06 | BDL | 0.56 | 3 | 3,789 IRIS(chronic)* |
| Chloromethane | 2.34 | BDL | 61.00 | 89 | 200 MRLs (intermed.) |
| Cumene | 0.06 | BDL | 0.63 | 3 | 50,000 AEGL-1 |
| Cyclohexane | 0.05 | BDL | 0.12 | 2 | 2,400 MAGLC |
| 1,4-Dioxane | 0.10 | BDL | 0.20 | 1 | 200 MRLs (intermed.) |
| Dichlorodifluoromethane | 0.63 | 0.38 | 2.76 | 90 | 24,000 MAGLC |
| Ethanol | 4.31 | BDL | 15.40 | 80 | 1,800,000 MAGLC |
| Ethyl acetate | 0.06 | BDL | 0.45 | 8 | 9,500 MAGLC |
| Ethylbenzene | 0.21 | BDL | 5.37 | 15 | 2,000 MRLs (intermed.) |
| 4-Ethyltoluene | 0.06 | BDL | 0.37 | 3 | NA |
| n-Heptane | 0.09 | BDL | 1.17 | 17 | 10,000 MAGLC |
| Hexane | 0.23 | BDL | 1.90 | 76 | 1,190 MAGLC |
| 2-Hexanone | 0.05 | BDL | 0.13 | 2 | 120 MAGLC |
| Isopropyl alcohol | 0.83 | BDL | 7.12 | 46 | 5,000 MAGLC |
| Methylene chloride | 0.10 | BDL | 0.25 | 52 | 300 MRLs (intermed.) |
| Methyl methacrylate | 0.09 | BDL | 1.44 | 11 | 17,000 AEGL-1 |
| 4-Methyl-2-pentanone | 0.05 | BDL | 0.12 | 4 | 476 MAGLC |
| Naphthalene | 0.14 | BDL | 2.34 | 9 | 240 MAGLC |
| n-Nonane | 0.06 | BDL | 0.59 | 6 | 4,762 MAGLC |
| n-Pentane | 0.77 | BDL | 6.14 | 87 | 14,286 MAGLC |
| Propylene | 1.76 | BDL | 57.50 | 85 | 11,905 MAGLC |
| n-Propylbenzene | 0.06 | BDL | 0.32 | 4 | NA |
| Styrene | 0.22 | BDL | 5.70 | 16 | 200 MRL(chronic)* |
| Tetrahydrofuran | 0.20 | BDL | 2.82 | 10 | 1190 MAGLC |
| Tetrachloroethylene | 0.07 | BDL | 0.92 | 3 | 6 MRLs (intermed.) |
| Toluene | 0.70 | BDL | 11.80 | 82 | 1000 MRL(chronic)* |
| Trichloroethene | 0.05 | BDL | 0.12 | 1 | 0.4 MRLs (intermed.) |
| Trichlorofluoromethane | 0.35 | 0.15 | 1.52 | 90 | 24,000 MAGLC |
| 1,1,2-Trichloro-1,2,2-Trifluoroethane | 0.06 | BDL | 0.55 | 5 | 24,000 MAGLC |
| 1,3,5-Trimethylbenzene | 0.15 | BDL | 5.22 | 3 | 595 MAGLC |
| 1,2,4-Trimethylbenzene | 0.16 | BDL | 6.25 | 34 | 595 MAGLC |
| 2,2,4-Trimethylpentane | 0.11 | BDL | 0.33 | 6 | 7,143 MAGLC |
| Vinyl acetate | 0.20 | BDL | 5.13 | 15 | 10 MRLs (intermed.) |
| o-Xylene | 0.11 | BDL | 1.32 | 16 | 600 MRLs (intermed.) |
| Total m&p-xylenes | 0.27 | BDL | 6.28 | 27 | 600 MRLs (intermed.) |

BDL= below detection limits

ATSDR Minimum Risk Level (MRLs)

ERPG-Emergency Response Planning Guidelines. The first tier (e.g., ERPG-1) is a temporary, non-disabling effects threshold

AEGL-1 = Acute exposure guideline levels for mild effects

MAGLC= TLV/42

*MRL/IRIS (chronic)-No intermediate value available.

** Average (% method detection limit): The arithmetic mean (average) listed uses one-half of the method detection limit (1/2 MDL) as the numerical value for non-detected compounds when computing the average of multiple sampling events. This method is standard practice to estimate averages with non-detected values.

Method Detection limit: The method detection limit is the lowest measurement the collection / analysis procedure can accurately quantify as a true measurement of the ambient air concentration.

*** Count: Total detections out of 90 sampling events (other samples were below detection limits)

**** Acrolein: Sample results for Acrolein are suspect. This compound can be created within the sample canister itself: U.S. EPA is refining the test method to correct for this problem.

| ARCO PM10 Air Quality Summary | | | | | |
|---|-----------|--------------------------------|--------------------------------|--------------------------------|-----------------|
| DATE | Day | 24 hour concentration µg/m³ | High 1- hour value µg/m³ | High 1- hour value µg/m³ | High 1- hour |
| 12/28/2017 | Thursday | 11.3 | 19 | 11 | |
| 12/29/2017 | Friday | 9.8 | 14.9 | 9 | |
| 12/30/2017 | Saturday | 7 | 12.2 | 18 | |
| 12/31/2017 | Sunday | 3.6 | 7.2 | 7.2 | |
| 1/1/2018 | Monday | 11.9 | 25.3 | 0.00 | |
| 1/2/2018 | Tuesday | 13 | 30.8 | 23 | |
| 1/3/2018 | Wednesday | 18 | 33.4 | 14 | |
| Note: NAQSO for PM10 - 150 µg/m³, 24 hour average | | | | | |