





Influenza Surveillance

2012-2013 Weekly Summary MMWR Week 42 (10/14/2012-10/20/2012)

This report is intended to provide an overview of influenza related activity occurring within Cuyahoga County while providing some general information on the state activity. It will be published on a weekly basis and can be found at the following web site:

http://www.ccbh.net/flu-weekly-surveillance-report/

Note: Data are provisional and subject to change. Updates will be included in future reports.

Ohio's Activity Level: Sporadic Activity

Small numbers of laboratory-confirmed influenza cases or a single laboratory-confirmed influenza outbreak has been reported, but there is no increase in cases of ILI.

Pneumonia and Influenza (P&I) Mortality

4.7% of all deaths reported to the Cleveland Bureau of Vital Statistics were due to pneumonia. Adults 75 years old and older accounted for 58.3% of the pneumonia related deaths. No influenza related death has occurred this season (**Figure 1**).

Influenza-Like Illness (ILI) Reports

Two ILI Sentinel Providers in Cuyahoga County reported no patients had ILI symptoms this week. Statewide ILI Sentinel Providers reported 0.48% of patients had flu-like symptoms (**Figure 2**). ILI is defined as a fever ($\geq 100^{\circ}$ F), **and** cough <u>and/or</u> sore throat.

School Absenteeism

Participating schools in Cuyahoga County reported the percentage (median = 2.6%) of absenteeism *due to any illness* on Tuesday (**Figure 3A**). **Figure 3B** shows the total absenteeism *due to any reason* during the school week (median = 3.3%). Data were reported by sentinel sites and other participating schools throughout Cuyahoga County.

Influenza-Associated Hospitalizations and Influenza-Associated Pediatric Mortality
Three confirmed cases of influenza-associated hospitalizations in Cuyahoga County were
reported this week (**Figure 4**). The state of Ohio reported 17 confirmed hospitalizations due to
influenza, but no pediatric influenza related mortalities.

Emergency Department (ED) visits and Over-the-Counter Medication Sales 2.0% of all ED visits were for fever + ILI symptoms. Approximately 35 fewer patients visited EDs for fever and ILI symptoms this year compared to 2011 (**Figure 5**). **Figure 6** shows approximately 110 fewer OTC products per drugstore were purchased this year than in the same period in 2011. **Figure 7** shows the frequency of ED visits for fever and ILI by zip code.

Three other maps show, by zip code, the frequency of ED visits for three symptoms that are common during the fall and winter seasons and are of interest to the general public: congestion and cough (**Figure 8**), vomiting and nausea (**Figure 9**), and diarrhea (**Figure 10**).


Descriptions of data sources used to complete the weekly influenza write-up can be found on the last page of this report. More information on national and world surveillance can be found at the Centers for Disease Control and Prevention website at www.cdc.gov/flu/weekly.

Table 1. Summary of Cuyahoga County Influenza Data


Influenza (Flu) Indicator	Current Activity Level	Activity Compared to Last Week	# Weeks ¹²³	General Trend for the Season
Percentage of deaths due to influenza & pneumonia - Cleveland [Figure 1]	Pneumonia: 4.7%	17.5%	O 1	General trends analysis will begin starting in week 45.
	Influenza: 0.0%	(Stable)	2	
Influenza like illness (ILI) doctor visits [Figure 2]	Cuyahoga: 0.00%	(100%)	V 1	General trends analysis will begin starting in week 45.
	Ohio: 0.48%	6.7%	2	
School absenteeism due to ILLNESS ONLY – sites recruited within last three years [Figure 3A]	Northeast: 2.2%	15.8%	O 1	General trends analysis will
	Northwest: 2.7%	18.5%	2	begin starting in week 45.
	Southeast: 1.7%	(22.7%)	V 1	
	Southwest: 2.8%	(15.2%)	O 1	
School absenteeism due to ALL CAUSES – sentinel sites [Figure 3B]	4.9%	19.5%	•1	General trends analysis will
				begin starting in week 45.
School absenteeism due to ALL CAUSES – sites recruited within last three years [Figure 3B]	Northeast: 2.8%	154.5%	1	General trends analysis will
	Northwest: 3.3%	(17.5%)	2	begin starting in week 45.
three years [1 igure 3D]	Southeast: 1.6%	23.1%	1	
	Southwest: 3.2%	23.1%	1	
Influenza associated hospitalizations [Figure 4]	3	+3	1	General trends analysis will begin starting in week 45.
Emergency room visits due to ILI [Figure 5]	2.0%	(9.1%)	• 1	General trends analysis will
		(21270)		begin starting in week 45.
Sales of over-the-counter medications used to treat ILI. [Figure 6]	144	5.9%	•2	General trends analysis will begin starting in week 45.
Congestion and cough complaints [Figure 8]	670	(14.0%)	V 1	General trends analysis will
		(,	·	begin starting in week 45.
Vomiting and nausea complaints [Figure 9]	596	2.9%	•2	General trends analysis will begin starting in week 45.
Diarrhea complaints [Figure 10]	113	(16.3%)	▼ 1	General trends analysis will begin starting in week 45.


¹Due to small percentages in figures 1-3b & figure 5, caution should be used while interpreting the 'Activity Compared to Last Week' box.


³For figures 8-10, \blacktriangle = (Increase ≥ 10%), \blacktriangledown = (Decrease ≥ -10%), \bigcirc = Stable (-9.9% to +9.9%)





²For figures 1 – 3b & 5-6, ▲ = (Increase \ge 20%), ▼ = (Decrease \ge -20%), ○ = Stable (-19.9% to +19.9%)




















Sources of Influenza Surveillance Data

Six types of data sources are examined on a weekly basis to help determine the influenza activity level for Cuyahoga County:

- 1) Ohio Department of Health (ODH) Seasonal Influenza Activity Summary: The ODH influenza summary provides state-wide data. Data used from this report include: influenza activity level, frequency of fever plus influenza-like illness (ILI) associated hospitalizations, number of influenza-associated pediatric mortalities, and number of lab-confirmed influenza cases.
 - A) **Influenza Activity Level:** ODH reports the state influenza activity level on a five point ranking system: no activity, sporadic, local, regional, and widespread.
 - B) Influenza-associated Hospitalizations (ODRS): Influenza-associated hospitalizations are reported by the Cuyahoga County Board of Health (CCBH) and hospitals using the Ohio Disease Reporting System (ODRS). Hospitalizations can be used as an indicator of the severity of illness during a particular influenza season. This condition became reportable in 2009 due to the H1N1 pandemic virus.
 - C) **Sentinel Providers (ILINet):** Sentinel providers, through the US Influenza-like Illness Surveillance Network (ILINet), collect outpatient influenza-like illness (ILI) data. ILI is defined as a fever (> 100 F), **and** cough *and/or* sore throat without another known cause. Providers report the total number of patients seen, by age group, on a weekly basis. Sentinel providers also submit specimens for influenza testing to the ODH laboratory throughout the influenza season. There are 2 sentinel providers enrolled in Cuyahoga County for the 2011-2012 season.
 - D) **ODH Laboratory Surveillance:** The Ohio Department of Health Laboratory reports the number of specimens that test positive for influenza each week. Generally, specimens are submitted by sentinel provider participants. A subset of the positive specimens is sent to CDC for further testing during the season.
- 2) **Mortality Reporting System (Cleveland's Vital Statistics):** Cleveland and seven other cities in Ohio participate in this reporting on a weekly basis. Vital statistics offices from across the country report the number of death certificates received, along with how many of those have pneumonia or influenza listed as an underlying or contributing cause of death.
- 3) School Absenteeism data (due to illness and due to any reason): Approximately 50 Cuyahoga County schools provide absenteeism data for each Tuesday on the number children absent due to any illness or due to any reason.
- 4) **Influenza-associated Pediatric Mortality (ODRS):** Influenza-associated pediatric mortalities are reported into ODRS by CCBH and hospital staff. Pediatric deaths can be an indicator of the severity of illness during the influenza season. This condition became reportable in 2005.
- 5) National Retail Data Monitor (NRDM)-OTC Drug Purchases: The NRDM collects over-the-counter (OTC) drug sales information from Cuyahoga County chain drug stores and grocery stores. Pediatric cold products, antifever products, and thermometer sales are monitored on a weekly basis.
- 6) **Emergency Department Visits (EpiCenter):** EpiCenter collects emergency department chief complaint data from hospitals and urgent care facilities across Cuyahoga County and classifies them into symptom