CUYAHOGA COUNTY PUBLIC HEALTH COLLABORATIVE







WEEKLY INFLUENZA SURVEILLANCE REPORT December 15-December 21, 2013 (MMWR Week 51)

This report is intended to provide an overview of influenza related activity occurring in Cuyahoga County while providing some information on state activity that is one week behind the current week. It will be published on a weekly basis and can be found at the following website: <u>http://www.ccbh.net/flu-weekly-surveillance-report/</u>

Note: Data are provisional and subject to change. Updates will be included in future reports.

Pneumonia and Influenza (P&I) Mortality

6.2% of all deaths reported to the Cleveland Bureau of Vital Statistics were due to pneumonia. Adults 45-64 years old accounted for 33.3% of the pneumonia related deaths. One influenza related death occurred this week (**Figure 1**).

Influenza-Like Illness (ILI) Reports

No local or statewide data were received for week 51.

School Absenteeism

Figure 3A shows participating schools in Cuyahoga County reported on Tuesday the percentage of absenteeism *due to any illness* (median = 3.2%). **Figure 3B** shows the percentage of total absenteeism *due to any reason* during the school week (median = 6.3%).

Influenza-Associated Hospitalizations and Influenza-Associated Pediatric Mortality

Twenty-three confirmed case of influenza-associated hospitalization in Cuyahoga County was reported this week and 46 in week 50 (**Figure 4**). State of Ohio reported 81 confirmed hospitalizations due to influenza in week 50, but no pediatric influenza related mortalities.

Emergency Department (ED) visits and Over-the-Counter Medication Sales

3.2% of all ED visits were for fever + ILI symptoms. Approximately 65 <u>more</u> patients visited EDs for fever and ILI symptoms this year compared to 2012 (**Figure 5**). **Figure 6** shows approximately the same number of OTC products per drugstore were purchased this year than in the same period in 2012. **Figure 7** shows the frequency of ED visits for fever and ILI by zip code.

Three other maps show, by zip code, the frequency of ED visits for three symptoms that are common during the fall and winter seasons and are of interest to the general public: congestion and cough (**Figure 8**), vomiting and nausea (**Figure 9**), and diarrhea (**Figure 10**).

Descriptions of data sources used to complete the weekly influenza write-up can be found on the last page of this report. More information on national and world surveillance can be found at the Centers for Disease Control and Prevention website at www.cdc.gov/flu/weekly.


Influenza (Flu) Indicator	Current Activity Level	Activity Compared to Last Week	# Weeks ¹²³	General Trend for the Season
Percentage of deaths due to influenza & pneumonia - Cleveland [Figure 1]	Pneumonia: 6.2%	8.8%	• 3	Pneumonia close to the 5 yr median. 1st flu death this yr.
	Influenza: 0.4%	100%	▲1	
Influenza like illness (ILI) doctor visits [Figure 2] Ohio data 1 week behind	Cuyahoga: N/A	N/A	N/A	Cuyahoga sentinel ILI trending higher than state ILI data.
	Ohio: N/A	N/A	N/A	
School absenteeism due to ILLNESS ONLY – [Figure 3A]	Cleveland: N/A	N/A	N/A	Cleveland schools have higher illness absenteeism than suburban schools and all areas generally lower than the 3 year median.
	Northeast: 2.6%	Stable	• 2	
	Northwest: 1.6%	54.3%	▼1	
	Southeast: 3.6%	N/A	N/A	
	Southwest: 4.1%	32.3%	1	
School absenteeism due to ALL CAUSES – sentinel sites [Figure 3B]	5.7%	42.5%	▲ 2	Generally trending below the five year median.
School absenteeism due to ALL CAUSES – [Figure 3B]	Northeast: 4.0%	(11.1%)	• 2	Trending below the five year median; western suburbs have higher absenteeism rate than eastern suburbs.
	Northwest: 6.9%	23.2%	1	
	Southeast: N/A	N/A	N/A	
	Southwest: N/A	N/A	N/A	
Influenza associated hospitalizations [<i>Figure 4</i>]	23	23	▼1	100 more flu related hospital stays than 4 yr median N=135.
Emergency room visits due to ILI [Figure 5]	3.2%	14.3%	▲1	78% increase since week 48.
Sales of over-the-counter medications used to treat ILI. [Figure 6]	214	7.5%	•1	49% increase since week 48.
Congestion and cough complaints [Figure 8]	981	13.5%	▲1	65% increase since week 48.
Vomiting and nausea complaints [Figure 9]	649	8.0%	• 2	30% increase since week 48.
Diarrhea complaints [Figure 10]	131	0.8%	• 2	49% increase since week 48.


Table 1. Summary of Cuyahoga County Influenza Data


¹Due to small percentages in figures 1-3b & figure 5, caution should be used while interpreting the 'Activity Compared to Last Week' box.


²For figures 1-3b, \blacktriangle = (Increase $\ge 20\%$), \blacktriangledown = (Decrease $\ge -20\%$), \bigcirc = Stable (-19.9% to +19.9%)


³For figures 5-6 & 8-10, \blacktriangle = (Increase $\ge 10\%$), \heartsuit = (Decrease $\ge -10\%$), \heartsuit = Stable (-9.9% to +9.9%)























Sources of Influenza Surveillance Data

Six types of data sources are examined on a weekly basis to help determine the influenza activity level for Cuyahoga County:

- 1) **Ohio Department of Health (ODH) Seasonal Influenza Activity Summary :** The ODH influenza summary provides state-wide data . Data used from this report include: frequency of fever plus influenza-like illness (ILI) associated hospitalizations, number of influenza-associated pediatric mortalities, and number of lab-confirmed influenza cases.
 - A) **Influenza-associated Hospitalizations (ODRS):** Influenza-associated hospitalizations are reported by the Cuyahoga County Board of Health (CCBH) and hospitals using the Ohio Disease Reporting System (ODRS). Hospitalizations can be used as an indicator of the severity of illness during a particular influenza season. This condition became reportable in January 2009.
 - B) **Influenza-associated Pediatric Mortality (ODRS):** Influenza-associated pediatric mortalities are reported into ODRS by CCBH and hospital staff. Pediatric deaths can be an indicator of the severity of illness during the influenza season. This condition became reportable in 2005.
 - C) Sentinel Providers (ILINet): Sentinel providers, through the US Influenza-like Illness Surveillance Network (ILINet), collect outpatient influenza-like illness (ILI) data. ILI is defined as a fever (> 100 F), and cough *and/or* sore throat without another known cause. Providers report the total number of patients seen, by age group, on a weekly basis. Sentinel providers also submit specimens for influenza testing to the ODH laboratory throughout the influenza season. There are 2 sentinel providers enrolled in Cuyahoga County for the 2012-2013 season.
 - D) **ODH Laboratory Surveillance:** The Ohio Department of Health Laboratory reports the number of specimens that test positive for influenza each week. Generally, specimens are submitted by sentinel provider participants. A subset of the positive specimens is sent to CDC for further testing during the season.
- Mortality Reporting System (Cleveland's Vital Statistics): Cleveland Vital Statistics office reports on deaths that occur in 54 municipalities in Cuyahoga County (excludes Lakewood, East Cleveland, Bedford, Euclid, & Parma) regarding pneumonia & influenza.
- 3) School Absenteeism data (due to illness and due to any reason): More than 50 Cuyahoga County schools provide absenteeism data for each Tuesday on the number children absent due to any illness or due to any reason as well as sentinel schools that report week absenteeism data.
- 4) National Retail Data Monitor (NRDM)-OTC Drug Purchases: The NRDM collects over-the-counter (OTC) drug sales information from Cuyahoga County chain drug stores and grocery stores. Pediatric cold products, antifever products, and thermometer sales are monitored on a weekly basis.
- 5) **Emergency Department Visits (EpiCenter):** EpiCenter collects emergency department chief complaint data from hospitals and urgent care facilities across Cuyahoga County and classifies them into symptom and syndrome categories. Chief complaints regarding fever + ILI symptoms are analyzed.