

## Summary of Select Reportable Diseases for all Cuyahoga County (2009)

Disease Name	Quarter 2* Mar 29 – Jun 27	Total Year to Date	Median for Quarter 2, 2004-2008	Median 2004-2008	Min,Max 2004-2008
Amebiasis	0	0	0	1	0,3
Arboviral neuroinvasive and non-neuroinvasive disease (includes West Nile Virus)	0	0	0	6	3,32
Aseptic Meningitis	14	30	10	76	50,111
Botulism, foodborne	0	1	0	0	0,1
Botulism, infant	0	0	0	0	0,0
Brucellosis	1	1	0	0	0,0
Campylobacteriosis	38	65	36	158	152,168
Coccidiomycosis	2	2	0	0	0,2
Creutzfeldt-Jakob Disease <sup>1</sup>	0	0	0	1	0,2
Cryptosporidiosis	2	8	4	22	15,32
Cytomegalovirus (congenital)	0	0	1	3	2,4
E. Coli O157:H7 and other enterohemorrhagic <sup>1</sup>	9	9	2	13	4,15
Giardiasis	26	52	22	67	69,107
Haemophilus influenzae, invasive	1	3	4	14	11,18
Hemolytic Uremic Syndrome (HUS)	3	3	0	1	0,2
Hepatitis A	0	2	1	7	3,17
Hepatitis B, acute	5	9	7	27	22,33
Hepatitis B, chronic	52	103	25	82	65,277
Hepatitis C, acute	1	4	0	2	0,8
Hepatitis C, chronic	330	600	330	1288	164,1528
Hepatitis E	0	0	0	0	0,2
Influenza-associated hospitalization <sup>2</sup>	37	91	0	N/A	N/A
Legionnaires' disease	11	16	6	47	44,55
Listeriosis	2	2	1	6	3,8
Lyme Disease	2	3	0	5	2,9
Malaria	1	5	1	4	2,5
Meningitis, bacterial (non-Neiseria)	0	3	2	11	7,13
Meningococcal Disease	0	3	3	7	6,8
Mumps	1	1	1	4	0,6
Pertussis	4	6	4	24	22,37
Q Fever	0	0	0	0	0,0
Rocky Mountain Spotted Fever (RMSF)	0	0	0	1	0,1
Salmonellosis	64	105	45	181	157,232
Shigellosis	118	227	10	35	20,218
Streptococcal Disease, Group A, invasive	7	15	10	28	23,30
Streptococcal disease, Group B, newborn	3	6	3	11	5,14
Streptococcal Toxic Shock Syndrome	0	0	1	3	1,5
Streptococcus pneumoniae, invasive, non-resistant or unknown resistance	16	43	16	59	45,73
Streptococcus pneumoniae, invasive, resistant or intermediate resistance	8	19	13	42	26,45
Tetanus	0	0	0		
Toxic Shock Syndrome	0	0	0	1	0,1
Toxoplasmosis (congenital)	0	0	0	0	0,0
Trichinosis	0	0	0	0	0,0
Typhoid Fever	1	2	0	1	0,1
Varicella <sup>3</sup>	21	52	37	197	84,583
Vibriosis, other (not cholera)	0	1	0	1	1,4
Yersiniosis	1	3	0	9	1,11

## Summary of Select Reportable Diseases for CCBH (2009)

Disease Name	Quarter 2* Mar 29 – Jun 27	Total Year to Date	Median for Quarter 2, 2004-2008	Median 2004-2008	Min,Max 2004-2008
Amebiasis	0	0	0	0	0,2
Arboviral neuroinvasive and non-neuroinvasive disease (includes West Nile Virus)	0	0	0	2	1,7
Aseptic Meningitis	6	13	4	32	18,42
Botulism, foodborne	0	1	0	0	0,1
Botulism, infant	0	0	0	0	0,0
Brucellosis	0	0	0	0	0,0
Campylobacteriosis	29	48	27	107	106,130
Coccidiomycosis	2	2	0	0	0,2
Creutzfeldt-Jakob Disease <sup>1</sup>	0	0	0	1	0,2
Cryptosporidiosis	2	5	3	18	9,20
Cytomegalovirus (congenital)	0	0	0	1	0,2
E. Coli O157:H7 and other enterohemorrhagic <sup>1</sup>	6	6	0	10	3,12
Giardiasis	21	37	14	60	46,67
Haemophilus influenzae, invasive	0	1	4	9	7,13
Hemolytic Uremic Syndrome (HUS)	2	2	0	1	0,2
Hepatitis A	0	2	12	5	0,15
Hepatitis B, acute	3	5	12	7	2,20
Hepatitis B, chronic	22	46	0	32	26,137
Hepatitis C, acute	0	3	114	0	0,1
Hepatitis C, chronic	116	214	0	441	282,584
Hepatitis E	0	0	0	0	0,2
Influenza-associated hospitalization <sup>2</sup>	16	42	0	N/A	N/A
Legionnaires' disease	7	11	2	29	25,33
Listeriosis	2	2	0	3	1,6
Lyme Disease	2	2	0	4	2,6
Malaria	0	2	1	2	1,4
Meningitis, bacterial (non-Neiseria)	0	0	0	4	2,6
Meningococcal Disease	0	1	2	4	0,5
Mumps	1	1	0	2	0,5
Pertussis	3	4	3	21	11,30
Q Fever	0	0	0	0	0,0
Rocky Mountain Spotted Fever (RMSF)	0	0	0	0	0,1
Salmonellosis	37	59	30	120	96,160
Shigellosis	55	102	3	23	9,51
Streptococcal Disease, Group A, invasive	4	8	5	15	13,18
Streptococcal disease, Group B, newborn	2	4	2	4	2,6
Streptococcal Toxic Shock Syndrome	0	0	1	2	0,3
Streptococcus pneumoniae, invasive, non-resistant or unknown resistance	15	26	9	33	16,45
Streptococcus pneumoniae, invasive, resistant or intermediate resistance	6	13	8	23	16,30
Tetanus	0	0	0	0	0,0
Toxic Shock Syndrome	0	0	0	0	0,1
Toxoplasmosis (congenital)	0	0	0	0	0,0
Trichinosis	0	0	0	0	0,0
Typhoid Fever	1	2	0	1	0,1
Varicella <sup>3</sup>	19	47	26	128	58,509
Vibriosis, other (not cholera)	0	1	0	1	0,4
Yersiniosis	1	0	0	4	0,8

## Summary of Select Reportable Diseases for City of Cleveland (2009)

Disease Name	Quarter 2* Mar 29 – Jun 27	Total Year to Date	Median for Quarter 2, 2004-2008	Median 2004-2008	Min,Max 2004-2008
Amebiasis	0	0	0	1	0,1
Arboviral neuroinvasive and non-neuroinvasive disease (includes West Nile Virus)	0	0	0	3	2,29
Aseptic Meningitis	7	16	5	33	27,69
Botulism, foodborne	0	0	0	0	0,0
Botulism, infant	0	0	0	0	0,0
Brucellosis	1	1	0	0	0,0
Campylobacteriosis	8	16	8	43	34,44
Coccidiomycosis	0	0	0	0	0,1
Creutzfeldt-Jakob Disease <sup>1</sup>	0	0	0		
Cryptosporidiosis	0	3	0	4	3,13
Cytomegalovirus (congenital)	0	0	1	2	0,3
E. Coli O157:H7 and other enterohemorrhagic <sup>1</sup>	3	3	1	2	1,2
Giardiasis	5	15	4	24	12,33
Haemophilus influenzae, invasive	1	2	1	4	2,6
Hemolytic Uremic Syndrome (HUS)	1	1	0	0	0,0
Hepatitis A	0	0	0	2	0,2
Hepatitis B, acute	2	4	6	20	17,23
Hepatitis B, chronic	28	55	18	51	39,130
Hepatitis C, acute	1	1	0	2	0,8
Hepatitis C, chronic	210	379	210	833	475,929
Hepatitis E	0	0	0	0	0,0
Influenza-associated hospitalization <sup>2</sup>	21	49	N/A	N/A	N/A
Legionnaires' disease	4	5	3	18	12,23
Listeriosis	0	0	0	2	0,4
Lyme Disease	0	0	0	0	0,2
Malaria	1	3	0	2	0,3
Meningitis, bacterial (non-Neiseria)	0	3	2	6	3,9
Meningococcal Disease	0	2	1	3	2,7
Mumps	0	0	0	1	0,2
Pertussis	1	2	1	6	1,12
Q Fever	0	0	0	0	0,0
Rocky Mountain Spotted Fever (RMSF)	0	0	0	0	0,1
Salmonellosis	27	45	13	60	48,67
Shigellosis	61	121	4	12	5,163
Streptococcal Disease, Group A, invasive	3	7	4	11	10,13
Streptococcal disease, Group B, newborn	1	1	1	6	3,10
Streptococcal Toxic Shock Syndrome	0	0	1	2	0,3
Streptococcus pneumoniae, invasive, non-resistant or unknown resistance	1	15	7	27	24,30
Streptococcus pneumoniae, invasive, resistant or intermediate resistance	2	6	4	12	8,19
Tetanus	0	0	0	0	0,0
Toxic Shock Syndrome	0	0	0	0	0,1
Toxoplasmosis (congenital)	0	0	0	0	0,0
Trichinosis	0	0	0	0	0,0
Typhoid Fever	0	0	0	0	0,0
Varicella <sup>3</sup>	2	5	11	66	25,74
Vibriosis, other (not cholera)	0	0	0	0	0,0
Yersiniosis	0	0	0	2	1,6

## Summary of Select Reportable Diseases for city of Shaker Heights (2009)

Disease Name	Quarter 2* Mar 29 – Jun 27	Total Year to Date	Median for Quarter 2, 2004-2008	Median 2004-2008	Min,Max 2004-2008
Amebiasis	0	0	0	0	0,0
Arboviral neuroinvasive and non-neuroinvasive disease (includes West Nile Virus)	0	0	0	0	0,0
Aseptic Meningitis	1	1	0	0	0,1
Botulism, foodborne	0	0	0	0	0,0
Botulism, infant	0	0	0	0	0,0
Brucellosis	0	0	0	0	0,0
Campylobacteriosis	1	1	1	6	2,8
Coccidiomycosis	0	0	0	0	0,0
Creutzfeldt-Jakob Disease <sup>1</sup>	0	0	0	0	0,0
Cryptosporidiosis	0	0	0	0	0,0
Cytomegalovirus (congenital)	0	0	0	0	0,0
E. Coli O157:H7 and other enterohemorrhagic <sup>1</sup>	0	0	0	1	0,1
Giardiasis	0	0	1	4	3,7
Haemophilus influenzae, invasive	0	0	0	0	0,1
Hemolytic Uremic Syndrome (HUS)	0	0	0	0	0,0
Hepatitis A	0	0	0	0	0,3
Hepatitis B, acute	0	0	0	0	0,0
Hepatitis B, chronic	2	2	0	1	0,10
Hepatitis C, acute	0	0	0	0	0,0
Hepatitis C, chronic	4	7	2	14	6,20
Hepatitis E	0	0	0	0	0,0
Influenza-associated hospitalization <sup>2</sup>	0	0	N/A	N/A	N/A
Legionnaires' disease	0	0	0	0	0,2
Listeriosis	0	0	0	0	0,1
Lyme Disease	0	1	0	0	0,1
Malaria	0	0	0	0	0,1
Meningitis, bacterial (non-Neiseria)	0	0	0	0	0,0
Meningococcal Disease	0	0	0	0	0,0
Mumps	0	0	0	0	0,0
Pertussis	0	0	0	0	0,1
Q Fever	0	0	0	0	0,0
Rocky Mountain Spotted Fever (RMSF)	0	0	0	0	0,0
Salmonellosis	0	1	0	5	1,8
Shigellosis	2	4	0	1	0,4
Streptococcal Disease, Group A, invasive	0	0	0	1	0,1
Streptococcal disease, Group B, newborn	0	1	0	0	0,1
Streptococcal Toxic Shock Syndrome	0	0	0	0	0,0
Streptococcus pneumoniae, invasive, non-resistant or unknown resistance	0	2	0	1	0,3
Streptococcus pneumoniae, invasive, resistant or intermediate resistance	0	0	0	1	0,2
Tetanus	0	0	0	0	0,0
Toxic Shock Syndrome	0	0	0	0	0,0
Toxoplasmosis (congenital)	0	0	0	0	0,0
Trichinosis	0	0	0	0	0,0
Typhoid Fever	0	0	0	0	0,0
Varicella <sup>3</sup>	0	0	0	1	0,3
Vibriosis, other (not cholera)	0	0	0	0	0,0
Yersiniosis	0	0	0	0	0,1

## Technical Notes

Data reflect incidence for Cuyahoga County residents only, but include diseases acquired by Ohio residents while traveling outside of Cuyahoga County. Data is shown by date reported.

Data includes confirmed, probable and suspected cases based on case definitions determined by the Centers for Disease Control and Prevention (online at [http://www.cdc.gov/ncphi/disss/nndss/casedef/case\\_definitions.htm](http://www.cdc.gov/ncphi/disss/nndss/casedef/case_definitions.htm)). For diseases that do not have a current CDC case definition, cases were determined using criteria from the Ohio Department of Health (ODH) Infectious disease Control Manual (IDCM). The IDCM can be found online at <http://www.odh.ohio.gov/healthresources/infectiousdiseasemanual.aspx>.

This report includes both quarter-specific and year-through-quarter cumulative frequencies for each disease. Quarter is determined by the MMWR week the case was reported to the local health department. This report includes only Class A reportable diseases. Data were reported to the Ohio Department of Health via the Ohio Disease Reporting System. Some reportable conditions may be under investigation. Therefore, all data in this report are provisional.

\* MMWR Weeks 13-25

<sup>1</sup> Suspected cases for Creutzfeldt-Jakob Disease and E. Coli O157:H7 and other enterohemorrhagic are no longer being included in summary, therefore these numbers may be lower than reported on the 2008 Quarterly Summaries

<sup>2</sup> Influenza-associated hospitalizations did not become reportable until January 1, 2009, therefore historical data is not available.

<sup>3</sup> Varicella became a Class A disease in 2006, therefore the medians are calculated from 2006-2008