

Table 4a

Total Number of Breast Cancer Cases and Average Annual Percent Stage at Diagnosis by Place from 2005-2009				
	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)
United States (2000-2009)	not available	61.3	36.1	2.6
Ohio (2004-2008)	50,200	68.0	29.0	3.0
Cuyahoga	6,688	67.9	28.9	3.2
Cleveland	1,609	62.7	33.9	3.4
First Ring Suburbs	2,334	66.9	29.3	3.8
Outer Ring Suburbs	2,645	72.0	25.4	2.6
Brooklyn Centre	22	68.2	31.8	0.0
Buckeye-Shaker	51	60.8	35.3	3.9
Central	30	70.0	26.7	3.3
Clark-Fulton	27	74.1	25.9	0.0
Corlett	64	65.6	34.4	0.0
Cudell	20	60.0	35.0	5.0
Detroit-Shoreway	47	66.0	29.8	4.3
Downtown	12	58.3	41.7	0.0
Edgewater	19	47.4	47.4	5.3
Euclid-Green	22	68.2	18.2	13.6
Fairfax	18	61.1	27.8	11.1
Forest Hills	38	73.7	23.7	2.6
Glenville	99	60.6	34.3	5.1
Goodrich-Kirtland Park	8	75.0	25.0	0.0
Hough	57	56.1	38.6	5.3
Industrial Valley	4	75.0	25.0	0.0
Jefferson	60	65.0	33.3	1.7
Kamms Corners	103	72.8	26.2	1.0
Kinsman	11	36.4	63.6	0.0
Lee-Miles	114	57.9	36.8	5.3
Mt. Pleasant	103	66.0	33.0	1.0
North Broadway	20	35.0	60.0	5.0
North Collinwood	74	60.8	33.8	5.4
Ohio City	32	56.3	37.5	6.3
Old Brooklyn	127	66.9	29.9	3.1
Puritas-Longmead	64	65.6	34.4	0.0
Riverside	14	42.9	50.0	7.1
South Broadway	64	64.1	34.4	1.6
South Collinwood	44	47.7	43.2	9.1
St. Clair-Superior	34	47.1	50.0	2.9
Stockyards	14	50.0	35.7	14.3
Tremont	13	38.5	61.5	0.0
Union-Miles	62	74.2	22.6	3.2
University	29	69.0	27.6	3.4
West Boulevard	45	68.9	28.9	2.2
Woodland Hills	44	54.5	45.5	0.0
Bay Village	100	68.0	31.0	1.0
Beachwood	125	76.8	19.2	4.0
Bedford	83	67.5	28.9	3.6
Bedford Heights	66	69.7	27.3	3.0
Bentleyville	4	100.0	0.0	0.0
Berea	66	78.8	18.2	3.0
Bratenahl	15	73.3	26.7	0.0
Brecksville	63	66.7	33.3	0.0
Broadview Heights	93	79.6	20.4	0.0
Brooklyn	61	63.9	32.8	3.3
Brooklyn Heights	8	37.5	62.5	0.0
Brook Park	92	60.9	38.0	1.1

Table 4a

Total Number of Breast Cancer Cases and Average Annual Percent Stage at Diagnosis by Place from 2005-2009				
	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)
Chagrin Falls Township	0	0.0	0.0	0.0
Chagrin Falls Village	26	84.6	11.5	3.8
Cleveland Heights	277	67.5	29.2	3.2
Cuyahoga Heights	1	100.0	0.0	0.0
East Cleveland	115	64.3	32.2	3.5
Euclid	294	62.2	31.3	6.5
Fairview Park	82	69.5	29.3	1.2
Garfield Heights	132	68.2	31.1	0.8
Gates Mills	21	85.7	14.3	0.0
Glenwillow	2	50.0	50.0	0.0
Highland Heights	43	67.4	32.6	0.0
Hunting Valley	8	87.5	12.5	0.0
Independence	38	65.8	31.6	2.6
Lakewood	193	64.2	33.2	2.6
Linndale	2	100.0	0.0	0.0
Lyndhurst	118	75.4	22.0	2.5
Maple Heights	117	72.6	26.5	0.9
Mayfield Heights	134	70.9	26.1	3.0
Mayfield	28	78.6	21.4	0.0
Middleburg Heights	90	67.8	26.7	5.6
Moreland Hills	23	91.3	8.7	0.0
Newburgh Heights	5	100.0	0.0	0.0
North Olmsted	193	71.0	25.9	3.1
North Randall	6	33.3	66.7	0.0
North Royalton	138	66.7	31.2	2.2
Oakwood	23	78.3	17.4	4.3
Olmsted Falls	54	70.4	25.9	3.7
Olmsted Township	75	74.7	24.0	1.3
Orange	22	59.1	36.4	4.5
Parma	407	66.1	29.0	4.9
Parma Heights	133	66.9	30.8	2.3
Pepper Pike	43	83.7	16.3	0.0
Richmond Heights	57	71.9	24.6	3.5
Rocky River	126	71.4	21.4	7.1
Seven Hills	69	71.0	29.0	0.0
Shaker Heights	210	69.5	25.2	5.2
Solon	145	73.8	22.8	3.4
South Euclid	123	73.2	24.4	2.4
Strongsville	248	70.6	25.8	3.6
University Heights	70	75.7	22.9	1.4
Valley View	15	86.7	13.3	0.0
Walton Hills	20	80.0	15.0	5.0
Warrensville Heights	74	66.2	29.7	4.1
Highland Hills	7	71.4	28.6	0.0
Westlake	194	69.6	26.3	4.1
Woodmere	2	50.0	50.0	0.0

¹Early Staging is defined as a cancer case being diagnosed in the *in situ* or localized stage

²Late Staging is defined as a cancer case being diagnosed in the regional or distant stage

³Unknown Staging is defined as a cancer cases being diagnosed as unknown and includes cancer cases considered unstaged

⁴Stage at Diagnosis for Selected Cancer Sites in Ohio. Ohio Cancer Incidence Surveillance System, Ohio Department of Health and The Ohio State University, Columbus, Ohio, March 2012.

⁵Fast Stats. Surveillance Epidemiology and End Results. Accessible at <http://seer.cancer.gov/faststats/index.php> Accessed 2/25/13.

Table 4b

Total Number of Female Breast Cancer Cases and Average Annual Percent Stage at Diagnosis by Race and Place from 2005-2009								
	White				Black			
	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)
United States (2000-2009)⁴	not available	62.4	35.0	2.5	not available	52.0	45.1	3.0
Ohio (2004-2008)⁵	not available	68.0	29.0	3.0	not available	62.0	34.0	3.0
Cuyahoga	4,754	69.6	27.2	3.2	1,763	62.6	33.9	3.6
Cleveland	679	63.8	33.3	2.9	898	61.4	35.1	3.6
Inner Ring	1,648	68.1	28.0	3.9	633	63.2	33.0	3.8
Outer Ring	2,363	72.5	24.9	2.6	198	66.2	30.3	3.5
Brooklyn Centre	20	70.0	30.0	0.0	2	50.0	50.0	0.0
Buckeye-Shaker	11	90.9	9.1	0.0	40	52.5	42.5	5.0
Central	0				30	70.0	26.7	3.3
Clark-Fulton	20	75.0	25.0	0.0	3	66.7	33.3	0.0
Corlett	1	100.0	0.0	0.0	62	64.5	35.5	0.0
Cudell	12	75.0	16.7	8.3	7	28.6	71.4	0.0
Detroit-Shoreway	39	61.5	33.3	5.1	8	87.5	12.5	0.0
Downtown	6	66.7	33.3	0.0	5	60.0	40.0	0.0
Edgewater	16	56.3	37.5	6.3	3	0.0	100.0	0.0
Euclid-Green	2	100.0	0.0	0.0	20	65.0	20.0	15.0
Fairfax	1	0.0	0.0	100.0	17	64.7	29.4	5.9
Forest Hills	3	100.0	0.0	0.0	35	71.4	25.7	2.9
Glenville	1	0.0	100.0	0.0	97	60.8	34.0	5.2
Goodrich-Kirtland Park	5	80.0	20.0	0.0	2	50.0	50.0	0.0
Hough	3	66.7	33.3	0.0	53	54.7	39.6	5.7
Industrial Valley	3	100.0	0.0	0.0	1	0.0	100.0	0.0
Jefferson	48	60.4	37.5	2.1	10	80.0	20.0	0.0
Kamms Corners	100	73.0	26.0	1.0	1	0.0	100.0	0.0
Kinsman	0				11	36.4	63.6	0.0
Lee-Miles		Data not sufficient			103	59.2	36.9	3.9
Mt. Pleasant	5	100.0	0.0	0.0	97	63.9	35.1	1.0
North Broadway	15	40.0	53.3	6.7	5	20.0	80.0	0.0
North Collinwood	31	58.1	35.5	6.5	41	61.0	34.1	4.9
Ohio City	15	46.7	53.3	0.0	16	62.5	25.0	12.5
Old Brooklyn	124	66.1	30.6	3.2	2	100.0	0.0	0.0
Puritas-Longmead	41	58.5	41.5	0.0	20	80.0	20.0	0.0
Riverside	11	45.5	45.5	9.1	3	33.3	66.7	0.0
South Broadway	45	66.7	33.3	0.0	19	57.9	36.8	5.3
South Collinwood	8	50.0	50.0	0.0	36	47.2	41.7	11.1
St. Clair-Superior	11	36.4	54.5	9.1	23	52.2	47.8	0.0
Stockyards	12	50.0	33.3	16.7	2	50.0	50.0	0.0
Tremont	12	33.3	66.7	0.0	0			
Union-Miles	2	50.0	50.0	0.0	58	75.9	20.7	3.4
University	10	50.0	40.0	10.0	17	76.5	23.5	0.0
West Boulevard	39	66.7	30.8	2.6	5	80.0	20.0	0.0
Woodland Hills	0				44	54.5	45.5	0.0
Bay Village	97	68.0	30.9	1.0	1	100.0	0.0	0.0
Beachwood	108	77.8	19.4	2.8	16	68.8	18.8	12.5

Table 4b

Total Number of Female Breast Cancer Cases and Average Annual Percent Stage at Diagnosis by Place from 2005-2009								
	White				Black			
	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)
Bedford	56	66.1	28.6	5.4	24	66.7	33.3	0.0
Bedford Heights	18	83.3	11.1	5.6	46	65.2	32.6	2.2
Bentleyville	4	100.0	0.0	0.0	Data not sufficient			
Berea	59	81.4	15.3	3.4	6	50.0	50.0	0.0
Bratenahl	12	66.7	33.3	0.0	3	100.0	0.0	0.0
Brecksville	61	65.6	34.4	0.0	0			
Broadview Heights	86	77.9	22.1	0.0	0			
Brooklyn	60	63.3	33.3	3.3	0			
Brooklyn Heights	8	37.5	62.5	0.0	0			
Brook Park	90	61.1	37.8	1.1	1	0.0	100.0	0.0
Chagrin Falls Township	0				Data not sufficient			
Chagrin Falls Village	26	84.6	11.5	3.8	0			
Cleveland Heights	150	69.3	27.3	3.3	120	63.3	33.3	3.3
Cuyahoga Heights	1	100.0	0.0	0.0	Data not sufficient			
East Cleveland	12	66.7	16.7	16.7	103	64.1	34.0	1.9
Euclid	187	67.4	27.8	4.8	102	51.0	39.2	9.8
Fairview Park	78	67.9	30.8	1.3	3	100.0	0.0	0.0
Garfield Heights	97	63.9	36.1	0.0	34	79.4	17.6	2.9
Gates Mills	17	88.2	11.8	0.0	0			
Glenwillow	1	100.0	0.0	0.0	1	0.0	100.0	0.0
Highland Heights	41	65.9	34.1	0.0	0			
Hunting Valley	8	87.5	12.5	0.0	Data not sufficient			
Independence	38	65.8	31.6	2.6	0			
Lakewood	178	64.6	32.6	2.8	10	70.0	30.0	0.0
Linndale	0				2	100.0	0.0	0.0
Lyndhurst	109	77.1	21.1	1.8	4	50.0	25.0	25.0
Maple Heights	52	78.8	19.2	1.9	64	67.2	32.8	0.0
Mayfield Heights	128	70.3	26.6	3.1	3	100.0	0.0	0.0
Mayfield	27	77.8	22.2	0.0	0			
Middleburg Heights	82	70.7	23.2	6.1	2	0.0	100.0	0.0
Moreland Hills	22	90.9	9.1	0.0	0			
Newburgh Heights	5	100.0	0.0	0.0	0			
North Olmsted	187	72.2	25.1	2.7	2	50.0	50.0	0.0
North Randall	1	0.0	100.0	0.0	5	40.0	60.0	0.0
North Royalton	135	66.7	31.1	2.2	2	100.0	0.0	0.0
Oakwood	7	71.4	14.3	14.3	15	80.0	20.0	0.0
Olmsted Falls	53	69.8	26.4	3.8	0			
Olmsted Township	74	74.3	24.3	1.4	1	100.0	0.0	0.0
Orange	17	64.7	35.3	0.0	3	33.3	33.3	33.3
Parma	385	65.7	29.1	5.2	7	85.7	14.3	0.0
Parma Heights	128	66.4	31.3	2.3	1	0.0	100.0	0.0
Pepper Pike	41	85.4	14.6	0.0	0			
Richmond Heights	42	69.0	26.2	4.8	11	81.8	18.2	0.0
Rocky River	123	70.7	22.0	7.3	0			
Seven Hills	66	72.7	27.3	0.0	0			

Table 4b

Total Number of Female Breast Cancer Cases and Average Annual Percent Stage at Diagnosis by Place from 2005-2009								
	White				Black			
	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)
Shaker Heights	123	78.9	15.4	5.7	75	57.3	38.7	4.0
Solon	117	75.2	20.5	4.3	22	68.2	31.8	0.0
South Euclid	84	76.2	21.4	2.4	38	65.8	31.6	2.6
Strongsville	235	70.6	26.0	3.4	5	60.0	20.0	20.0
University Heights	51	78.4	21.6	0.0	18	72.2	22.2	5.6
Valley View	15	86.7	13.3	0.0	Data not sufficient			
Walton Hills	17	82.4	11.8	5.9	2	50.0	50.0	0.0
Warrensville Heights	3	66.7	33.3	0.0	71	66.2	29.6	4.2
Highland Hills	1	100.0	0.0	0.0	6	66.7	33.3	0.0
Westlake	188	69.1	26.6	4.3	0			
Woodmere	0				2	50.0	50.0	0.0

¹Early Staging is defined as a cancer case being diagnosed in the *in situ* or localized stage

²Late Staging is defined as a cancer case being diagnosed in the regional or distant stage

³Unknown Staging is defined as a cancer cases being diagnosed as unknown and includes cancer cases considered unstaged

⁴Stage at Diagnosis for Selected Cancer Sites in Ohio. Ohio Cancer Incidence Surveillance System, Ohio Department of Health and The Ohio State University, Columbus, Ohio, March 2012.

⁵Fast Stats. Surveillance Epidemiology and End Results. Accessible at <http://seer.cancer.gov/faststats/index.php> Accessed 2/25/13.

Table 4c

Total Number of Cervical Cancer Cases and Average Annual Percent Stage at Diagnosis by Place from 2005-2009				
	Total Number of cases	Early¹ (%)	Late² (%)	Unknown³ (%)
United States (2000-2009)	not available	47.7	47.0	5.3
Ohio (2004-2008)	2,415	45.0	49.0	7.0
Cuyahoga	66	44.5	50.2	5.2
Cleveland	31	39.9	55.6	4.6
Inner Ring	18	39.1	54.3	6.5
Outer Ring	16	53.2	40.5	6.3
Brooklyn Centre	4	50.0	50.0	0.0
Buckeye-Shaker	4	25.0	25.0	50.0
Central	8	50.0	50.0	0.0
Clark-Fulton	5	20.0	80.0	0.0
Corlett	3	33.3	33.3	33.3
Cudell	4	75.0	25.0	0.0
Detroit-Shoreway	1	0.0	0.0	100.0
Downtown	0	0.0	0.0	0.0
Edgewater	4	0.0	100.0	0.0
Euclid-Green	3	66.7	33.3	0.0
Fairfax	2	0.0	100.0	0.0
Forest Hills	6	33.3	66.7	0.0
Glenville	6	50.0	50.0	0.0
Goodrich-Kirtland Park	3	66.7	33.3	0.0
Hough	5	40.0	60.0	0.0
Industrial Valley	3	100.0	0.0	0.0
Jefferson	2	50.0	50.0	0.0
Kamms Corners	6	66.7	33.3	0.0
Kinsman	2	50.0	50.0	0.0
Lee-Miles	5	0.0	100.0	0.0
Mt. Pleasant	7	14.3	85.7	0.0
North Broadway	5	20.0	80.0	0.0
North Collinwood	5	0.0	100.0	0.0
Ohio City	5	20.0	80.0	0.0
Old Brooklyn	10	50.0	30.0	20.0
Puritas-Longmead	3	66.7	0.0	33.3
Riverside	0	0.0	0.0	0.0
South Broadway	6	50.0	50.0	0.0
South Collinwood	9	33.3	66.7	0.0
St. Clair-Superior	1	0.0	100.0	0.0
Stockyards	8	62.5	37.5	0.0
Tremont	1	0.0	100.0	0.0
Union-Miles	5	60.0	40.0	0.0
University	2	100.0	0.0	0.0
West Boulevard	8	25.0	75.0	0.0
Woodland Hills	2	50.0	50.0	0.0
Bay Village	2	100.0	0.0	0.0
Beachwood	4	50.0	25.0	25.0
Bedford	1	0.0	0.0	100.0
Bedford Heights	2	0.0	100.0	0.0
Bentleyville	0	0.0	0.0	0.0
Berea	4	50.0	50.0	0.0
Bratenahl	0	0.0	0.0	0.0
Brecksville	1	0.0	100.0	0.0
Broadview Heights	3	33.3	66.7	0.0
Brooklyn	4	50.0	50.0	0.0
Brooklyn Heights	0	0.0	0.0	0.0
Brook Park	2	50.0	50.0	0.0

Table 4c

Total Number of Cervical Cancer Cases and Average Annual Percent Stage at Diagnosis by Place from 2005-2009				
	Total Number of cases	Early¹ (%)	Late² (%)	Unknown³ (%)
Chagrin Falls Township	0	0.0	0.0	0.0
Chagrin Falls Village	1	100.0	0.0	0.0
Cleveland Heights	6	50.0	50.0	0.0
Cuyahoga Heights	0	0.0	0.0	0.0
East Cleveland	5	0.0	60.0	40.0
Euclid	12	50.0	50.0	0.0
Fairview Park	4	50.0	50.0	0.0
Garfield Heights	5	20.0	40.0	40.0
Gates Mills	1	0.0	100.0	0.0
Glenwillow	1	0.0	100.0	0.0
Highland Heights	1	100.0	0.0	0.0
Hunting Valley	0	0.0	0.0	0.0
Independence	1	100.0	0.0	0.0
Lakewood	13	53.8	38.5	7.7
Linndale	0	0.0	0.0	0.0
Lyndhurst	4	75.0	25.0	0.0
Maple Heights	6	50.0	50.0	0.0
Mayfield Heights	7	28.6	71.4	0.0
Mayfield	0	0.0	0.0	0.0
Middleburg Heights	2	100.0	0.0	0.0
Moreland Hills	2	100.0	0.0	0.0
Newburgh Heights	0	0.0	0.0	0.0
North Olmsted	6	33.3	50.0	16.7
North Randall	0	0.0	0.0	0.0
North Royalton	5	60.0	40.0	0.0
Oakwood	0	0.0	0.0	0.0
Olmsted Falls	0	0.0	0.0	0.0
Olmsted Township	2	50.0	50.0	0.0
Orange	1	0.0	100.0	0.0
Parma	20	30.0	70.0	0.0
Parma Heights	4	75.0	25.0	0.0
Pepper Pike	1	100.0	0.0	0.0
Richmond Heights	2	50.0	50.0	0.0
Rocky River	7	42.9	42.9	14.3
Seven Hills	2	0.0	100.0	0.0
Shaker Heights	6	33.3	66.7	0.0
Solon	3	33.3	33.3	33.3
South Euclid	0	0.0	0.0	0.0
Strongsville	7	71.4	28.6	0.0
University Heights	2	100.0	0.0	0.0
Valley View	1	100.0	0.0	0.0
Walton Hills	1	0.0	100.0	0.0
Warrensville Heights	2	0.0	100.0	0.0
Highland Hills	0	0.0	0.0	0.0
Westlake	5	60.0	20.0	20.0
Woodmere	0	0.0	0.0	0.0

¹Early Staging is defined as a cancer case being diagnosed in the *in situ* or localized stage

²Lage Staging is defined as a cancer case being diagnosed in the regional or distant stage

³Unknown Staging is defined as a cancer cases being diagnosed as unknown and includes cancer cases considered unstaged

⁴Stage at Diagnosis for Selected Cancer Sites in Ohio. Ohio Cancer Incidence Surveillance System, Ohio Department of Health and The Ohio State University, Columbus, Ohio, March 2012.

⁵Fast Stats. Surveillance Epidemiology and End Results. Accessible at <http://seer.cancer.gov/faststats/index.php> Accessed 2/25/13.

Table 4d

Total Number of Cervical Cancer Cases and Average Annual Percent Stage at Diagnosis by Race and Place from 2005-2009								
	White				Black			
	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)
United States (2000-2009)⁴	not available	49.0	46.0	5.0	not available	40.3	53.3	6.4
Ohio (2004-2008)⁵	not available	44.0	50.0	6.0	not available	43.0	50.0	8.0
Cuyahoga	201	44.8	49.8	5.5	118	39.8	55.9	4.2
Cleveland	68	39.7	54.4	5.9	80	40.0	57.5	2.5
Inner Ring	63	41.3	55.6	3.2	27	33.3	55.6	11.1
Outer Ring	67	53.7	40.3	6.0	7	57.1	42.9	0.0
Brooklyn Centre	3	66.7	33.3	0.0	1	0.0	100.0	0.0
Buckeye-Shaker	0				4	25.0	25.0	50.0
Central	1	100.0	0.0	0.0	7	42.9	57.1	0.0
Clark-Fulton	5	20.0	80.0	0.0	0			
Corlett	1	0.0	100.0	0.0	1	100.0	0.0	0.0
Cudell	2	100.0	0.0	0.0	2	50.0	50.0	0.0
Detroit-Shoreway	1	0.0	0.0	100.0	0			
Downtown	0				0			
Edgewater	4	0.0	100.0	0.0	0			
Euclid-Green	0				3	66.7	33.3	0.0
Fairfax	0				2	0.0	100.0	0.0
Forest Hills	0				6	33.3	66.7	0.0
Glenville	0				6	50.0	50.0	0.0
Goodrich-Kirtland Park	1	100.0	0.0	0.0	1	0.0	100.0	0.0
Hough	0				5	40.0	60.0	0.0
Industrial Valley	1	100.0	0.0	0.0	2	100.0	0.0	0.0
Jefferson	2	50.0	50.0	0.0	0			
Kamms Corners	6	66.7	33.3	0.0	0			
Kinsman	0				2	50.0	50.0	0.0
Lee-Miles	0				5	0.0	100.0	0.0
Mt. Pleasant	0				6	16.7	83.3	0.0
North Broadway	4	25.0	75.0	0.0	1	0.0	100.0	0.0
North Collinwood	4	0.0	100.0	0.0	1	0.0	100.0	0.0
Ohio City	1	0.0	100.0	0.0	3	33.3	66.7	0.0
Old Brooklyn	8	50.0	25.0	25.0	2	50.0	50.0	0.0
Puritas-Longmead	3	66.7	0.0	33.3	0			
Riverside	0				0			
South Broadway	3	33.3	66.7	0.0	3	66.7	33.3	0.0
South Collinwood	2	0.0	100.0	0.0	7	42.9	57.1	0.0
St. Clair-Superior	1	0.0	100.0	0.0	0			
Stockyards	7	57.1	42.9	0.0	0			
Tremont	1	0.0	100.0	0.0	0			
Union-Miles	1	0.0	100.0	0.0	4	75.0	25.0	0.0
University	0				2	100.0	0.0	0.0
West Boulevard	6	33.3	66.7	0.0	2	0.0	100.0	0.0
Woodland Hills	0				2	50.0	50.0	0.0
Bay Village	2	100.0	0.0	0.0	0			
Beachwood	3	33.3	33.3	33.3	1	100.0	0.0	0.0

Table 4d

Total Number of Cervical Cancer Cases and Average Annual Percent Stage at Diagnosis by Race and Place from 2005-2009								
	White				Black			
	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)
Bedford	1	0.0	0.0	100.0	0			
Bedford Heights	0				2	0.0	100.0	0.0
Bentleyville	0				Data not sufficient			
Berea	3	33.3	66.7	0.0	0			
Bratenahl	0				0			
Brecksville	1	0.0	100.0	0.0	0			
Broadview Heights	3	33.3	66.7	0.0	0			
Brooklyn	4	50.0	50.0	0.0	0			
Brooklyn Heights	0							
Brook Park	1	0.0	100.0	0.0	1	100.0	0.0	0.0
Chagrin Falls Township	0				Data not sufficient			
Chagrin Falls Village	1	100.0	0.0	0.0	0			
Cleveland Heights	2	100.0	0.0	0.0	4	25.0	75.0	0.0
Cuyahoga Heights	0				Data not sufficient			
East Cleveland	0				5	0.0	60.0	40.0
Euclid	7	28.6	71.4	0.0	5	80.0	20.0	0.0
Fairview Park	4	50.0	50.0	0.0	0			
Garfield Heights	3	33.3	33.3	33.3	1	0.0	100.0	0.0
Gates Mills	1	0.0	100.0	0.0	0			
Glenwillow	1	0.0	100.0	0.0	0			
Highland Heights	1	100.0	0.0	0.0	0			
Hunting Valley	0				Data not sufficient			
Independence	1	100.0	0.0	0.0	0			
Lakewood	12	58.3	41.7	0.0	1	0.0	0.0	100.0
Linndale	0				0			
Lyndhurst	4	75.0	25.0	0.0	0			
Maple Heights	1	100.0	0.0	0.0	5	40.0	60.0	0.0
Mayfield Heights	7	28.6	71.4	0.0	0			
Mayfield								
Middleburg Heights	2	100.0	0.0	0.0	0			
Moreland Hills	1	100.0	0.0	0.0	1	100.0	0.0	0.0
Newburgh Heights								
North Olmsted	4	50.0	50.0	0.0	1	0.0	100.0	0.0
North Randall								
North Royalton	4	75.0	25.0	0.0	0			
Oakwood								
Olmsted Falls								
Olmsted Township	2	50.0	50.0	0.0	0			
Orange	0				0			
Parma	19	26.3	73.7	0.0	0			
Parma Heights	4	75.0	25.0	0.0	0			
Pepper Pike	0				1	100.0	0.0	0.0
Richmond Heights	2	50.0	50.0	0.0	0			
Rocky River	6	50.0	33.3	16.7	1	0.0	100.0	0.0
Seven Hills	2	0.0	100.0	0.0	0			

Table 4d

Total Number of Cervical Cancer Cases and Average Annual Percent Stage at Diagnosis by Race and Place from 2005-2009								
	White				Black			
	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)
Shaker Heights	4	25.0	75.0	0.0	2	50.0	50.0	0.0
Solon	2	0.0	50.0	50.0	1	100.0	0.0	0.0
South Euclid								
Strongsville	7	71.4	28.6	0.0	0			
University Heights	1	100.0	0.0	0.0	0			
Valley View	1	100.0	0.0	0.0	Data not sufficient			
Walton Hills	1	0.0	100.0	0.0	0			
Warrensville Heights	0				2	0.0	100.0	0.0
Highland Hills								
Westlake	5	60.0	20.0	20.0	0			
Woodmere								

¹Early Staging is defined as a cancer case being diagnosed in the *in situ* or localized stage

²Lage Staging is defined as a cancer case being diagnosed in the regional or distant stage

³Unknown Staging is defined as a cancer cases being diagnosed as unknown and includes cancer cases considered

⁴Stage at Diagnosis for Selected Cancer Sites in Ohio. Ohio Cancer Incidence Surveillance System, Ohio Department of Health and The Ohio State University, Columbus, Ohio, March 2012.

⁵Fast Stats. Surveillance Epidemiology and End Results. Accessible at <http://seer.cancer.gov/faststats/index.php> Accessed 2/25/13.

Table 4e

Total Number of Colon and Rectum Cancer Cases and Average Annual Percent Stage at Diagnosis by Place from 2005-2009				
	Total Number of cases	Early¹ (%)	Late² (%)	Unknown³ (%)
United States (2000-2009)	not available	39.9	54.1	5.9
Ohio (2004-2008)	33,725	43.0	47.0	10.0
Cuyahoga	4,061	42.6	47.2	10.1
Cleveland	1,278	41.3	47.3	11.3
Inner Ring	1,318	42.2	49.0	8.8
Outer Ring	1,395	44.3	45.8	9.9
Brooklyn Centre	18	50.0	22.2	27.8
Buckeye-Shaker	43	55.8	37.2	7.0
Central	17	29.4	52.9	17.6
Clark-Fulton	25	32.0	52.0	16.0
Corlett	52	36.5	51.9	11.5
Cudell	22	45.5	45.5	9.1
Detroit-Shoreway	34	58.8	35.3	5.9
Downtown	11	18.2	72.7	9.1
Edgewater	15	33.3	46.7	20.0
Euclid-Green	18	55.6	33.3	11.1
Fairfax	27	29.6	44.4	25.9
Forest Hills	51	35.3	54.9	9.8
Glenville	81	39.5	49.4	11.1
Goodrich-Kirtland Park	14	64.3	21.4	14.3
Hough	43	51.2	44.2	4.7
Industrial Valley	0	0.0	0.0	0.0
Jefferson	65	41.5	50.8	7.7
Kamms Corners	62	46.8	46.8	6.5
Kinsman	7	14.3	85.7	0.0
Lee-Miles	73	49.3	38.4	12.3
Mt. Pleasant	68	32.4	60.3	7.4
North Broadway	15	26.7	66.7	6.7
North Collinwood	69	44.9	44.9	10.1
Ohio City	24	45.8	29.2	25.0
Old Brooklyn	97	37.1	52.6	10.3
Puritas-Longmead	59	33.9	57.6	8.5
Riverside	9	22.2	33.3	44.4
South Broadway	52	36.5	59.6	3.8
South Collinwood	33	51.5	9.1	39.4
St. Clair-Superior	17	35.3	58.8	5.9
Stockyards	16	50.0	43.8	6.3
Tremont	24	33.3	50.0	16.7
Union-Miles	41	46.3	41.5	12.2
University	15	40.0	60.0	0.0
West Boulevard	36	36.1	58.3	5.6
Woodland Hills	25	48.0	32.0	20.0
Bay Village	35	34.3	51.4	14.3
Beachwood	54	31.5	48.1	20.4
Bedford	45	37.8	48.9	13.3
Bedford Heights	49	49.0	40.8	10.2
Bentleyville	0	0.0	0.0	0.0
Berea	40	47.5	47.5	5.0
Bratenahl	11	45.5	45.5	9.1
Brecksville	35	28.6	62.9	8.6
Broadview Heights	51	49.0	47.1	3.9
Brooklyn	35	45.7	51.4	2.9
Brooklyn Heights	4	50.0	50.0	0.0
Brook Park	80	37.5	55.0	7.5

Table 4e

Total Number of Colon and Rectum Cancer Cases and Average Annual Percent Stage at Diagnosis by Place from 2005-2009				
	Total Number of cases	Early¹ (%)	Late² (%)	Unknown³ (%)
Chagrin Falls Township	0	0.0	0.0	0.0
Chagrin Falls Village	8	37.5	50.0	12.5
Cleveland Heights	113	44.2	41.6	14.2
Cuyahoga Heights	1	0.0	100.0	0.0
East Cleveland	58	34.5	53.4	12.1
Euclid	149	47.7	45.0	7.4
Fairview Park	55	41.8	47.3	10.9
Garfield Heights	96	39.6	51.0	9.4
Gates Mills	16	37.5	50.0	12.5
Glenwillow	3	100.0	0.0	0.0
Highland Heights	22	59.1	36.4	4.5
Hunting Valley	0	0.0	0.0	0.0
Independence	28	32.1	50.0	17.9
Lakewood	119	42.9	44.5	12.6
Linndale	2	0.0	50.0	50.0
Lyndhurst	57	56.1	40.4	3.5
Maple Heights	82	41.5	51.2	7.3
Mayfield Heights	72	40.3	44.4	15.3
Mayfield	7	28.6	57.1	14.3
Middleburg Heights	63	49.2	36.5	14.3
Moreland Hills	3	66.7	33.3	0.0
Newburgh Heights	4	50.0	50.0	0.0
North Olmsted	106	47.2	46.2	6.6
North Randall	7	42.9	57.1	0.0
North Royalton	72	51.4	38.9	9.7
Oakwood	16	62.5	31.3	6.3
Olmsted Falls	29	55.2	41.4	3.4
Olmsted Township	39	61.5	30.8	7.7
Orange	8	37.5	50.0	12.5
Parma	245	37.1	55.9	6.9
Parma Heights	76	34.2	51.3	14.5
Pepper Pike	21	47.6	52.4	0.0
Richmond Heights	31	35.5	54.8	9.7
Rocky River	81	46.9	45.7	7.4
Seven Hills	60	50.0	46.7	3.3
Shaker Heights	88	43.2	47.7	9.1
Solon	53	39.6	37.7	22.6
South Euclid	50	60.0	32.0	8.0
Strongsville	134	47.8	47.0	5.2
University Heights	31	45.2	41.9	12.9
Valley View	6	50.0	33.3	16.7
Walton Hills	14	42.9	28.6	28.6
Warrensville Heights	45	37.8	57.8	4.4
Highland Hills	9	44.4	55.6	0.0
Westlake	91	34.1	57.1	8.8
Woodmere	4	25.0	75.0	0.0

¹Early Staging is defined as a cancer case being diagnosed in the *in situ* or localized stage

²Lage Staging is defined as a cancer case being diagnosed in the regional or distant stage

³Unknown Staging is defined as a cancer cases being diagnosed as unknown and includes cancer cases considered unstaged

⁴Stage at Diagnosis for Selected Cancer Sites in Ohio. Ohio Cancer Incidence Surveillance System, Ohio Department of Health and The Ohio State University, Columbus, Ohio, March 2012.

⁵Fast Stats. Surveillance Epidemiology and End Results. Accessible at <http://seer.cancer.gov/faststats/index.php> Accessed 2/25/13.

Table 4f

Total Number of Colon Cancer Cases and Average Annual Percent Stage at Diagnosis by Race and Place from 2005-2009								
	White				Black			
	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)
United States (2000-2009)⁴	not available	40.3	54.0	5.7	not available	36.9	26.1	7.0
Ohio (2004-2008)⁵	not available	44.0	47.0	9.0	not available	41.0	49.0	10.0
Cuyahoga	2,817	42.2	48.2	9.6	1110	41.4	47.5	11.2
Cleveland	560	39.8	49.1	11.1	672	40.9	47.5	11.6
Inner Ring	983	41.3	50.1	8.6	302	42.7	48.7	8.6
Outer Ring	1,233	44.0	46.7	9.2	109	40.4	45.0	14.7
Brooklyn Centre	15	46.7	26.7	26.7	2	50.0	0.0	50.0
Buckeye-Shaker	6	33.3	50.0	16.7	34	55.9	38.2	5.9
Central	3	33.3	33.3	33.3	14	28.6	57.1	14.3
Clark-Fulton	20	25.0	55.0	20.0	2	50.0	50.0	0.0
Corlett	2	50.0	0.0	50.0	47	34.0	55.3	10.6
Cudell	15	46.7	46.7	6.7	5	40.0	60.0	0.0
Detroit-Shoreway	27	55.6	37.0	7.4	6	83.3	16.7	0.0
Downtown	1	0.0	100.0	0.0	10	20.0	70.0	10.0
Edgewater	12	33.3	50.0	16.7	3	33.3	33.3	33.3
Euclid-Green	2	0.0	50.0	50.0	16	62.5	31.3	6.3
Fairfax	1	100.0	0.0	0.0	26	26.9	46.2	26.9
Forest Hills	2	50.0	50.0	0.0	48	33.3	56.3	10.4
Glenville	1	100.0	0.0	0.0	78	38.5	51.3	10.3
Goodrich-Kirtland Park	8	62.5	12.5	25.0	3	66.7	33.3	0.0
Hough	1	100.0	0.0	0.0	40	47.5	47.5	5.0
Industrial Valley	0				0			
Jefferson	58	43.1	50.0	6.9	7	28.6	57.1	14.3
Kamms Corners	56	44.6	48.2	7.1	4	50.0	50.0	0.0
Kinsman	0				7	14.3	85.7	0.0
Lee-Miles	3	66.7	33.3	0.0	68	47.1	39.7	13.2
Mt. Pleasant	0				68	32.4	60.3	7.4
North Broadway	12	33.3	58.3	8.3	2	0.0	100.0	0.0
North Collinwood	32	43.8	53.1	3.1	36	44.4	38.9	16.7
Ohio City	15	40.0	33.3	26.7	8	50.0	25.0	25.0
Old Brooklyn	88	37.5	53.4	9.1	5	40.0	40.0	20.0
Puritas-Longmead	45	31.1	60.0	8.9	11	36.4	54.5	9.1
Riverside	9	22.2	33.3	44.4	0			
South Broadway	41	36.6	58.5	4.9	10	40.0	60.0	0.0
South Collinwood	7	28.6	28.6	42.9	25	56.0	4.0	40.0
St. Clair-Superior	5	0.0	80.0	20.0	11	45.5	54.5	0.0
Stockyards	15	53.3	40.0	6.7	0			
Tremont	17	29.4	47.1	23.5	6	33.3	66.7	0.0
Union-Miles	1	100.0	0.0	0.0	37	45.9	43.2	10.8
University	7	57.1	42.9	0.0	8	25.0	75.0	0.0
West Boulevard	32	34.4	59.4	6.3	3	33.3	66.7	0.0
Woodland Hills	1	100.0	0.0	0.0	22	45.5	36.4	18.2
Bay Village	34	35.3	50.0	14.7	0			
Beachwood	47	31.9	48.9	19.1	7	28.6	42.9	28.6

Table 4f

Total Number of Colon Cancer Cases and Average Annual Percent Stage at Diagnosis by Race and Place from 2005-2009								
	White				Black			
	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)
Bedford	32	34.4	53.1	12.5	11	45.5	45.5	9.1
Bedford Heights	19	63.2	31.6	5.3	29	37.9	48.3	13.8
Bentleyville	0				Data not sufficient			
Berea	37	45.9	48.6	5.4	3	66.7	33.3	0.0
Bratenahl	10	50.0	40.0	10.0	1	0.0	100.0	0.0
Brecksville	34	29.4	61.8	8.8	0			
Broadview Heights	48	47.9	50.0	2.1	0			
Brooklyn	33	45.5	51.5	3.0	1	0.0	100.0	0.0
Brooklyn Heights	4	50.0	50.0	0.0	0			
Brook Park	79	36.7	55.7	7.6	1	100.0	0.0	0.0
Chagrin Falls Township	6	33.3	66.7	0.0	Data not sufficient			
Chagrin Falls Village	63	38.1	46.0	15.9	Data not sufficient			
Cleveland Heights	1	0.0	100.0	0.0	0			
Cuyahoga Heights	0				Data not sufficient			
East Cleveland	4	25.0	75.0	0.0	54	35.2	51.9	13.0
Euclid	93	44.1	49.5	6.5	54	53.7	38.9	7.4
Fairview Park	54	40.7	48.1	11.1	0			
Garfield Heights	78	39.7	51.3	9.0	15	33.3	53.3	13.3
Gates Mills	15	40.0	46.7	13.3	1	0.0	100.0	0.0
Glenwillow	1	100.0	0.0	0.0	2	100.0	0.0	0.0
Highland Heights	21	57.1	38.1	4.8	0			
Hunting Valley	0				Data not sufficient			
Independence	28	32.1	50.0	17.9	0			
Lakewood	111	41.4	45.9	12.6	3	33.3	66.7	0.0
Linndale	2	0.0	50.0	50.0	0			
Lyndhurst	57	56.1	40.4	3.5	0			
Maple Heights	52	42.3	50.0	7.7	29	37.9	55.2	6.9
Mayfield Heights	64	40.6	46.9	12.5	7	28.6	28.6	42.9
Mayfield	5	20.0	60.0	20.0	0			
Middleburg Heights	61	47.5	37.7	14.8	0			
Moreland Hills	3	66.7	33.3	0.0	0			
Newburgh Heights	4	50.0	50.0	0.0	0			
North Olmsted	97	45.4	48.5	6.2	0			
North Randall	0				7	42.9	57.1	0.0
North Royalton	70	52.9	37.1	10.0	1	0.0	100.0	0.0
Oakwood	8	37.5	50.0	12.5	7	85.7	14.3	0.0
Olmsted Falls	28	53.6	42.9	3.6	1	100.0	0.0	0.0
Olmsted Township	38	60.5	31.6	7.9	0			
Orange	7	28.6	57.1	14.3	0			
Parma	233	37.3	55.8	6.9	4	25.0	75.0	0.0
Parma Heights	71	35.2	53.5	11.3	2	0.0	0.0	100.0
Pepper Pike	21	47.6	52.4	0.0	0			
Richmond Heights	22	27.3	59.1	13.6	9	55.6	44.4	0.0
Rocky River	78	44.9	47.4	7.7	1	100.0	0.0	0.0
Seven Hills	59	49.2	47.5	3.4	0			

Table 4f

Total Number of Colon Cancer Cases and Average Annual Percent Stage at Diagnosis by Race and Place from 2005-2009								
	White				Black			
	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)
Shaker Heights	48	47.9	43.8	8.3	39	35.9	53.8	10.3
Solon	40	37.5	40.0	22.5	6	50.0	33.3	16.7
South Euclid	33	57.6	33.3	9.1	14	64.3	35.7	0.0
Strongsville	127	48.0	47.2	4.7	1	0.0	100.0	0.0
University Heights	21	47.6	42.9	9.5	7	28.6	57.1	14.3
Valley View	5	40.0	40.0	20.0	Data not sufficient			
Walton Hills	13	46.2	30.8	23.1	1	0.0	0.0	100.0
Warrensville Heights	3	66.7	33.3	0.0	41	34.1	61.0	4.9
Highland Hills	6	66.7	33.3	0.0	3	0.0	100.0	0.0
Westlake	86	34.9	55.8	9.3	1	0.0	100.0	0.0
Woodmere	2	50.0	50.0	0.0	2	0.0	100.0	0.0

¹Early Staging is defined as a cancer case being diagnosed in the *in situ* or localized stage

²Late Staging is defined as a cancer case being diagnosed in the regional or distant stage

³Unknown Staging is defined as a cancer cases being diagnosed as unknown and includes cancer cases considered unstaged

⁴Stage at Diagnosis for Selected Cancer Sites in Ohio. Ohio Cancer Incidence Surveillance System, Ohio Department of Health and The Ohio State University, Columbus, Ohio, March 2012.

⁵Fast Stats. Surveillance Epidemiology and End Results. Accessible at <http://seer.cancer.gov/faststats/index.php> Accessed 2/25/13.

Table 4g

Total Number of Lung and Bronchus Cancer Cases and Average Annual Percent Stage at Diagnosis by Place from 2005-2009				
	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)
United States (2000-2009)	not available	16.9	74.8	8.5
Ohio (2004-2008)	47,010	17.0	69.0	14.0
Cuyahoga	5,764	18.0	67.5	14.5
Cleveland	2,032	15.4	69.6	15.1
Inner Ring	1,855	19.0	66.9	14.1
Outer Ring	1,803	19.9	65.6	14.6
Brooklyn Centre	42	16.7	66.7	16.7
Buckeye-Shaker	61	23.0	60.7	16.4
Central	44	13.6	77.3	9.1
Clark-Fulton	41	7.3	80.5	12.2
Corlett	61	11.5	72.1	16.4
Cudell	37	8.1	81.1	10.8
Detroit-Shoreway	75	13.3	68.0	18.7
Downtown	15	6.7	93.3	0.0
Edgewater	32	9.4	78.1	12.5
Euclid-Green	23	8.7	73.9	17.4
Fairfax	49	12.2	67.3	20.4
Forest Hills	66	22.7	60.6	16.7
Glenville	87	18.4	65.5	16.1
Goodrich-Kirtland Park	18	11.1	77.8	11.1
Hough	89	12.4	68.5	19.1
Industrial Valley	4	0.0	75.0	25.0
Jefferson	97	11.3	75.3	13.4
Kamms Corners	97	17.5	67.0	15.5
Kinsman	22	27.3	54.5	18.2
Lee-Miles	97	19.6	64.9	15.5
Mt. Pleasant	102	17.6	68.6	13.7
North Broadway	33	12.1	66.7	21.2
North Collinwood	97	12.4	73.2	14.4
Ohio City	55	14.5	74.5	10.9
Old Brooklyn	155	20.0	66.5	13.5
Puritas-Longmead	69	21.7	62.3	15.9
Riverside	20	5.0	80.0	15.0
South Broadway	102	13.7	76.5	9.8
South Collinwood	64	14.1	65.6	20.3
St. Clair-Superior	27	18.5	66.7	14.8
Stockyards	43	11.6	74.4	14.0
Tremont	21	9.5	71.4	19.0
Union-Miles	63	11.1	76.2	12.7
University	29	20.7	55.2	24.1
West Boulevard	54	18.5	70.4	11.1
Woodland Hills	41	14.6	65.9	19.5
Bay Village	45	17.8	75.6	6.7
Beachwood	65	23.1	61.5	15.4
Bedford	85	12.9	69.4	17.6
Bedford Heights	42	16.7	61.9	21.4
Bentleyville	1	0.0	100.0	0.0
Berea	70	14.3	62.9	22.9
Bratenahl	4	25.0	50.0	25.0
Brecksville	39	15.4	71.8	12.8
Broadview Heights	42	19.0	73.8	7.1
Brooklyn	65	24.6	61.5	13.8
Brooklyn Heights	10	20.0	70.0	10.0
Brook Park	120	21.7	60.8	17.5

Table 4g

Total Number of Lung and Bronchus Cancer Cases and Average Annual Percent Stage at Diagnosis by Place from 2005-2009				
	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)
Chagrin Falls Township	0	0.0	0.0	0.0
Chagrin Falls Village	20	15.0	60.0	25.0
Cleveland Heights	139	18.0	65.5	16.5
Cuyahoga Heights	1	0.0	100.0	0.0
East Cleveland	107	15.0	72.0	13.1
Euclid	259	18.9	59.1	22.0
Fairview Park	62	16.1	67.7	16.1
Garfield Heights	135	23.7	67.4	8.9
Gates Mills	8	37.5	25.0	37.5
Glenwillow	6	0.0	50.0	50.0
Highland Heights	32	31.3	56.3	12.5
Hunting Valley	1	0.0	100.0	0.0
Independence	31	9.7	77.4	12.9
Lakewood	171	17.0	67.3	15.8
Linndale	1	0.0	100.0	0.0
Lyndhurst	71	18.3	69.0	12.7
Maple Heights	111	18.9	71.2	9.9
Mayfield Heights	106	27.4	57.5	15.1
Mayfield	15	20.0	66.7	13.3
Middleburg Heights	98	19.4	66.3	14.3
Moreland Hills	14	14.3	78.6	7.1
Newburgh Heights	17	17.6	82.4	0.0
North Olmsted	141	19.9	70.9	9.2
North Randall	10	0.0	80.0	20.0
North Royalton	85	18.8	68.2	12.9
Oakwood	20	30.0	55.0	15.0
Olmsted Falls	28	21.4	67.9	10.7
Olmsted Township	68	26.5	57.4	16.2
Orange	23	21.7	69.6	8.7
Parma	361	17.2	70.4	12.5
Parma Heights	125	18.4	68.0	13.6
Pepper Pike	22	31.8	50.0	18.2
Richmond Heights	38	18.4	60.5	21.1
Rocky River	102	19.6	74.5	5.9
Seven Hills	57	8.8	82.5	8.8
Shaker Heights	73	20.5	72.6	6.8
Solon	65	27.7	58.5	13.8
South Euclid	59	25.4	61.0	13.6
Strongsville	144	25.0	56.3	18.8
University Heights	34	17.6	70.6	11.8
Valley View	14	21.4	71.4	7.1
Walton Hills	16	18.8	62.5	18.8
Warrensville Heights	58	19.0	62.1	19.0
Highland Hills	7	42.9	42.9	14.3
Westlake	113	15.9	69.0	15.0
Woodmere	2	0.0	100.0	0.0

¹Early Staging is defined as a cancer case being diagnosed in the *in situ* or localized stage

²Late Staging is defined as a cancer case being diagnosed in the regional or distant stage

³Unknown Staging is defined as a cancer cases being diagnosed as unknown and includes cancer cases considered unstaged

⁴Stage at Diagnosis for Selected Cancer Sites in Ohio. Ohio Cancer Incidence Surveillance System, Ohio Department of Health and The Ohio State University, Columbus, Ohio, March 2012.

⁵Fast Stats. Surveillance Epidemiology and End Results. Accessible at <http://seer.cancer.gov/faststats/index.php> Accessed 2/25/13.

Table 4h

Total Number of Lung Cancer Cases and Average Annual Percent Stage at Diagnosis by Race and Place from 2005-2009								
	White				Black			
	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)
United States (2000-2009)⁴	not available	62.4	35.0	2.5	not available	52.0	45.1	3.0
Ohio (2004-2008)⁵	not available	68.0	29.0	3.0	not available	62.0	34.0	3.0
Cuyahoga County	4,070	18.4	67.5	14.1	1,611	16.7	67.4	15.9
Cleveland	985	14.6	71.3	14.1	1,017	15.9	68.1	15.9
Inner Ring	1,393	19.0	67.4	13.6	437	19.0	65.0	16.0
Outer Ring	1,648	20.3	65.1	14.6	128	14.8	69.5	15.6
Brooklyn Centre	33	18.2	60.6	21.2	7	0.0	100.0	0.0
Buckeye-Shaker	12	41.7	50.0	8.3	49	18.4	63.3	18.4
Central	2	0.0	100.0	0.0	42	14.3	76.2	9.5
Clark-Fulton	39	7.7	79.5	12.8	2	0.0	100.0	0.0
Corlett	5	0.0	100.0	0.0	56	12.5	69.6	17.9
Cudell	33	9.1	78.8	12.1	3	0.0	100.0	0.0
Detroit-Shoreway	61	13.1	70.5	16.4	12	16.7	50.0	33.3
Downtown	1	0.0	100.0	0.0	13	7.7	92.3	0.0
Edgewater	28	10.7	78.6	10.7	2	0.0	100.0	0.0
Euclid-Green	1	0.0	100.0	0.0	22	9.1	72.7	18.2
Fairfax	2	0.0	100.0	0.0	47	12.8	66.0	21.3
Forest Hills	3	33.3	66.7	0.0	62	22.6	59.7	17.7
Glenville	4	25.0	50.0	25.0	83	18.1	66.3	15.7
Goodrich-Kirtland Park	14	7.1	85.7	7.1	2	0.0	50.0	50.0
Hough	3	0.0	66.7	33.3	86	12.8	68.6	18.6
Industrial Valley	2	0.0	50.0	50.0	2	0.0	100.0	0.0
Jefferson	86	10.5	75.6	14.0	10	20.0	70.0	10.0
Kamms Corners	93	18.3	66.7	15.1	2	0.0	100.0	0.0
Kinsman	0				22	27.3	54.5	18.2
Lee-Miles	2	50.0	50.0	0.0	93	19.4	64.5	16.1
Mt. Pleasant	5	20.0	80.0	0.0	95	16.8	68.4	14.7
North Broadway	22	4.5	72.7	22.7	11	27.3	54.5	18.2
North Collinwood	40	12.5	70.0	17.5	57	12.3	75.4	12.3
Ohio City	36	11.1	77.8	11.1	17	17.6	76.5	5.9
Old Brooklyn	150	19.3	66.7	14.0	3	33.3	66.7	0.0
Puritas-Longmead	55	21.8	63.6	14.5	13	23.1	53.8	23.1
Riverside	20	5.0	80.0	15.0	0			
South Broadway	82	15.9	74.4	9.8	20	5.0	85.0	10.0
South Collinwood	21	9.5	61.9	28.6	43	16.3	67.4	16.3
St. Clair-Superior	13	7.7	76.9	15.4	14	28.6	57.1	14.3
Stockyards	39	12.8	79.5	7.7	2	0.0	50.0	50.0
Tremont	15	13.3	60.0	26.7	4	0.0	100.0	0.0
Union-Miles	7	0.0	100.0	0.0	56	12.5	73.2	14.3
University	8	12.5	62.5	25.0	21	23.8	52.4	23.8
West Boulevard	47	19.1	68.1	12.8	4	0.0	100.0	0.0
Woodland Hills	1	0.0	100.0	0.0	40	15.0	65.0	20.0
Bay Village	45	17.8	75.6	6.7	0			
Beachwood	52	28.8	55.8	15.4	12	0.0	83.3	16.7

Table 4h

Total Number of Lung Cancer Cases and Average Annual Percent Stage at Diagnosis by Race and Place from 2005-2009								
	White				Black			
	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)
Bedford	63	12.7	68.3	19.0	22	13.6	72.7	13.6
Bedford Heights	22	13.6	63.6	22.7	20	20.0	60.0	20.0
Bentleyville	1	0.0	100.0	0.0	Data not sufficient			
Berea	65	15.4	61.5	23.1	3	0.0	66.7	33.3
Bratenahl	2	0.0	100.0	0.0	2	50.0	0.0	50.0
Brecksville	38	15.8	71.1	13.2	0			
Broadview Heights	40	20.0	72.5	7.5	1	0.0	100.0	0.0
Brooklyn	64	25.0	60.9	14.1	1	0.0	100.0	0.0
Brooklyn Heights	10	20.0	70.0	10.0	0			
Brook Park	119	21.0	61.3	17.6	0			
Chagrin Falls Township					Data not sufficient			
Chagrin Falls Village	20	15.0	60.0	25.0	0			
Cleveland Heights	61	14.8	75.4	9.8	76	21.1	57.9	21.1
Cuyahoga Heights	1	0.0	100.0	0.0	Data not sufficient			
East Cleveland	6	0.0	66.7	33.3	101	15.8	72.3	11.9
Euclid	172	17.4	59.9	22.7	83	21.7	56.6	21.7
Fairview Park	61	16.4	67.2	16.4	0			
Garfield Heights	115	22.6	69.6	7.8	20	30.0	55.0	15.0
Gates Mills	8	37.5	25.0	37.5	0			
Glenwillow	4	0.0	50.0	50.0	2	0.0	50.0	50.0
Highland Heights	31	29.0	58.1	12.9	0			
Hunting Valley	1	0.0	100.0	0.0	Data not sufficient			
Independence	30	10.0	76.7	13.3	1	0.0	100.0	0.0
Lakewood	162	17.9	66.0	16.0	4	0.0	100.0	0.0
Linndale	1	0.0	100.0	0.0	0			
Lyndhurst	68	17.6	69.1	13.2	2	50.0	50.0	0.0
Maple Heights	66	22.7	68.2	9.1	43	14.0	74.4	11.6
Mayfield Heights	99	29.3	54.5	16.2	6	0.0	100.0	0.0
Mayfield	15	20.0	66.7	13.3	0			
Middleburg Heights	95	18.9	66.3	14.7	1	100.0	0.0	0.0
Moreland Hills	14	14.3	78.6	7.1	0			
Newburgh Heights	16	12.5	87.5	0.0	1	100.0	0.0	0.0
North Olmsted	138	19.6	71.7	8.7	0			
North Randall	1	0.0	100.0	0.0	9	0.0	77.8	22.2
North Royalton	83	19.3	67.5	13.3	0			
Oakwood	8	37.5	50.0	12.5	12	25.0	58.3	16.7
Olmsted Falls	27	22.2	66.7	11.1	1	0.0	100.0	0.0
Olmsted Township	67	25.4	58.2	16.4	1	100.0	0.0	0.0
Orange	21	23.8	66.7	9.5	2	0.0	100.0	0.0
Parma	351	17.4	70.1	12.5	6	0.0	83.3	16.7
Parma Heights	121	18.2	67.8	14.0	2	0.0	100.0	0.0
Pepper Pike	20	30.0	55.0	15.0	1	0.0	0.0	100.0
Richmond Heights	32	18.8	59.4	21.9	6	16.7	66.7	16.7
Rocky River	97	19.6	74.2	6.2	0			
Seven Hills	57	8.8	82.5	8.8	0			

Table 4h

Total Number of Lung Cancer Cases and Average Annual Percent Stage at Diagnosis by Race and Place from 2005-2009								
	White				Black			
	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)
Shaker Heights	41	24.4	70.7	4.9	31	12.9	77.4	9.7
Solon	56	26.8	60.7	12.5	7	42.9	28.6	28.6
South Euclid	45	24.4	60.0	15.6	14	28.6	64.3	7.1
Strongsville	140	25.7	55.0	19.3	1	0.0	100.0	0.0
University Heights	23	17.4	69.6	13.0	11	18.2	72.7	9.1
Valley View	14	21.4	71.4	7.1	Data not sufficient			
Walton Hills	16	18.8	62.5	18.8	0			
Warrensville Heights	3	0.0	66.7	33.3	55	20.0	61.8	18.2
Highland Hills	5	60.0	20.0	20.0	2	0.0	100.0	0.0
Westlake	108	15.7	69.4	14.8	1	0.0	100.0	0.0
Woodmere	0				2	0.0	100.0	0.0

¹Early Staging is defined as a cancer case being diagnosed in the *in situ* or localized stage

²Late Staging is defined as a cancer case being diagnosed in the regional or distant stage

³Unknown Staging is defined as a cancer cases being diagnosed as unknown and includes cancer cases considered unstaged

⁴Stage at Diagnosis for Selected Cancer Sites in Ohio. Ohio Cancer Incidence Surveillance System, Ohio Department of Health and The Ohio State University, Columbus, Ohio, March 2012.

⁵Fast Stats. Surveillance Epidemiology and End Results. Accessible at <http://seer.cancer.gov/faststats/index.php> Accessed 2/25/13.

Table 4i

Total Number of Melanoma of the Skin Cancer Cases and Average Annual Percent Stage at Diagnosis by Place from 2005-2009				
	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)
United States (2000-2009)	not available	83.7	12.1	4.2
Ohio (2004-2008)	18,260	86.0	8.0	5.0
Cuyahoga	1,892	87.6	9.0	3.4
Cleveland	219	80.8	14.2	5.0
Inner Ring	647	86.6	10.2	3.2
Outer Ring	989	89.6	7.2	3.2
Brooklyn Centre	4	100.0	0.0	0.0
Buckeye-Shaker	3	33.3	66.7	0.0
Central	1	100.0	0.0	0.0
Clark-Fulton	0	0.0	0.0	0.0
Corlett	0	0.0	0.0	0.0
Cudell	2	50.0	0.0	50.0
Detroit-Shoreway	9	77.8	11.1	11.1
Downtown	4	75.0	25.0	0.0
Edgewater	7	85.7	14.3	0.0
Euclid-Green	0	0.0	0.0	0.0
Fairfax	0	0.0	0.0	0.0
Forest Hills	0	0.0	0.0	0.0
Glenville	0	0.0	0.0	0.0
Goodrich-Kirtland Park	2	50.0	50.0	0.0
Hough	2	100.0	0.0	0.0
Industrial Valley	0	0.0	0.0	0.0
Jefferson	15	86.7	13.3	0.0
Kamms Corners	45	91.1	6.7	2.2
Kinsman	0	0.0	0.0	0.0
Lee-Miles	1	100.0	0.0	0.0
Mt. Pleasant	0	0.0	0.0	0.0
North Broadway	7	85.7	14.3	0.0
North Collinwood	6	50.0	33.3	16.7
Ohio City	6	66.7	16.7	16.7
Old Brooklyn	47	80.9	10.6	8.5
Puritas-Longmead	15	86.7	13.3	0.0
Riverside	6	83.3	16.7	0.0
South Broadway	6	50.0	50.0	0.0
South Collinwood	3	66.7	33.3	0.0
St. Clair-Superior	2	50.0	50.0	0.0
Stockyards	6	66.7	33.3	0.0
Tremont	2	50.0	0.0	50.0
Union-Miles	1	100.0	0.0	0.0
University	6	100.0	0.0	0.0
West Boulevard	11	81.8	9.1	9.1
Woodland Hills	0	0.0	0.0	0.0
Bay Village	49	93.9	4.1	2.0
Beachwood	38	92.1	2.6	5.3
Bedford	24	75.0	20.8	4.2
Bedford Heights	1	100.0	0.0	0.0
Bentleyville	3	100.0	0.0	0.0
Berea	37	81.1	10.8	8.1
Bratenahl	8	100.0	0.0	0.0
Brecksville	29	86.2	10.3	3.4
Broadview Heights	32	93.8	3.1	3.1
Brooklyn	21	76.2	19.0	4.8
Brooklyn Heights	2	100.0	0.0	0.0
Brook Park	33	75.8	21.2	3.0

Table 4i

Total Number of Melanoma of the Skin Cancer Cases and Average Annual Percent Stage at Diagnosis by Place from 2005-2009				
	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)
Chagrin Falls Township	0	0.0	0.0	0.0
Chagrin Falls Village	13	100.0	0.0	0.0
Cleveland Heights	56	87.5	8.9	3.6
Cuyahoga Heights	0	0.0	0.0	0.0
East Cleveland	5	100.0	0.0	0.0
Euclid	37	86.5	10.8	2.7
Fairview Park	48	87.5	6.3	6.3
Garfield Heights	31	83.9	12.9	3.2
Gates Mills	9	66.7	33.3	0.0
Glenwillow	2	100.0	0.0	0.0
Highland Heights	19	94.7	5.3	0.0
Hunting Valley	5	80.0	0.0	20.0
Independence	19	94.7	0.0	5.3
Lakewood	94	88.3	8.5	3.2
Linndale	0	0.0	0.0	0.0
Lyndhurst	30	93.3	0.0	6.7
Maple Heights	10	90.0	10.0	0.0
Mayfield Heights	34	88.2	11.8	0.0
Mayfield	10	80.0	20.0	0.0
Middleburg Heights	27	88.9	11.1	0.0
Moreland Hills	13	84.6	7.7	7.7
Newburgh Heights	3	100.0	0.0	0.0
North Olmsted	66	90.9	9.1	0.0
North Randall	0	0.0	0.0	0.0
North Royalton	41	90.2	9.8	0.0
Oakwood	3	100.0	0.0	0.0
Olmsted Falls	18	94.4	5.6	0.0
Olmsted Township	23	91.3	0.0	8.7
Orange	17	82.4	11.8	5.9
Parma	154	83.1	13.0	3.9
Parma Heights	29	96.6	3.4	0.0
Pepper Pike	27	96.3	3.7	0.0
Richmond Heights	14	92.9	7.1	0.0
Rocky River	70	90.0	8.6	1.4
Seven Hills	22	86.4	4.5	9.1
Shaker Heights	48	93.8	2.1	4.2
Solon	58	87.9	8.6	3.4
South Euclid	26	88.5	11.5	0.0
Strongsville	105	89.5	8.6	1.9
University Heights	18	100.0	0.0	0.0
Valley View	12	75.0	16.7	8.3
Walton Hills	8	100.0	0.0	0.0
Warrensville Heights	1	100.0	0.0	0.0
Highland Hills	0	0.0	0.0	0.0
Westlake	133	88.0	6.0	6.0
Woodmere	1	100.0	0.0	0.0

¹Early Staging is defined as a cancer case being diagnosed in the *in situ* or localized stage

²Lage Staging is defined as a cancer case being diagnosed in the regional or distant stage

³Unknown Staging is defined as a cancer cases being diagnosed as unknown and includes cancer cases considered unstaged

⁴Stage at Diagnosis for Selected Cancer Sites in Ohio. Ohio Cancer Incidence Surveillance System, Ohio Department of Health and The Ohio State University, Columbus, Ohio, March 2012.

⁵Fast Stats. Surveillance Epidemiology and End Results. Accessible at <http://seer.cancer.gov/faststats/index.php> Accessed 2/25/13.

Table 4j

Total Number of Melanoma of the Skin Cancer Cases and Average Annual Percent Stage at Diagnosis by Race and Place from 2005-2009								
	White				Black			
	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)
United States (2000-2009)⁴	not available	62.4	35.0	2.5	not available	52.0	45.1	3.0
Ohio (2004-2008)⁵	not available	68.0	29.0	3.0	not available	62.0	34.0	3.0
Cuyahoga	1,733	87.2	9.3	3.4	21	66.7	33.3	0.0
Cleveland	189	82.0	12.7	5.3	10	50.0	50.0	0.0
Inner Ring	601	85.9	10.8	3.3	4	75.0	25.0	0.0
Outer Ring	912	89.0	7.8	3.2	0			
Brooklyn Centre	4	100.0	0.0	0.0	0			
Buckeye-Shaker	2	50.0	50.0	0.0	1	0.0	100.0	0.0
Central	0				1	100.0	0.0	0.0
Clark-Fulton	0				0			
Corlett	0				0			
Cudell	2	50.0	0.0	50.0	0			
Detroit-Shoreway	9	77.8	11.1	11.1	0			
Downtown	4	75.0	25.0	0.0	0			
Edgewater	6	83.3	16.7	0.0	0			
Euclid-Green	0				0			
Fairfax	0				0			
Forest Hills	0				0			
Glenville	0				0			
Goodrich-Kirtland Park	1	100.0	0.0	0.0	1	0.0	100.0	0.0
Hough	0				2	100.0	0.0	0.0
Industrial Valley	0				0			
Jefferson	15	86.7	13.3	0.0	0			
Kamms Corners	42	90.5	7.1	2.4	0			
Kinsman	0				0			
Lee-Miles	0				1	100.0	0.0	0.0
Mt. Pleasant	0				0			
North Broadway	7	85.7	14.3	0.0	0			
North Collinwood	5	60.0	20.0	20.0	1	0.0	100.0	0.0
Ohio City	5	60.0	20.0	20.0	0			
Old Brooklyn	42	81.0	11.9	7.1	1	100.0	0.0	0.0
Puritas-Longmead	12	91.7	8.3	0.0	0			
Riverside	5	80.0	20.0	0.0	0			
South Broadway	5	60.0	40.0	0.0	1	0.0	100.0	0.0
South Collinwood	3	66.7	33.3	0.0	0			
St. Clair-Superior	0				1	0.0	100.0	0.0
Stockyards	3	66.7	33.3	0.0	0			
Tremont	2	50.0	0.0	50.0	0			
Union-Miles	1	100.0	0.0	0.0	0			
University	4	100.0	0.0	0.0	0			
West Boulevard	10	80.0	10.0	10.0	0			
Woodland Hills	0				0			
Bay Village	44	95.5	4.5	0.0	0			
Beachwood	36	91.7	2.8	5.6	0			

Table 4j

Total Number of Melanoma of the Skin Cancer Cases and Average Annual Percent Stage at Diagnosis by Race and Place from 2005-2009								
	White				Black			
	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)
Bedford	23	73.9	21.7	4.3	0			
Bedford Heights	1	100.0	0.0	0.0	0			
Bentleyville	3	100.0	0.0	0.0	Data not sufficient			
Berea	35	80.0	11.4	8.6	0			
Bratenahl	8	100.0	0.0	0.0	0			
Brecksville	28	85.7	10.7	3.6	0			
Broadview Heights	31	93.5	3.2	3.2	0			
Brooklyn	20	75.0	20.0	5.0	0			
Brooklyn Heights	2	100.0	0.0	0.0	0			
Brook Park	31	74.2	22.6	3.2	0			
Chagrin Falls Township	0				Data not sufficient			
Chagrin Falls Village	13	100.0	0.0	0.0	0			
Cleveland Heights	50	86.0	10.0	4.0	0			
Cuyahoga Heights	0				Data not sufficient			
East Cleveland	3	100.0	0.0	0.0	1	100.0	0.0	0.0
Euclid	32	87.5	9.4	3.1	1	0.0	100.0	0.0
Fairview Park	44	86.4	6.8	6.8	0			
Garfield Heights	30	83.3	13.3	3.3	0			
Gates Mills	8	62.5	37.5	0.0	1	100.0	0.0	0.0
Glenwillow	2	100.0	0.0	0.0	0			
Highland Heights	15	93.3	6.7	0.0	0			
Hunting Valley	4	100.0	0.0	0.0	Data not sufficient			
Independence	19	94.7	0.0	5.3	0			
Lakewood	89	87.6	9.0	3.4	0			
Linndale	0				0			
Lyndhurst	29	93.1	0.0	6.9	0			
Maple Heights	9	88.9	11.1	0.0	1	100.0	0.0	0.0
Mayfield Heights	31	87.1	12.9	0.0	1	100.0	0.0	0.0
Mayfield	9	77.8	22.2	0.0	0			
Middleburg Heights	24	87.5	12.5	0.0	0			
Moreland Hills	13	84.6	7.7	7.7	0			
Newburgh Heights	3	100.0	0.0	0.0	0			
North Olmsted	59	89.8	10.2	0.0	0			
North Randall	0				0			
North Royalton	38	89.5	10.5	0.0	0			
Oakwood	2	100.0	0.0	0.0	1	100.0	0.0	0.0
Olmsted Falls	16	93.8	6.3	0.0	0			
Olmsted Township	20	90.0	0.0	10.0	0			
Orange	15	80.0	13.3	6.7	0			
Parma	143	82.5	14.0	3.5	0			
Parma Heights	27	96.3	3.7	0.0	0			
Pepper Pike	24	95.8	4.2	0.0	0			
Richmond Heights	12	91.7	8.3	0.0	0			
Rocky River	65	89.2	9.2	1.5	0			
Seven Hills	21	85.7	4.8	9.5	0			

Table 4j

Total Number of Melanoma of the Skin Cancer Cases and Average Annual Percent Stage at Diagnosis by Race and Place from 2005-2009								
	White				Black			
	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)
Shaker Heights	46	93.5	2.2	4.3	1	100.0	0.0	0.0
Solon	56	87.5	8.9	3.6	0			
South Euclid	25	88.0	12.0	0.0	0			
Strongsville	96	88.5	9.4	2.1	0			
University Heights	11	100.0	0.0	0.0	1	100.0	0.0	0.0
Valley View	12	75.0	16.7	8.3	Data not sufficient			
Walton Hills	7	100.0	0.0	0.0	0			
Warrensville Heights	1	100.0	0.0	0.0	0			
Highland Hills	0				0			
Westlake	127	88.2	6.3	5.5	1	100.0	0.0	0.0
Woodmere	1	100.0	0.0	0.0	0			

¹Early Staging is defined as a cancer case being diagnosed in the *in situ* or localized stage

²Late Staging is defined as a cancer case being diagnosed in the regional or distant stage

³Unknown Staging is defined as a cancer cases being diagnosed as unknown and includes cancer cases considered unstaged

⁴Stage at Diagnosis for Selected Cancer Sites in Ohio. Ohio Cancer Incidence Surveillance System, Ohio Department of Health and The Ohio State University, Columbus, Ohio, March 2012.

⁵Fast Stats. Surveillance Epidemiology and End Results. Accessible at <http://seer.cancer.gov/faststats/index.php> Accessed 2/25/13.

Table 4k

Total Number of Oral Cavity and Pharynx Cancer Cases and Average Annual Percent Stage at Diagnosis by Place from 2005-2009				
	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)
United States (2000-2009)	not available	34.0	59.1	7.0
Ohio (2004-2008)	6,530	30.0	62.0	8.0
Cuyahoga	836	27.9	65.8	6.3
Cleveland	305	22.6	71.5	5.9
Inner Ring	245	26.9	63.7	9.4
Outer Ring	277	34.3	61.7	4.0
Brooklyn Centre	5	60.0	20.0	20.0
Buckeye-Shaker	11	27.3	72.7	0.0
Central	13	0.0	84.6	15.4
Clark-Fulton	8	37.5	62.5	0.0
Corlett	14	35.7	64.3	0.0
Cudell	4	0.0	100.0	0.0
Detroit-Shoreway	17	11.8	82.4	5.9
Downtown	8	12.5	87.5	0.0
Edgewater	6	0.0	100.0	0.0
Euclid-Green	5	60.0	40.0	0.0
Fairfax	8	25.0	75.0	0.0
Forest Hills	8	0.0	100.0	0.0
Glenville	19	15.8	73.7	10.5
Goodrich-Kirtland Park	1	0.0	100.0	0.0
Hough	14	28.6	64.3	7.1
Industrial Valley	1	0.0	100.0	0.0
Jefferson	20	20.0	70.0	10.0
Kamms Corners	11	63.6	36.4	0.0
Kinsman	3	0.0	100.0	0.0
Lee-Miles	6	0.0	83.3	16.7
Mt. Pleasant	13	23.1	69.2	7.7
North Broadway	10	20.0	70.0	10.0
North Collinwood	7	57.1	42.9	0.0
Ohio City	11	18.2	63.6	18.2
Old Brooklyn	13	23.1	61.5	15.4
Puritas-Longmead	9	22.2	66.7	11.1
Riverside	2	50.0	50.0	0.0
South Broadway	11	36.4	63.6	0.0
South Collinwood	2	0.0	100.0	0.0
St. Clair-Superior	6	33.3	66.7	0.0
Stockyards	8	25.0	62.5	12.5
Tremont	6	0.0	100.0	0.0
Union-Miles	12	16.7	83.3	0.0
University	5	20.0	80.0	0.0
West Boulevard	4	0.0	100.0	0.0
Woodland Hills	4	25.0	75.0	0.0
Bay Village	15	46.7	53.3	0.0
Beachwood	5	40.0	60.0	0.0
Bedford	11	9.1	81.8	9.1
Bedford Heights	7	28.6	71.4	0.0
Bentleyville	1	0.0	100.0	0.0
Berea	7	71.4	28.6	0.0
Bratenahl	3	33.3	33.3	33.3
Brecksville	6	33.3	66.7	0.0
Broadview Heights	16	31.3	56.3	12.5
Brooklyn	9	22.2	66.7	11.1
Brooklyn Heights	1	0.0	100.0	0.0
Brook Park	18	22.2	66.7	11.1

Table 4k

Total Number of Oral Cavity and Pharynx Cancer Cases and Average Annual Percent Stage at Diagnosis by Place from 2005-2009				
	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)
Chagrin Falls Township	0	0.0	0.0	0.0
Chagrin Falls Village	4	25.0	75.0	0.0
Cleveland Heights	18	11.1	61.1	27.8
Cuyahoga Heights	0	0.0	0.0	0.0
East Cleveland	10	10.0	90.0	0.0
Euclid	24	37.5	54.2	8.3
Fairview Park	10	20.0	80.0	0.0
Garfield Heights	19	26.3	68.4	5.3
Gates Mills	2	50.0	50.0	0.0
Glenwillow	1	0.0	100.0	0.0
Highland Heights	5	60.0	40.0	0.0
Hunting Valley	2	50.0	50.0	0.0
Independence	7	42.9	57.1	0.0
Lakewood	29	41.4	55.2	3.4
Linndale	0	0.0	0.0	0.0
Lyndhurst	9	55.6	33.3	11.1
Maple Heights	11	36.4	45.5	18.2
Mayfield Heights	9	22.2	77.8	0.0
Mayfield	2	0.0	50.0	50.0
Middleburg Heights	8	62.5	25.0	12.5
Moreland Hills	2	0.0	100.0	0.0
Newburgh Heights	1	0.0	100.0	0.0
North Olmsted	15	33.3	66.7	0.0
North Randall	1	0.0	100.0	0.0
North Royalton	19	31.6	68.4	0.0
Oakwood	1	0.0	100.0	0.0
Olmsted Falls	6	16.7	83.3	0.0
Olmsted Township	8	12.5	75.0	12.5
Orange	0	0.0	0.0	0.0
Parma	59	22.0	67.8	10.2
Parma Heights	19	42.1	57.9	0.0
Pepper Pike	2	0.0	100.0	0.0
Richmond Heights	8	50.0	25.0	25.0
Rocky River	10	30.0	60.0	10.0
Seven Hills	12	25.0	75.0	0.0
Shaker Heights	11	54.5	45.5	0.0
Solon	9	55.6	44.4	0.0
South Euclid	7	28.6	71.4	0.0
Strongsville	26	34.6	61.5	3.8
University Heights	5	20.0	80.0	0.0
Valley View	1	0.0	0.0	100.0
Walton Hills	2	0.0	100.0	0.0
Warrensville Heights	5	0.0	80.0	20.0
Highland Hills	0	0.0	0.0	0.0
Westlake	24	29.2	70.8	0.0
Woodmere	0	0.0	0.0	0.0

¹Early Staging is defined as a cancer case being diagnosed in the *in situ* or localized stage

²Late Staging is defined as a cancer case being diagnosed in the regional or distant stage

³Unknown Staging is defined as a cancer cases being diagnosed as unknown and includes cancer cases considered unstaged

⁴Stage at Diagnosis for Selected Cancer Sites in Ohio. Ohio Cancer Incidence Surveillance System, Ohio Department of Health and The Ohio State University, Columbus, Ohio, March 2012.

⁵Fast Stats. Surveillance Epidemiology and End Results. Accessible at <http://seer.cancer.gov/faststats/index.php> Accessed 2/25/13.

Total Number of Oral Cavity and Pharynx Cancer Cases and Average Annual Percent Stage at Diagnosis by Race and Place from 2005-2009								
	White				Black			
	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)
United States (2000-2009)⁴	not available				not available			
Ohio (2004-2008)⁵	not available	31.0	62.0	8.0	not available	20.0	74.0	6.0
Cuyahoga County	596	30.5	62.4	7.0	214	19.2	76.2	4.7
Cleveland	148	26.4	66.2	7.4	153	17.6	77.8	4.6
Inner Ring	194	26.8	63.4	9.8	40	25.0	67.5	7.5
Outer Ring	250	35.6	60.0	4.4	17	23.5	76.5	0.0
Brooklyn Centre	5	60.0	20.0	20.0	0			
Buckeye-Shaker	5	60.0	40.0	0.0	6	0.0	100.0	0.0
Central	4	0.0	100.0	0.0	9	0.0	77.8	22.2
Clark-Fulton	6	50.0	50.0	0.0	1	0.0	100.0	0.0
Corlett	0				14	35.7	64.3	0.0
Cudell	2	0.0	100.0	0.0	2	0.0	100.0	0.0
Detroit-Shoreway	14	14.3	78.6	7.1	3	0.0	100.0	0.0
Downtown	6	16.7	83.3	0.0	2	0.0	100.0	0.0
Edgewater	6	0.0	100.0	0.0	0			
Euclid-Green	0				5	60.0	40.0	0.0
Fairfax	1	100.0	0.0	0.0	7	14.3	85.7	0.0
Forest Hills	0				8	0.0	100.0	0.0
Glenville	0				19	15.8	73.7	10.5
Goodrich-Kirtland Park	1	0.0	100.0	0.0	0			
Hough	2	50.0	50.0	0.0	12	25.0	66.7	8.3
Industrial Valley	1	0.0	100.0	0.0	0			
Jefferson	19	15.8	73.7	10.5	0			
Kamms Corners	11	63.6	36.4	0.0	0			
Kinsman	0				3	0.0	100.0	0.0
Lee-Miles	0				6	0.0	83.3	16.7
Mt. Pleasant	0				13	23.1	69.2	7.7
North Broadway	6	16.7	66.7	16.7	4	25.0	75.0	0.0
North Collinwood	3	33.3	66.7	0.0	4	75.0	25.0	0.0
Ohio City	6	33.3	33.3	33.3	5	0.0	100.0	0.0
Old Brooklyn	13	23.1	61.5	15.4	0			
Puritas-Longmead	7	14.3	71.4	14.3	1	0.0	100.0	0.0
Riverside	1	100.0	0.0	0.0	1	0.0	100.0	0.0
South Broadway	7	28.6	71.4	0.0	4	50.0	50.0	0.0
South Collinwood	0				2	0.0	100.0	0.0
St. Clair-Superior	1	100.0	0.0	0.0	5	20.0	80.0	0.0
Stockyards	7	14.3	71.4	14.3	0			
Tremont	6	0.0	100.0	0.0	0			
Union-Miles	2	50.0	50.0	0.0	10	10.0	90.0	0.0
University	2	50.0	50.0	0.0	3	0.0	100.0	0.0
West Boulevard	4	0.0	100.0	0.0	0			
Woodland Hills	0				4	25.0	75.0	0.0
Bay Village	14	50.0	50.0	0.0	1	0.0	100.0	0.0
Beachwood	3	66.7	33.3	0.0	1	0.0	100.0	0.0

Total Number of Oral Cavity and Pharynx Cancer Cases and Average Annual Percent Stage at Diagnosis by Race and Place from 2005-2009								
	White				Black			
	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)
Bedford	9	11.1	77.8	11.1	2	0.0	100.0	0.0
Bedford Heights	3	33.3	66.7	0.0	4	25.0	75.0	0.0
Bentleyville	1	0.0	100.0	0.0	Data not sufficient			
Berea	7	71.4	28.6	0.0	0			
Bratenahl	3	33.3	33.3	33.3	0			
Brecksville	6	33.3	66.7	0.0	0			
Broadview Heights	16	31.3	56.3	12.5	0			
Brooklyn	8	25.0	62.5	12.5	0			
Brooklyn Heights	1	0.0	100.0	0.0	0			
Brook Park	18	22.2	66.7	11.1	0			
Chagrin Falls Township	0				Data not sufficient			
Chagrin Falls Village	4	25.0	75.0	0.0	0			
Cleveland Heights	10	20.0	40.0	40.0	8	0.0	87.5	12.5
Cuyahoga Heights	0				Data not sufficient			
East Cleveland	1	0.0	100.0	0.0	9	11.1	88.9	0.0
Euclid	18	33.3	55.6	11.1	6	50.0	50.0	0.0
Fairview Park	10	20.0	80.0	0.0	0			
Garfield Heights	16	25.0	75.0	0.0	3	33.3	33.3	33.3
Gates Mills	2	50.0	50.0	0.0	0			
Glenwillow	1	0.0	100.0	0.0	0			
Highland Heights	5	60.0	40.0	0.0	0			
Hunting Valley	2	50.0	50.0	0.0	Data not sufficient			
Independence	7	42.9	57.1	0.0	0			
Lakewood	26	42.3	53.8	3.8	1	100.0	0.0	0.0
Linndale	0				0			
Lyndhurst	9	55.6	33.3	11.1	0			
Maple Heights	6	33.3	50.0	16.7	4	50.0	50.0	0.0
Mayfield Heights	9	22.2	77.8	0.0	0			
Mayfield	2	0.0	50.0	50.0	0			
Middleburg Heights	8	62.5	25.0	12.5	0			
Moreland Hills	2	0.0	100.0	0.0	0			
Newburgh Heights	1	0.0	100.0	0.0	0			
North Olmsted	14	35.7	64.3	0.0	0			
North Randall	0				1	0.0	100.0	0.0
North Royalton	18	33.3	66.7	0.0	0			
Oakwood	1	0.0	100.0	0.0	0			
Olmsted Falls	6	16.7	83.3	0.0	0			
Olmsted Township	8	12.5	75.0	12.5	0			
Orange	0				0			
Parma	53	18.9	69.8	11.3	0			
Parma Heights	19	42.1	57.9	0.0	0			
Pepper Pike	1	0.0	100.0	0.0	1	0.0	100.0	0.0
Richmond Heights	4	25.0	25.0	50.0	3	66.7	33.3	0.0
Rocky River	10	30.0	60.0	10.0	0			
Seven Hills	11	27.3	72.7	0.0	0			

Total Number of Oral Cavity and Pharynx Cancer Cases and Average Annual Percent Stage at Diagnosis by Race and Place from 2005-2009								
	White				Black			
	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)
Shaker Heights	7	42.9	57.1	0.0	3	66.7	33.3	0.0
Solon	7	42.9	57.1	0.0	1	100.0	0.0	0.0
South Euclid	6	33.3	66.7	0.0	1	0.0	100.0	0.0
Strongsville	25	36.0	60.0	4.0	0			
University Heights	3	33.3	66.7	0.0	2	0.0	100.0	0.0
Valley View	1	0.0	0.0	100.0	Data not sufficient			
Walton Hills	1	0.0	100.0	0.0	1	0.0	100.0	0.0
Warrensville Heights	0				5	0.0	80.0	20.0
Highland Hills	0				0			
Westlake	21	33.3	66.7	0.0	0			
Woodmere	0				0			

¹Early Staging is defined as a cancer case being diagnosed in the *in situ* or localized stage

²Lage Staging is defined as a cancer case being diagnosed in the regional or distant stage

³Unknown Staging is defined as a cancer cases being diagnosed as unknown and includes cancer cases considered unstaged

⁴Stage at Diagnosis for Selected Cancer Sites in Ohio. Ohio Cancer Incidence Surveillance System, Ohio Department of Health and The Ohio State University, Columbus, Ohio, March 2012.

⁵Fast Stats. Surveillance Epidemiology and End Results. Accessible at <http://seer.cancer.gov/faststats/index.php> Accessed 2/25/13.

Table 4m

Total Number of Prostate Cancer Cases and Average Annual Percent Stage at Diagnosis by Place from 2005-2009				
	Total Number of cases	Early¹ (%)	Late² (%)	Unknown³ (%)
United States (2000-2009)	not available	80.2	15.4	4.4
Ohio (2004-2008)	40,805	83.0	11.0	6.0
Cuyahoga	5,290	81.6	11.5	6.9
Cleveland	1,320	76.4	15.0	8.6
Inner Ring	1,773	82.4	10.9	6.7
Outer Ring	2,075	83.9	9.9	6.2
Brooklyn Centre	10	80.0	10.0	10.0
Buckeye-Shaker	72	72.2	20.8	6.9
Central	27	70.4	22.2	7.4
Clark-Fulton	14	71.4	28.6	0.0
Corlett	70	78.6	14.3	7.1
Cudell	11	72.7	18.2	9.1
Detroit-Shoreway	16	75.0	25.0	0.0
Downtown	18	66.7	11.1	22.2
Edgewater	17	82.4	11.8	5.9
Euclid-Green	28	89.3	0.0	10.7
Fairfax	38	73.7	18.4	7.9
Forest Hills	59	74.6	13.6	11.9
Glenville	79	77.2	12.7	10.1
Goodrich-Kirtland Park	9	66.7	33.3	0.0
Hough	55	76.4	14.5	9.1
Industrial Valley	2	50.0	0.0	50.0
Jefferson	31	80.6	12.9	6.5
Kamms Corners	56	78.6	14.3	7.1
Kinsman	11	81.8	18.2	0.0
Lee-Miles	112	73.2	16.1	10.7
Mt. Pleasant	87	73.6	17.2	9.2
North Broadway	9	44.4	44.4	11.1
North Collinwood	64	68.8	20.3	10.9
Ohio City	23	73.9	21.7	4.3
Old Brooklyn	88	80.7	9.1	10.2
Puritas-Longmead	34	82.4	11.8	5.9
Riverside	12	75.0	0.0	25.0
South Broadway	50	68.0	24.0	8.0
South Collinwood	32	81.3	15.6	3.1
St. Clair-Superior	20	85.0	10.0	5.0
Stockyards	14	85.7	7.1	7.1
Tremont	6	66.7	33.3	0.0
Union-Miles	60	81.7	8.3	10.0
University	26	73.1	11.5	15.4
West Boulevard	24	87.5	8.3	4.2
Woodland Hills	36	91.7	8.3	0.0
Bay Village	80	78.8	15.0	6.3
Beachwood	73	75.3	11.0	13.7
Bedford	56	87.5	8.9	3.6
Bedford Heights	78	84.6	10.3	5.1
Bentleyville	4	100.0	0.0	0.0
Berea	56	82.1	5.4	12.5
Bratenahl	11	81.8	9.1	9.1
Brecksville	79	83.5	11.4	5.1
Broadview Heights	96	85.4	12.5	2.1
Brooklyn	38	92.1	0.0	7.9
Brooklyn Heights	10	70.0	20.0	10.0

Table 4m

Total Number of Prostate Cancer Cases and Average Annual Percent Stage at Diagnosis by Place from 2005-2009				
	Total Number of cases	Early¹ (%)	Late² (%)	Unknown³ (%)
Brook Park	73	83.6	8.2	8.2
Chagrin Falls Township	1	100.0	0.0	0.0
Chagrin Falls Village	24	79.2	12.5	8.3
Cleveland Heights	212	84.4	10.8	4.7
Cuyahoga Heights	3	66.7	33.3	0.0
East Cleveland	101	78.2	11.9	9.9
Euclid	174	82.2	8.6	9.2
Fairview Park	72	84.7	9.7	5.6
Garfield Heights	118	79.7	11.9	8.5
Gates Mills	19	73.7	26.3	0.0
Glenwillow	4	75.0	0.0	25.0
Highland Heights	38	81.6	10.5	7.9
Hunting Valley	4	50.0	50.0	0.0
Independence	43	90.7	4.7	4.7
Lakewood	118	83.9	11.9	4.2
Linndale	1	100.0	0.0	0.0
Lyndhurst	68	89.7	7.4	2.9
Maple Heights	97	86.6	8.2	5.2
Mayfield Heights	83	88.0	6.0	6.0
Mayfield	19	78.9	15.8	5.3
Middleburg Heights	85	87.1	5.9	7.1
Moreland Hills	23	87.0	0.0	13.0
Newburgh Heights	12	91.7	8.3	0.0
North Olmsted	141	87.9	5.7	6.4
North Randall	5	100.0	0.0	0.0
North Royalton	113	88.5	5.3	6.2
Oakwood	21	85.7	9.5	4.8
Olmsted Falls	32	81.3	18.8	0.0
Olmsted Township	53	92.5	1.9	5.7
Orange	18	77.8	11.1	11.1
Parma	329	83.3	10.6	6.1
Parma Heights	66	92.4	4.5	3.0
Pepper Pike	48	79.2	10.4	10.4
Richmond Heights	47	87.2	12.8	0.0
Rocky River	109	80.7	11.9	7.3
Seven Hills	74	79.7	9.5	10.8
Shaker Heights	139	82.0	15.8	2.2
Solon	96	87.5	9.4	3.1
South Euclid	75	73.3	16.0	10.7
Strongsville	185	82.7	10.8	6.5
University Heights	56	83.9	10.7	5.4
Valley View	13	92.3	0.0	7.7
Walton Hills	20	85.0	15.0	0.0
Warrensville Heights	81	80.2	8.6	11.1
Highland Hills	2	50.0	50.0	0.0
Westlake	149	72.5	18.8	8.7
Woodmere	3	33.3	33.3	33.3

¹Early Staging is defined as a cancer case being diagnosed in the *in situ* or localized stage

²Late Staging is defined as a cancer case being diagnosed in the regional or distant stage

³Unknown Staging is defined as a cancer cases being diagnosed as unknown and includes cancer cases considered unstaged

⁴Stage at Diagnosis for Selected Cancer Sites in Ohio. Ohio Cancer Incidence Surveillance System, Ohio Department of Health and The Ohio State University, Columbus, Ohio, March 2012.

⁵Fast Stats. Surveillance Epidemiology and End Results. Accessible at <http://seer.cancer.gov/faststats/index.php> Accessed 2/25/13.

Total Number of Prostate Cancer Cases and Average Annual Percent Stage at Diagnosis by Race and Place from 2005-2009								
	White				Black			
	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)
United States (2000-2009)⁴	not available	80.4	15.6	4.0	not available	79.8	16.0	4.3
Ohio (2004-2008)⁵	not available	83.0	11.0	6.0	not available	81.0	12.0	6.0
Cuyahoga County	3,355	82.0	11.3	6.7	1,610	80.1	13.4	6.6
Cleveland	419	77.6	13.8	8.6	824	75.8	16.1	8.0
Inner Ring	1,118	81.6	11.8	6.6	542	83.2	10.9	5.9
Outer Ring	1,743	83.2	10.4	6.4	205	87.8	8.8	3.4
Brooklyn Centre	7	85.7	14.3	0.0	3	66.7	0.0	33.3
Buckeye-Shaker	18	55.6	33.3	11.1	50	76.0	18.0	6.0
Central	2	100.0	0.0	0.0	25	68.0	24.0	8.0
Clark-Fulton	11	72.7	27.3	0.0	1	100.0	0.0	0.0
Corlett	6	100.0	0.0	0.0	57	75.4	17.5	7.0
Cudell	9	77.8	11.1	11.1	0			
Detroit-Shoreway	12	83.3	16.7	0.0	3	66.7	33.3	0.0
Downtown	6	83.3	16.7	0.0	12	58.3	8.3	33.3
Edgewater	12	75.0	16.7	8.3	5	100.0	0.0	0.0
Euclid-Green	1	100.0	0.0	0.0	27	88.9	0.0	11.1
Fairfax	2	100.0	0.0	0.0	35	71.4	20.0	8.6
Forest Hills	3	66.7	0.0	33.3	52	78.8	15.4	5.8
Glenville	4	75.0	0.0	25.0	68	75.0	14.7	10.3
Goodrich-Kirtland Park	3	66.7	33.3	0.0	3	100.0	0.0	0.0
Hough	0				53	75.5	15.1	9.4
Industrial Valley	1	0.0	0.0	100.0	1	100.0	0.0	0.0
Jefferson	24	83.3	12.5	4.2	3	100.0	0.0	0.0
Kamms Corners	52	78.8	13.5	7.7	1	100.0	0.0	0.0
Kinsman	1	100.0	0.0	0.0	9	77.8	22.2	0.0
Lee-Miles	2	0.0	50.0	50.0	100	74.0	17.0	9.0
Mt. Pleasant	3	100.0	0.0	0.0	81	71.6	18.5	9.9
North Broadway	4	25.0	50.0	25.0	5	60.0	40.0	0.0
North Collinwood	18	55.6	27.8	16.7	44	72.7	18.2	9.1
Ohio City	12	75.0	16.7	8.3	9	66.7	33.3	0.0
Old Brooklyn	76	81.6	9.2	9.2	5	80.0	20.0	0.0
Puritas-Longmead	25	88.0	8.0	4.0	6	66.7	33.3	0.0
Riverside	8	62.5	0.0	37.5	2	100.0	0.0	0.0
South Broadway	37	70.3	21.6	8.1	13	61.5	30.8	7.7
South Collinwood	5	100.0	0.0	0.0	26	80.8	19.2	0.0
St. Clair-Superior	5	80.0	20.0	0.0	13	84.6	7.7	7.7
Stockyards	10	90.0	10.0	0.0	2	50.0	0.0	50.0
Tremont	2	100.0	0.0	0.0	4	50.0	50.0	0.0
Union-Miles	2	100.0	0.0	0.0	58	81.0	8.6	10.3
University	13	76.9	0.0	23.1	13	69.2	23.1	7.7
West Boulevard	21	90.5	4.8	4.8	2	50.0	50.0	0.0
Woodland Hills	2	50.0	50.0	0.0	33	93.9	6.1	0.0
Bay Village	77	77.9	15.6	6.5	1	100.0	0.0	0.0
Beachwood	57	71.9	14.0	14.0	13	84.6	0.0	15.4

Total Number of Prostate Cancer Cases and Average Annual Percent Stage at Diagnosis by Race and Place from 2005-2009								
	White				Black			
	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)
Bedford	40	85.0	12.5	2.5	16	93.8	0.0	6.3
Bedford Heights	19	73.7	10.5	15.8	57	87.7	10.5	1.8
Bentleyville	3	100.0	0.0	0.0	Data not sufficient			
Berea	44	79.5	6.8	13.6	6	83.3	0.0	16.7
Bratenahl	10	80.0	10.0	10.0	1	100.0	0.0	0.0
Brecksville	73	86.3	11.0	2.7	2	50.0	50.0	0.0
Broadview Heights	87	83.9	13.8	2.3	1	100.0	0.0	0.0
Brooklyn	30	93.3	0.0	6.7	1	100.0	0.0	0.0
Brooklyn Heights	10	70.0	20.0	10.0	0			
Brook Park	65	83.1	9.2	7.7	0			
Chagrin Falls Township	1	100.0	0.0	0.0	Data not sufficient			
Chagrin Falls Village	24	79.2	12.5	8.3	0			
Cleveland Heights	83	81.9	13.3	4.8	115	85.2	10.4	4.3
Cuyahoga Heights	3	66.7	33.3	0.0	Data not sufficient			
East Cleveland	7	71.4	0.0	28.6	88	78.4	13.6	8.0
Euclid	93	82.8	7.5	9.7	76	80.3	10.5	9.2
Fairview Park	63	84.1	9.5	6.3	4	100.0	0.0	0.0
Garfield Heights	79	77.2	13.9	8.9	36	83.3	8.3	8.3
Gates Mills	17	70.6	29.4	0.0	1	100.0	0.0	0.0
Glenwillow	4	75.0	0.0	25.0	0			
Highland Heights	34	79.4	11.8	8.8	1	100.0	0.0	0.0
Hunting Valley	4	50.0	50.0	0.0	Data not sufficient			
Independence	42	90.5	4.8	4.8	0			
Lakewood	108	84.3	11.1	4.6	8	75.0	25.0	0.0
Linndale	0				1	100.0	0.0	0.0
Lyndhurst	64	89.1	7.8	3.1	2	100.0	0.0	0.0
Maple Heights	35	91.4	8.6	0.0	55	89.1	9.1	1.8
Mayfield Heights	73	89.0	6.8	4.1	5	100.0	0.0	0.0
Mayfield	19	78.9	15.8	5.3	0			
Middleburg Heights	80	86.3	6.3	7.5	1	100.0	0.0	0.0
Moreland Hills	21	85.7	0.0	14.3	1	100.0	0.0	0.0
Newburgh Heights	10	90.0	10.0	0.0	1	100.0	0.0	0.0
North Olmsted	125	88.8	5.6	5.6	1	100.0	0.0	0.0
North Randall	0				5	100.0	0.0	0.0
North Royalton	103	87.4	5.8	6.8	1	100.0	0.0	0.0
Oakwood	7	100.0	0.0	0.0	14	78.6	14.3	7.1
Olmsted Falls	29	79.3	20.7	0.0	0			
Olmsted Township	51	92.2	2.0	5.9	1	100.0	0.0	0.0
Orange	14	78.6	7.1	14.3	4	75.0	25.0	0.0
Parma	293	81.9	11.6	6.5	3	66.7	33.3	0.0
Parma Heights	60	93.3	5.0	1.7	2	100.0	0.0	0.0
Pepper Pike	45	77.8	11.1	11.1	2	100.0	0.0	0.0
Richmond Heights	29	89.7	10.3	0.0	15	86.7	13.3	0.0
Rocky River	104	80.8	12.5	6.7	1	100.0	0.0	0.0
Seven Hills	67	79.1	10.4	10.4	1	100.0	0.0	0.0

Total Number of Prostate Cancer Cases and Average Annual Percent Stage at Diagnosis by Race and Place from 2005-2009								
	White				Black			
Shaker Heights	73	78.1	20.5	1.4	58	86.2	12.1	1.7
Solon	73	86.3	9.6	4.1	14	85.7	14.3	0.0
South Euclid	47	68.1	17.0	14.9	24	87.5	12.5	0.0
Strongsville	166	81.9	11.4	6.6	3	100.0	0.0	0.0
University Heights	26	84.6	7.7	7.7	25	84.0	16.0	0.0
Valley View	11	90.9	0.0	9.1	Data not sufficient			
Walton Hills	17	82.4	17.6	0.0	3	100.0	0.0	0.0
Warrensville Heights	5	80.0	20.0	0.0	70	80.0	8.6	11.4
Highland Hills	1	0.0	100.0	0.0	1	100.0	0.0	0.0
Westlake	135	71.9	19.3	8.9	4	100.0	0.0	0.0
Woodmere	1	0.0	100.0	0.0	2	50.0	0.0	50.0

¹Early Staging is defined as a cancer case being diagnosed in the *in situ* or localized stage

²Late Staging is defined as a cancer case being diagnosed in the regional or distant stage

³Unknown Staging is defined as a cancer cases being diagnosed as unknown and includes cancer cases considered unstaged

⁴Stage at Diagnosis for Selected Cancer Sites in Ohio. Ohio Cancer Incidence Surveillance System, Ohio Department of Health and The Ohio State University, Columbus, Ohio, March 2012.

⁵Fast Stats. Surveillance Epidemiology and End Results. Accessible at <http://seer.cancer.gov/faststats/index.php> Accessed 2/25/13.

Table 4o

Total Number of Testis Cancer Cases and Average Annual Percent Stage at Diagnosis by Place from 2005-2009				
	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)
United States (2000-2009)	not available	69.9	28.8	1.6
Ohio (2004-2008)	1,550	70.0	29.0	1.0
Cuyahoga	157	59.9	37.6	2.5
Cleveland	36	55.6	41.7	2.8
Inner Ring	68	61.8	36.8	1.5
Outer Ring	50	60.0	36.0	4.0
Brooklyn Centre	1	0.0	100.0	0.0
Buckeye-Shaker	1	100.0	0.0	0.0
Central	0	0.0	0.0	0.0
Clark-Fulton	0	0.0	0.0	0.0
Corlett	1	0.0	100.0	0.0
Cudell	2	100.0	0.0	0.0
Detroit-Shoreway	3	66.7	33.3	0.0
Downtown	3	33.3	66.7	0.0
Edgewater	1	100.0	0.0	0.0
Euclid-Green	0	0.0	0.0	0.0
Fairfax	0	0.0	0.0	0.0
Forest Hills	0	0.0	0.0	0.0
Glenville	0	0.0	0.0	0.0
Goodrich-Kirtland Park	0	0.0	0.0	0.0
Hough	3	33.3	33.3	33.3
Industrial Valley	0	0.0	0.0	0.0
Jefferson	1	100.0	0.0	0.0
Kamms Corners	2	100.0	0.0	0.0
Kinsman	0	0.0	0.0	0.0
Lee-Miles	0	0.0	0.0	0.0
Mt. Pleasant	0	0.0	0.0	0.0
North Broadway	0	0.0	0.0	0.0
North Collinwood	2	100.0	0.0	0.0
Ohio City	1	0.0	100.0	0.0
Old Brooklyn	3	66.7	33.3	0.0
Puritas-Longmead	1	0.0	100.0	0.0
Riverside	1	100.0	0.0	0.0
South Broadway	3	33.3	66.7	0.0
South Collinwood	1	0.0	100.0	0.0
St. Clair-Superior	1	100.0	0.0	0.0
Stockyards	0	0.0	0.0	0.0
Tremont	3	33.3	66.7	0.0
Union-Miles	0	0.0	0.0	0.0
University	1	100.0	0.0	0.0
West Boulevard	1	0.0	100.0	0.0
Woodland Hills	0	0.0	0.0	0.0
Bay Village	3	66.7	33.3	0.0
Beachwood	2	100.0	0.0	0.0
Bedford	0	0.0	0.0	0.0
Bedford Heights	1	100.0	0.0	0.0
Bentleyville	0	0.0	0.0	0.0
Berea	0	0.0	0.0	0.0
Bratenahl	0	0.0	0.0	0.0
Brecksville	4	50.0	25.0	25.0
Broadview Heights	1	100.0	0.0	0.0
Brooklyn	3	33.3	66.7	0.0
Brooklyn Heights	0	0.0	0.0	0.0
Brook Park	2	50.0	50.0	0.0

Table 4o

Total Number of Testis Cancer Cases and Average Annual Percent Stage at Diagnosis by Place from 2005-2009				
	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)
Chagrin Falls Township	0	0.0	0.0	0.0
Chagrin Falls Village	0	0.0	0.0	0.0
Cleveland Heights	5	100.0	0.0	0.0
Cuyahoga Heights	0	0.0	0.0	0.0
East Cleveland	1	100.0	0.0	0.0
Euclid	4	50.0	50.0	0.0
Fairview Park	3	66.7	33.3	0.0
Garfield Heights	5	60.0	40.0	0.0
Gates Mills	1	100.0	0.0	0.0
Glenwillow	0	0.0	0.0	0.0
Highland Heights	0	0.0	0.0	0.0
Hunting Valley	0	0.0	0.0	0.0
Independence	0	0.0	0.0	0.0
Lakewood	17	58.8	41.2	0.0
Linndale	0	0.0	0.0	0.0
Lyndhurst	1	0.0	100.0	0.0
Maple Heights	0	0.0	0.0	0.0
Mayfield Heights	2	50.0	50.0	0.0
Mayfield	0	0.0	0.0	0.0
Middleburg Heights	4	50.0	25.0	25.0
Moreland Hills	0	0.0	0.0	0.0
Newburgh Heights	0	0.0	0.0	0.0
North Olmsted	11	63.6	36.4	0.0
North Randall	0	0.0	0.0	0.0
North Royalton	0	0.0	0.0	0.0
Oakwood	0	0.0	0.0	0.0
Olmsted Falls	2	0.0	100.0	0.0
Olmsted Township	1	0.0	100.0	0.0
Orange	0	0.0	0.0	0.0
Parma	16	62.5	37.5	0.0
Parma Heights	2	50.0	50.0	0.0
Pepper Pike	0	0.0	0.0	0.0
Richmond Heights	0	0.0	0.0	0.0
Rocky River	4	75.0	25.0	0.0
Seven Hills	3	33.3	66.7	0.0
Shaker Heights	3	33.3	33.3	33.3
Solon	1	0.0	100.0	0.0
South Euclid	5	60.0	40.0	0.0
Strongsville	3	100.0	0.0	0.0
University Heights	0	0.0	0.0	0.0
Valley View	1	100.0	0.0	0.0
Walton Hills	1	100.0	0.0	0.0
Warrensville Heights	0	0.0	0.0	0.0
Highland Hills	0	0.0	0.0	0.0
Westlake	6	66.7	33.3	0.0
Woodmere	0	0.0	0.0	0.0

¹Early Staging is defined as a cancer case being diagnosed in the *in situ* or localized stage

²Late Staging is defined as a cancer case being diagnosed in the regional or distant stage

³Unknown Staging is defined as a cancer cases being diagnosed as unknown and includes cancer cases considered unstaged

⁴Stage at Diagnosis for Selected Cancer Sites in Ohio. Ohio Cancer Incidence Surveillance System, Ohio Department of Health and The Ohio State University, Columbus, Ohio, March 2012.

⁵Fast Stats. Surveillance Epidemiology and End Results. Accessible at <http://seer.cancer.gov/faststats/index.php> Accessed 2/25/13.

Table 4p

Total Number of Testicular Cancer Cases and Average Annual Percent Stage at Diagnosis by Race and Place from 2005-2009								
	White				Black			
	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)
United States (2000-2009) ⁴	not available	69.8	28.7	1.6	not available	60.1	37.3	2.6
Ohio (2004-2008) ⁵	not available	65.0	31.0	3.0	not available	64.0	31.0	6.0
Cuyahoga County	135	58.5	39.3	2.2	13	61.5	30.8	7.7
Cleveland	24	54.2	45.8	0.0	8	62.5	25.0	12.5
Inner Ring	62	61.3	37.1	1.6	5	60.0	40.0	0.0
Outer Ring	46	56.5	39.1	4.3	0			
Brooklyn Centre	0				0			
Buckeye-Shaker	0				1	100.0	0.0	0.0
Central	0				0			
Clark-Fulton	0				0			
Corlett	0				1	0.0	100.0	0.0
Cudell	1	100.0	0.0	0.0	0			
Detroit-Shoreway	2	50.0	50.0	0.0	0			
Downtown	2	0.0	100.0	0.0	1	100.0	0.0	0.0
Edgewater	1	100.0	0.0	0.0	0			
Euclid-Green	0				0			
Fairfax	0				0			
Forest Hills	0				0			
Glenville	0				0			
Goodrich-Kirtland Park	0				0			
Hough	0				3	33.3	33.3	33.3
Industrial Valley	0				0			
Jefferson	1	100.0	0.0	0.0	0			
Kamms Corners	2	100.0	0.0	0.0	0			
Kinsman	0				0			
Lee-Miles	0				0			
Mt. Pleasant	0				0			
North Broadway	0				0			
North Collinwood	1	100.0	0.0	0.0	1	100.0	0.0	0.0
Ohio City	0				0			
Old Brooklyn	3	66.7	33.3	0.0	0			
Puritas-Longmead	1	0.0	100.0	0.0	0			
Riverside	0				1	100.0	0.0	0.0
South Broadway	3	33.3	66.7	0.0	0			
South Collinwood	1	0.0	100.0	0.0	0			
St. Clair-Superior	1	100.0	0.0	0.0	0			
Stockyards	0				0			
Tremont	3	33.3	66.7	0.0	0			
Union-Miles	0				0			
University	1	100.0	0.0	0.0	0			
West Boulevard	1	0.0	100.0	0.0	0			
Woodland Hills	0				0			
Bay Village	3	66.7	33.3	0.0	0			
Beachwood	2	100.0	0.0	0.0	0			

Table 4p

Total Number of Testicular Cancer Cases and Average Annual Percent Stage at Diagnosis by Race and Place from 2005-2009								
	White				Black			
	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)
Bedford	0				0			
Bedford Heights	0				0			
Bentleyville	0				Data not sufficient			
Berea	0				0			
Bratenahl	0				0			
Brecksville	4	50.0	25.0	25.0	0			
Broadview Heights	0				0			
Brooklyn	3	33.3	66.7	0.0	0			
Brooklyn Heights	0				0			
Brook Park	2	50.0	50.0	0.0	0			
Chagrin Falls Township	0				Data not sufficient			
Chagrin Falls Village	0				0			
Cleveland Heights	5	100.0	0.0	0.0	0			
Cuyahoga Heights	0				Data not sufficient			
East Cleveland	0				1	100.0	0.0	0.0
Euclid	3	66.7	33.3	0.0	1	0.0	100.0	0.0
Fairview Park	3	66.7	33.3	0.0	0			
Garfield Heights	4	50.0	50.0	0.0	0			
Gates Mills	0				0			
Glenwillow	0				0			
Highland Heights	0				0			
Hunting Valley	0				Data not sufficient			
Independence	0				0			
Lakewood	17	58.8	41.2	0.0	0			
Linndale	0				0			
Lyndhurst	1	0.0	100.0	0.0	0			
Maple Heights	0				0			
Mayfield Heights	2	50.0	50.0	0.0	0			
Mayfield	0				0			
Middleburg Heights	4	50.0	25.0	25.0	0			
Moreland Hills	0				0			
Newburgh Heights	0				0			
North Olmsted	10	60.0	40.0	0.0	0			
North Randall	0				0			
North Royalton	0				0			
Oakwood	0				0			
Olmsted Falls	2	0.0	100.0	0.0	0			
Olmsted Township	1	0.0	100.0	0.0	0			
Orange	0				0			
Parma	16	62.5	37.5	0.0	0			
Parma Heights	2	50.0	50.0	0.0	0			
Pepper Pike	0				0			
Richmond Heights	0				0			
Rocky River	4	75.0	25.0	0.0	0			
Seven Hills	3	33.3	66.7	0.0	0			

Table 4p

Total Number of Testicular Cancer Cases and Average Annual Percent Stage at Diagnosis by Race and Place from 2005-2009								
	White				Black			
	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)	Total Number of cases	Early ¹ (%)	Late ² (%)	Unknown ³ (%)
Shaker Heights	2	50.0	0.0	50.0	1	0.0	100.0	0.0
Solon	1	0.0	100.0	0.0	0			
South Euclid	3	33.3	66.7	0.0	2	100.0	0.0	0.0
Strongsville	3	100.0	0.0	0.0	0			
University Heights	0				0			
Valley View	1	100.0	0.0	0.0	Data not sufficient			
Walton Hills	1	100.0	0.0	0.0	0			
Warrensville Heights	0				0			
Highland Hills	0				0			
Westlake	6	66.7	33.3	0.0	0			
Woodmere	0				0			

¹Early Staging is defined as a cancer case being diagnosed in the *in situ* or localized stage

²Late Staging is defined as a cancer case being diagnosed in the regional or distant stage

³Unknown Staging is defined as a cancer cases being diagnosed as unknown and includes cancer cases considered unstaged

⁴Stage at Diagnosis for Selected Cancer Sites in Ohio. Ohio Cancer Incidence Surveillance System, Ohio Department of Health and The Ohio State University, Columbus, Ohio, March 2012.

⁵Fast Stats. Surveillance Epidemiology and End Results. Accessible at <http://seer.cancer.gov/faststats/index.php> Accessed 2/25/13.